

## Exam Questions PL-300

Microsoft Power BI Data Analyst

<https://www.2passeasy.com/dumps/PL-300/>



### NEW QUESTION 1

- (Exam Topic 1)

You need to create a relationship between the Weekly\_Returns table and the Date table to meet the reporting requirements of the regional managers. What should you do?

- A. In the Weekly\_Returns table, create a new calculated column named date-id in a format of yyyyymmdd and use the calculated column to create a relationship to the Date table.
- B. Add the Weekly\_Returns data to the Sales table by using related DAX functions.
- C. Create a new table based on the Date table where date-id is unique, and then create a many-to-many relationship to Weekly\_Return.

**Answer:** A

#### Explanation:

Scenario: Region managers require a visual to analyze weekly sales and returns. To relate the two tables we need a common column.

### NEW QUESTION 2

- (Exam Topic 1)

You need to create a visualization to meet the reporting requirements of the sales managers.

How should you create the visualization? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Visualization type:

Indicator:

Trend axis:

Target goals:

These are the selections for Indicator

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Scenario: The sales managers require a visual to analyze sales performance versus sales targets. Box 1: KPI

A Key Performance Indicator (KPI) is a visual cue that communicates the amount of progress made toward a measurable goal.

Box 2: Sales[sales\_amount]

Box 3: Date[month]

Time > FiscalMonth. This value will represent the trend. Box 4: Targets[sales\_target]

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-kpi>

### NEW QUESTION 3

- (Exam Topic 1)

You need to address the data concerns before creating the data model. What should you do in Power Query Editor?

- A. Select Column distribution.
- B. Select the sales\_amount column and apply a number filter.
- C. Select Column profile, and then select the sales\_amount column.
- D. Transform the sales\_amount column to replace negative values with 0.

**Answer:** C

NEW QUESTION 4

- (Exam Topic 2)

Once the profit and loss dataset is created, which four actions should you perform in sequence to ensure that the business unit analysts see the appropriate profit and loss data? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions


Answer Area

- From powerbi.com, assign the analysts the Contributor role to the workspace.
- From powerbi.com, add role members to the roles.
- From Power BI Desktop, add a Table Filter DAX Expression to the roles.
- From Power BI Desktop, create four roles.
- From Power BI Desktop, publish the dataset to powerbi.com.

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:



<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls> <https://docs.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

NEW QUESTION 5

- (Exam Topic 2)

You need to create a DAX measure in the data model that only allows users to see projections at the appropriate levels of granularity. How should you complete the measure? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

- Values
- AND
- IF
- ISFILTERED
- KEEPFILTERS
- SUM
- SUMX

Answer Area

Total Projected Revenue =

Value (

NOT ( Value ( 'Date'[Date] ) ),

Value ( Projection[Revenue Projection] )

)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Scenario: Revenue projections are set at the monthly level and summed to show projections for the quarter. Box 1: IF

Box 2: ISFILTERED

ISFILTERED returns TRUE when columnName is being filtered directly. If there is no filter on the column or if the filtering happens because a different column in the same table or in a related table is being filtered then the function returns FALSE.

Box 3: SUM

Reference:

<https://docs.microsoft.com/en-us/dax/isfiltered-function-dax>

**NEW QUESTION 6**

- (Exam Topic 2)

How should you distribute the reports to the board? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Grant access by:

Sharing individual reports
Using a workspace membership
Using an app

Grant access to:

A dynamic distribution list
A mail-enabled security group
Individual user emails

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Using a workspace membership Scenario:

The company wants to provide a single package of reports to the board that contains custom navigation and links to supplementary information.

Note: Workspace is a shared environment for a group of people. You can have multiple Power BI content in a workspace. One workspace can have hundreds of dashboards, reports, and datasets in it.

Box 2: A mail-enabled security group Scenario: Security Requirements

The reports must be made available to the board from powerbi.com. A mail-enabled security group will be used to share information with the board.

**NEW QUESTION 7**

- (Exam Topic 2)

Which two types of visualizations can be used in the balance sheet reports to meet the reporting goals? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a line chart that shows balances by quarter filtered to account categories that are long-term liabilities.
- B. a clustered column chart that shows balances by date (x-axis) and account category (legend) without filters.
- C. a clustered column chart that shows balances by quarter filtered to account categories that are long-term liabilities.
- D. a pie chart that shows balances by account category without filters.
- E. a ribbon chart that shows balances by quarter and accounts in the legend.

**Answer:** AE

**Explanation:**

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>

**NEW QUESTION 8**

- (Exam Topic 2)

You need to grant access to the business unit analysts.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



## Answer Area

Permissions required in powerbi.com:

Access permissions to an app  
 The Member role to the workspace  
 The Viewer role to the workspace

Permissions for the profit and loss dataset:

Build  
 Delete  
 Reshare

- A. Mastered  
 B. Not Mastered

**Answer: A**

### Explanation:

Box 1: The Viewer role to the workspace

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".

Capability	Admin	Member	Contributor	Viewer
Update and delete the workspace.	X			
Add/remove people, including other admins.	X			
Add members or others with lower permissions.	X	X		
Publish and update an app.	X	X		
Share an item or share an app.	X	X		
Allow others to reshare items.	X	X		
Create, edit, and delete content in the workspace.	X	X	X	
Publish reports to the workspace, delete content.	X	X	X	
View an item.	X	X	X	X
Create a report in another workspace based on a dataset in this workspace.	X	X	X	X <sup>1</sup>
Copy a report.	X	X	X	X <sup>1</sup>

Box 2: Build

The analysts must be able to build new reports from the dataset that contains the profit and loss data.

Scenario: The reports must be made available to the board from powerbi.com.

The analysts responsible for each business unit must see all the data the board sees, except the profit and loss data, which must be restricted to only their business unit's data. The analysts must be able to build new reports from the dataset that contains the profit and loss data, but any reports that the analysts build must not be included in the quarterly reports for the board. The analysts must not be able to share the quarterly reports with anyone.

Reference:

<https://www.nickyvv.com/2019/08/the-new-power-bi-workspace-viewer-role-explained.html>

### NEW QUESTION 9

- (Exam Topic 2)

Which DAX expression should you use to get the ending balances in the balance sheet reports?

- A. CALCULATE (SUM( BalanceSheet [BalanceAmount] ), DATESQTD( 'Date'[Date] ))  
 B. CALCULATE (SUM( BalanceSheet [BalanceAmount] ), LASTDATE( 'Date'[Date] ))  
 C. FIRSTNONBLANK ( 'Date' [Date]SUM( BalanceSheet[BalanceAmount] ))  
 D. CALCULATE (MAX( BalanceSheet[BalanceAmount] ), LASTDATE( 'Date' [Date] ))

**Answer: A**

### Explanation:

Scenario: At least one of the balance sheet reports in the quarterly reporting package must show the ending balances for the quarter, as well as for the previous quarter.

DATESQTD returns a table that contains a column of the dates for the quarter to date, in the current context. Reference:

<https://docs.microsoft.com/en-us/dax/datesqtd-function-dax>

### NEW QUESTION 10

- (Exam Topic 3)

You need to minimize the size of the dataset. The solution must meet the report requirements What should you do?

- A. Change the OrderID column in the Orders table to the text data type.  
 B. Filter out discontinued products while importing the Product table.  
 C. Remove the QuantityPerUnit column from the Products table  
 D. Group the Categories table by the CategoryID column.

Answer: D

#### NEW QUESTION 10

- (Exam Topic 3)

You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. bar chart
- B. scatterplot
- C. pie chart

Answer: A

#### Explanation:

Scenario: The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region Customers that had multiple late shipments during the last quarter

Note: Bar and column charts are some of the most widely used visualization charts in Power BI. They can be used for one or multiple categories. Both these chart types represent data with rectangular bars, where the size of the bar is proportional to the magnitude of data values.

The difference between the two is that if the rectangles are stacked horizontally, it is called a bar chart. If the rectangles are vertically aligned, it is called a column chart.

Reference:

<https://www.pluralsight.com/guides/bar-and-column-charts-in-power-bi>

#### NEW QUESTION 11

- (Exam Topic 3)

You need to configure access for the sales department users. The solution must me meet the security requirements. What should you do?

- A. Add the sales department as a member of the reports workspace
- B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace.
- C. Distribute an app to the users in the Azure Active Directory group of the sales department.
- D. Share each report to the Azure Active Directory group of the sales department.

Answer: D

#### NEW QUESTION 15

- (Exam Topic 3)

You need to create a solution to meet the notification requirements of the warehouse shipping department. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct select is worth one point:

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

#### Explanation:

Answer Area



#### NEW QUESTION 19

- (Exam Topic 3)

You need to design the data model to meet the report requirements. What should you do in Power BI Desktop?

- A. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.

- D. From Power Query, add a date tabl
- E. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.

Answer: B

Explanation:

Use Power Query to calculate calendar quarter and calendar month. Scenario:

- > A single dataset must support all three reports:
  - The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.
  - The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category.
- > The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

NEW QUESTION 23

- (Exam Topic 4)

You are developing a report page. Some users will navigate the report by using a keyboard, and some users will consume the report by using a screen reader. You need to ensure that the users can consume the content on a report page in a logical order. What should you configure in Microsoft Power BI Desktop?

- A. the bookmark order
- B. the layer order
- C. the tab order
- D. the X position

Answer: C

Explanation:

If you find yourself unable to navigate to an object or visual while using a keyboard, it may be because the report author has decided to hide that object from the tab order. Report authors commonly hide decorative objects from the tab order. If you find that you cannot tab through a report in a logical manner, you should contact the report author. Report authors can set the tab order for objects and visuals.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-accessibility-consuming-tools>

NEW QUESTION 26

- (Exam Topic 4)

You build a report about warehouse inventory data. The dataset has more than 10 million product records from 200 warehouses worldwide. You have a table named Products that contains the columns shown in the following table.

Name	Sample data
ProductDescription	Bikes > Adventure Works > Mountain Bikes > Super Carbon Bike > 26in wheels 42in frame
ProductCategory	Bikes
Manufacturer	Adventure Works
ProductSubcategory	Mountain Bikes
ProductSpecification	26in wheels 42in frame

Warehouse managers report that it is difficult to use the report because the report uses only the product name in tables and visuals. The product name is contained within the ProductDescription column and is always the fourth value.

You need to modify the report to support the warehouse managers requirement to explore inventory levels at different levels of the product hierarchy. The solution must minimize the model size.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.

Replace the use of ProductDescription in the report with the product hierarchy.

Transform the ProductDescription column to contain only the text between the first and fourth > symbol.

Add the product hierarchy as an extra field in visuals where ProductDescription is used.

Add a column named ProductName that contains only the text between the third and fourth > symbol in the ProductDescription column.

Add a column named ProductName that contains all the text after the third > symbol in the ProductDescription column.

Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.

**Answer Area**

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

**Actions**

- Create a product hierarchy of Manufacturer, ProductSpecifications, ProductName, ProductSubcategory, and ProductCategory.
- Replace the use of ProductDescription in the report with the product hierarchy.
- Transform the ProductDescription column to contain only the text between the first and fourth + symbol.
- Add the product hierarchy as an extra field in visuals where ProductDescription is used.
- Add a column named ProductName that contains only the text between the third and fourth + symbol in the ProductDescription column.
- Add a column named ProductName that contains all the text after the third + symbol in the ProductDescription column.
- Create a product hierarchy of ProductCategory, ProductSubcategory, Manufacturer, ProductName, and ProductSpecifications.

**NEW QUESTION 28**

- (Exam Topic 4)

You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Customer to Transaction
- B. one-to-one between Customer and Transaction
- C. one-to-many from Transaction to Customer
- D. many-to-many between Customer and Transaction

**Answer: A**

**Explanation:**

Each customer can have many transactions.

For each transaction there is exactly one customer.

**NEW QUESTION 33**


- (Exam Topic 4)

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.


Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)





You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model.

You add another table named Territory to the model. A sample of the data is shown in the following table.

TerritoryKey	TerritoryName
1	United States
1	USA
2	Canada
2	Can
3	United Kingdom
3	UK

You need to create a relationship between the Territory table and the Sales table. Which function should you use in the query for Territory before you create the relationship?

- A. Table.RemoveMatchingRows
- B. Table.Distinct

- C. Table.InDistinct
- D. Table.ReplaceMatchingRows

Answer: B

Explanation:

References: <https://msdn.microsoft.com/en-us/library/mt260775.aspx>

NEW QUESTION 34

- (Exam Topic 4)

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE; Each correct selection is worth one point.

Answer Area

Filter type: Top N

Level: Report

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

A picture containing background pattern

Description automatically generated

NEW QUESTION 35

- (Exam Topic 4)

You are modeling data in table named SalesDetail by using Microsoft Power BI.

You need to provide end users with access to the summary statistics about the SalesDetail data. The users require insights on the completeness of the data and the value distributions.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Specify the following query, then close and apply.  
-Table.Distinct (#"SalesDetail")

Create a visual for the query table.

Create a parameter that uses a query for the suggested values.

Create a query that uses Common Data Service as a data source.

Specify the following query, then close and apply.  
-Table.Profile (#"SalesDetail")

Create a blank query as a data source.

⏪

⏩

⏴

⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:


Actions	Answer Area
Specify the following query, then close and apply. -Table.Distinct("#SalesDetail")	Create a blank query as a data source.
Create a visual for the query table.	Specify the following query, then close and apply. -Table.Profile("#SalesDetail")
Create a parameter that uses a query for the suggested values.	
Create a query that uses Common Data Service as a data source.	Create a visual for the query table.
Specify the following query, then close and apply. -Table.Profile("#SalesDetail")	
Create a blank query as a data source.	

### NEW QUESTION 38

- (Exam Topic 4)

You are profiling data by using Power Query Editor.

The AddressLine2 column in a table named Address is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

There are [answer choice] different values in the column including nulls

There are [answer choice] non-null values that occur only once in the column

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

There are [answer choice] different values in the column including nulls. 12

There are [answer choice] non-null values that occur only once in the column. 11

### NEW QUESTION 40

- (Exam Topic 4)

You have a Microsoft Power BI dashboard. The report used to create the dashboard uses an imported dataset from a Microsoft SQL Server data source. The dashboard is shown in the exhibit. (Click the Exhibit tab.)





What occurred at 12:03:06 PM?

- A. A user pressed F5
- B. A new transaction was added to the data source.
- C. A user added a comment to a tile.
- D. The dashboard tile cache refreshed.

**Answer: D**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/refresh-data>

**NEW QUESTION 45**

- (Exam Topic 4)

Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.


Start of repeated scenario

You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



<b>dimGeography</b> [GeographyKey] [City] [StateProvinceCode] [StateProvinceName] [CountryRegionCode] [EnglishCountryRegionName] [PostalCode] [SalesTerritoryKey] [IpAddressLocator]	<b>Sales</b> [ProductKey] [OrderDateKey] [DueDateKey] [ShipDateKey] [CustomerKey] [PromotionKey] [CurrencyKey] [SalesTerritoryKey] [SalesOrderNumber] [SalesOrderLineNumber] [OrderQuantity] [UnitPrice] [ExtendedAmount] [UnitPriceDiscountPct] [DiscountAmount] ProductStandardCost] [TotalProductCost] [SalesAmount] [TaxAmt] [Freight] [OrderDate] [DueDate] [ShipDate]	<b>dimProduct</b> [ProductKey] [ProductSubcategoryKey] [EnglishProductName] [Color] [ListPrice] [Size] [StartDate] [EndDate] [Status]
<b>dimCustomer</b> [CustomerKey] [GeographyKey] [DisplayName] [MaritalStatus] [Gender] [YearlyIncome]		<b>dimProductSubcategory</b> [ProductSubcategoryKey] [ProductSubcategoryAlternateKey] [EnglishProductSubcategoryName] [SpanishProductSubcategoryName] [FrenchProductSubcategoryName] [ProductCategoryKey]
		<b>dimProductCategory</b> [ProductCategoryKey] [ProductCategoryAlternateKey] [EnglishProductCategoryName] [SpanishProductCategoryName] [FrenchProductCategoryName]

You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario.

You implement the Power BI model.

You need to edit the Product Category table query to match the desired Power BI model.

How should you complete the advanced query? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values	Answer Area
Table.Combine	<pre> let     Source= Sql.Databases ("localhost"),     DB1= Source {[Name= "DB1"]} [Data],     dbo_DimProductCategory= DB1[{"Schema= "dbo, Item= "DimProductCategory"}] [Data],     #"Var1" = Value  (dbo_DimProductCategory, {"ProductCategoryAternateKey", "SpanishProductCategoryName", "FrenchProductCategoryName"}),  #"Var2" = Value  (#"Var1", {{ "EnglishProductCategoryName", "Category"}, {"DimProductSubcatregory", "Subcategory"}}) in     #"Var2"</pre>
Table.RemovedColumns	
Table.RemoveRows	
Table.RenameColumns	
Table.ReorderColumns	
Table.SelectColumns	

- A. Mastered  
 B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, application Description automatically generated

References:

<https://msdn.microsoft.com/en-us/library/mt260776.aspx> <https://msdn.microsoft.com/en-us/library/mt260808.aspx>

**NEW QUESTION 48**

- (Exam Topic 4)

You have a dataset named Pens that contains the following columns:

- > Unit Price
- > Quantity Ordered

You need to create a visualization that shows the relationship between Unit Price and Quantity Ordered. The solution must highlight orders that have a similar unit price and ordered quantity.

Which type of visualization and which feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Visualization:	<div> <div></div> <div>▼</div> </div> <div> A column chart of Quantity Ordered and Unit Price by year A line chart of Quantity Ordered and Unit Price by item A scatter plot of Quantity Ordered and Unit Price by item </div>
Feature:	<div> <div></div> <div>▼</div> </div> <div> Automatically find clusters Explain the decrease Find where the distribution is different </div>

- A. Mastered  
 B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: A scatter plot...

A scatter chart always has two value axes to show: one set of numerical data along a horizontal axis and another set of numerical values along a vertical axis. The chart displays points at the intersection of an x and y numerical value, combining these values into single data points. Power BI may distribute these data points evenly or unevenly across the horizontal axis. It depends on the data the chart represents.

Box 2: Automatically find clusters

Scatter charts are a great choice to show patterns in large sets of data, for example by showing linear or non-linear trends, clusters, and outliers.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-scatter>

#### NEW QUESTION 52

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table. Solution: You add a WHERE clause to the SQL statement.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### NEW QUESTION 56

- (Exam Topic 4)

You are creating a visual to show the ranking of product categories by sales revenue.

Your company's security policy states that you cannot send data outside of your Microsoft Power BI tenant Which approach provides the widest variety of visuals while adhering to the security policy?

- A. Use default visuals or custom visuals uploaded from a .pbviz file.
- B. Use only default visuals.
- C. Use default or any custom visuals from the marketplace.
- D. Use default or certified custom visuals.

**Answer:** C

#### NEW QUESTION 59

- (Exam Topic 4)

You have a line chart that shows the number of employees in a department over time.

You need to see the total salary costs of the employees when you hover over a data point. What is possible way to achieve this goal?

- A. Add a salary to the tooltips.
- B. Add a salary to the visual filters.
- C. Add salary to the drillthrough fields.

**Answer:** A

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-custom-tooltips> <https://technovids.com/power-bi-filters/>

#### NEW QUESTION 64

- (Exam Topic 4)

You have a prospective customer list that contains 1,500 rows of data. The list contains the following fields: ➤ First name

- Last name
- Email address
- State/Region
- Phone number

You import the list into Power Query Editor.

You need to ensure that the list contains records for each State/Region to which you want to target a marketing campaign.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Open the Advanced Editor.
- B. Select Column quality.
- C. Enable Column profiling based on entire dataset.
- D. Select Column distribution.
- E. Select Column profile.

**Answer:** CE

#### Explanation:

In Power query, the load preview by default is 1000 row. By default, the column quality also only looks at the first 1000 row. You can verify this by the status bar at the bottom of the Power query window. To change the profiling so it analyses the entire column of data, select the profiling status in the status bar. Then select Column profiling based on the entire data set.

<https://theexcelclub.com/data-profiling-views-in-power-query-excel-and-power-bi/>

#### NEW QUESTION 67

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You add a Power Apps custom visual to the report. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### NEW QUESTION 68

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table. Solution: You add a WHERE clause to the SQL statement.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### Explanation:

The WHERE clause has its effects before the data is imported. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

#### NEW QUESTION 70

- (Exam Topic 4)

You need to create the On-Time Shipping report.

The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?

- A. scatterplot
- B. bar chart
- C. piechart

**Answer:** A

#### NEW QUESTION 71

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary. Solution: You create a median line by using the Salary measure.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### Explanation:

The 50th percentile is also known as the median or middle value where 50 percent of observations fall below. Reference:

[https://dash-intel.com/powerbi/statistical\\_functions\\_median.php](https://dash-intel.com/powerbi/statistical_functions_median.php)

#### NEW QUESTION 74

- (Exam Topic 4)

You are creating a quick measure as shown in the following exhibit.



## Quick measures

### Calculation

Rolling average

Calculate the average of base value over a certain number of periods before and/or after each date.

[Learn more](#)

#### Base value ⓘ

Add data fields here

#### Date ⓘ

Add data fields here

#### Period ⓘ

Days

#### Periods before ⓘ

1

#### Periods after ⓘ

0

### Fields

Search

- Customer
- Product
- Sales
  - Date
    - Gross Margin
    - Month
    - MonthNumberOfYear
    - Quarter
    - Sales\_SRC
    - Time Intelligence
  - Total Cost
  - Total Order Qty
  - Total Sales
  - Total Sales rolling average
  - Unit Price
  - Year

You need to create a monthly rolling average measure for Sales over time-How should you configure the quick measure calculation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

### Answer Area

Base value:

Month  
Total Cost  
Total Order Qty  
Total Sales  
Year

Date:

Date  
Month  
Total Sales  
Year

Period:

Days  
Months  
Quarters  
Years

- A. Mastered
- B. Not Mastered

Answer: A

#### Explanation:

Box 1: Total Sales

We select the field Total Sales Box 2: Date

Select a date field. Box 3: Month Monthly periods. Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-quick-measures>

#### NEW QUESTION 76

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary. Solution: You create a constant line and set the value to .5.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Instead create a percentile line by using the Salary measure and set the percentile to 50%.

Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below.

Reference:

[https://dash-intel.com/powerbi/statistical\\_functions\\_percentile.php](https://dash-intel.com/powerbi/statistical_functions_percentile.php)

**NEW QUESTION 80**

- (Exam Topic 4)

You import two Microsoft Excel tables named Customer and Address into Power Query. Customer contains the following columns:

- > Customer ID
- > Customer Name
- > Phone
- > Email Address
- > Address ID

Address contains the following columns:

- > Address ID
- > Address Line 1
- > Address Line 2
- > City
- > State/Region
- > Country
- > Postal Code

The Customer ID and Address ID columns represent unique rows.

You need to create a query that has one row per customer. Each row must contain City, State/Region, and Country for each customer.

What should you do?

- A. Merge the Customer and Address tables.
- B. Transpose the Customer and Address tables.
- C. Group the Customer and Address tables by the Address ID column.
- D. Append the Customer and Address tables.

**Answer:** A

**Explanation:**

There are two primary ways of combining queries: merging and appending.

- > When you have one or more columns that you'd like to add to another query, you merge the queries.
- > When you have additional rows of data that you'd like to add to an existing query, you append the query.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

**NEW QUESTION 84**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate.

Date contains one column named Date.

The tables have the following relationships:

- > Sales[DueDate] and Date[Date]
- > Sales[ShipDate] and Date[Date]
- > Sales[OrderDate] and Date[Date]

The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create measures that use the CALCULATE, COUNT, and USERELATIONSHIP DAX functions.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax> <https://docs.microsoft.com/en-us/dax/count-function-dax> <https://docs.microsoft.com/en-us/dax/userelationship-function-dax>

#### NEW QUESTION 88

- (Exam Topic 4)

You have a table that contains sales data and approximately 1,000 rows.

You need to identify outliers in the table. Which type of visualization should you use?

- A. area chart
- B. donut chart
- C. scatter plot
- D. pie chart

**Answer:** C

#### Explanation:

Outliers are those data points that lie outside the overall pattern of distribution & the easiest way to detect outliers is through graphs. Box plots, Scatter plots can help detect them easily.

Reference:

<https://towardsdatascience.com/this-article-is-about-identifying-outliers-through-funnel-plots-using-the-microso>


#### NEW QUESTION 89

- (Exam Topic 4)

You need to create a relationship in the dataset for RLS.

What should you do? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area




- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Answer Area



#### NEW QUESTION 92

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You create a new query that references DataSourceExcel. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

#### NEW QUESTION 94

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You assign all the users the Viewer role to the workspace.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### Explanation:

The Viewer role gives a read-only experience to its users. They can view dashboards, reports, or workbooks in the workspace, but can't browse the datasets or dataflows. Use the Viewer role wherever you would previously use a classic workspace set to "Members can only view Power BI content".

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-the-new-viewer-role-for-power-bi-workspaces/>

#### NEW QUESTION 99

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You enable included in app for all assets.

Does this meet the goal?

A. Yes

B. No

**Answer: B**

#### NEW QUESTION 104

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table. Solution: You add a report-level filter that filters based on the order date.

Does this meet the goal?

A. Yes

B. No

**Answer: B**

#### Explanation:

The filter is applied after the data is imported. Instead add a WHERE clause to the SQL statement. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-sql-tutorial>

#### NEW QUESTION 107

- (Exam Topic 4)

ion have a Power BI dataset that contains a table named Temperature Readings. Temperature Readings contains the columns shown in the following table.

Name	Data type	Value example
DateTime	DateTime	4-Aug-2020 13:30:01
Longitude	Decimal	10.049567988755534
Latitude	Decimal	53.462766759577057
TempCelsius	Decimal	12.5

The table has 12 million rows. All the columns are needed for analysis.

You need to optimize the dataset to decrease the model size. The solution must not affect the precision of the data.

What should you do?

A. Split the DateTime column into separate date and time columns.

B. Disable the Power Query load.

C. Round the Longitude column two decimal places.

D. Change the data type of the TempCelsius column to Integer

**Answer: B**

#### Explanation:

Disable Power Query load.

Power Query queries that are intended support data integration with other queries should not be loaded to the model. To avoid loading the query to the model, take care to ensure that you disable query load in these instances.

Reference:

<https://docs.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction#disable-power-query-quer>

#### NEW QUESTION 111

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.

You need to recreate the Power View sheets as reports in the Power BI service.

Solution: From the Power BI service, get the data from SharePoint Online, and then click Connect Does this meet the goal?

A. Yes



B. No

**Answer:** B

**Explanation:**

We need to click "Import", not "Connect". References:

<https://docs.microsoft.com/en-us/power-bi/service-excel-workbook-files>

**NEW QUESTION 112**

- (Exam Topic 4)

You publish a Microsoft Power BI dataset to powerbi.com. The dataset appends data from an on-premises Oracle database and an Azure SQL database by using one query.

You have admin access to the workspace and permission to use an existing On-premises data gateway for which the Oracle data source is already configured.

You need to ensure that the data is updated every morning. The solution must minimize configuration effort. Which two actions should you perform when you configure scheduled refresh? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Configure the dataset to use the existing On-premises data gateway.

B. Deploy an On-premises data gateway in personal mode.

C. Set the refresh frequency to Daily.

D. Configure the dataset to use the personal gateway.

**Answer:** AC

**Explanation:**

<https://docs.microsoft.com/en-us/power-bi/connect-data/service-gateway-personal-mode>

**NEW QUESTION 115**

- (Exam Topic 4)

You need to create a visualization that compares revenue and cost over time. Which type of visualization should you use?

A. stacked area chart

B. donut chart

C. line chart


D. waterfall chart

**Answer:** C

**Explanation:**

A line chart or line graph displays the evolution of one or several numeric variables. Data points are connected by straight line segments. A line chart is often used to visualize a trend in data over intervals of time – a time series – thus the line is often drawn chronologically.

Example:



Reference:

<https://www.data-to-viz.com/graph/line.html>

**NEW QUESTION 118**

- (Exam Topic 4)

You have a report that includes a card visualization.

You need to apply the following conditional formatting to the card while minimizing design effort. For values that are greater than or equal to 100, the font of the data label must be dark red.

For values that are less than 100, the font of the data label must be dark gray. Which type of format should you use?

A. Color scale

B. Rules

C. Field value

**Answer:** C

#### NEW QUESTION 120

- (Exam Topic 4)

You have an on-premises Power BI Report Server.

You plan to create a report in Power BI Desktop and publish the report to the report server. Which data source should the report use?

- A. Microsoft Azure SQL Database
- B. a Microsoft SQL Server database
- C. a Microsoft SQL Server Analysis Services (SSAS) database
- D. Microsoft Excel

**Answer: C**

#### Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/report-server/quickstart-create-powerbi-report> <https://docs.microsoft.com/en-us/power-bi/report-server/connect-data-sources>


#### NEW QUESTION 123

- (Exam Topic 4)

You have the following table named Location.

GeoCode	CustomerCount
CA	9530
AR	540
MA	2300
SD	1200
PA	340
NC	890

The GeoCode column represents the country where each customer is located. You create a map visualization as shown in the exhibit. (Click the Exhibit tab.)



You need to ensure that the map displays the country locations. What should you do?

- A. Replace the values in the GeoCode column with postal codes or zip codes.
- B. Change the name of the GeoCode column to Country.
- C. Change the name of the Location table to Country.
- D. Change the Default Summarization of the GeoCode column.
- E. Add a Geoportal column to the Location table.
- F. Change the Data Type of the GeoCode column.

**Answer: B**

#### Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-map-tips-and-tricks>

#### NEW QUESTION 128

- (Exam Topic 4)

You are building a dataset from a JSON file that contains an array of documents.

You need to import attributes as columns from all the documents in the JSON file. The solution must ensure that date attributes can be used as date hierarchies in

Microsoft Power BI reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Expand the columns.

Expand the records.

Add columns that use data type conversions.

Set the data types.

Convert the list to a table.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- 1- Convert list to table
- 2- Expand Column
- 3- Set Date type

Here is an example: <https://youtu.be/B4kzyxnhQfl> The definition of the function which expand columns:  
<https://docs.microsoft.com/en-us/powerquery-m/table-expandrecordcolumn>

NEW QUESTION 130

- (Exam Topic 4)

You have five sales regions. Each region is assigned a single salesperson.

You have an imported dataset that has a dynamic row-level security (RLS) role named Sales. The Sales role filters sales transaction data by salesperson.

Salespeople must see only the data from their region.

You publish the dataset to powerbi.com, set RLS role membership, and distribute the dataset and related reports to the salespeople.

A salesperson reports that she believes she should see more data. You need to verify what data the salesperson currently sees. What should you do?

- A. Use the Test as role option to view data as the salesperson's user account.
- B. Use the Test as role option to view data as the Sales role.
- C. Instruct the salesperson to open the report in Microsoft Power BI Desktop.
- D. Filter the data in the reports to match the intended logic in the filter on the sales transaction table.

Answer: B

Explanation:

Validate the roles within Power BI Desktop

➤ After you've created your roles, test the results of the roles within Power BI Desktop.From the Modeling tab, select View as.

A picture containing application Description automatically generatedThe View as roles window appears, where you see the roles you've created.Graphical user interface, text, application Description automatically generated

➤ Select a role you created, and then select OK to apply that role.The report renders the data relevant for that role.

➤ You can also select Other user and supply a given user.Graphical user interface, application Description automatically generated

➤ Select OK.The report renders based on what that user can see.

Reference:


<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 132

- (Exam Topic 4)

You have the Power BI data model shown in the following exhibit.





Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

## Answer Area

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a **[answer choice]** is displayed.

	▼
distinct count of the StoreID values	
list of all the StoreID values	
list of the distinct StoreID values	
sum of the StoreID values	

Adding a page filter of `Sales[StoreID] = 1` will filter the values displayed on the page from **[answer choice]**.

	▼
all the tables related to the Sales table	
only the Sales table	
only the Store table	
the Sales table and the Customer table	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



Answer Area

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a [answer choice] is displayed.

	▼
distinct count of the StoreID values	
list of all the StoreID values	
list of the distinct StoreID values	
sum of the StoreID values	


Adding a page filter of Sales[StoreID] = 1 will filter the values displayed on the page from [answer choice].

	▼
all the tables related to the Sales table	
only the Sales table	
only the Store table	
the Sales table and the Customer table	

NEW QUESTION 137

- (Exam Topic 4)

You have the line chart shown in the exhibit. (Click the Exhibit tab.)



You need to modify the chart to meet the following requirements:

- Identify months that have order counts above the mean.
- Display the mean monthly order count.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

- Create a 12-month rolling average quick measure and add the measure to the line chart value.
- From the Analytics pane, add a Median line.
- Select the line chart.
- From the Analytics pane, add an Average line.
- Turn on data labels for the new line.



- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

- \* 1. Select the line chart
- \* 2. Add the average line
- \* 3. Turn on Data Label

**NEW QUESTION 138**

- (Exam Topic 4)

Your company has training videos that are published to Microsoft Stream. You need to surface the videos directly in a Microsoft Power BI dashboard. Which type of tile should you add?

- A. video
- B. custom streaming data
- C. text box
- D. web content

**Answer: D**

**Explanation:**

<https://docs.microsoft.com/en-us/stream/portal-embed-video>

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-add-widget#add-web-content>

**NEW QUESTION 143**

- (Exam Topic 4)

You are building a Power BI report to analyze customer segments.

You need to identify customer segments dynamically based on the Bounce Rate across dimensions such as source, geography, and demographics. The solution must minimize analysis effort.

Which type of visualization should you use?

- A. decomposition tree
- B. funnel chart
- C. Q&A
- D. key influencers

**Answer: D**

**Explanation:**

The key influencers visual is a great choice if you want to: See which factors affect the metric being analyzed.

Contrast the relative importance of these factors. For example, do short-term contracts affect churn more than long-term contracts?

Note: The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers. For example, suppose you want to figure out what influences employee turnover, which is also known as churn. One factor might be employment contract length, and another factor might be commute time.

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

**NEW QUESTION 145**

- (Exam Topic 4)

In Power BI Desktop, you are creating visualizations in a report based on an imported dataset

You need to allow Power BI users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data

What should you do?

- A. From Power BI Desktop, configure the Data Load settings for the current file.
- B. From the Power BI service, configure the dataset permissions.
- C. From Power BI Desktop, configure the Report settings for the current file.
- D. From Power BI Desktop, modify the data source permissions.

**Answer: B**

**NEW QUESTION 148**

- (Exam Topic 4)

Your company has employees in 10 states.

The company recently decided to associate each state to one of the following three regions: East, West, and North.

You have a data model that contains employee information by state. The model does NOT include region information.

You have a report that shows the employees by state.

You need to view the employees by region as quickly as possible. What should you do?

- A. Create a new aggregation that summarizes by employee.
- B. Create a new group on the state column and set the Group type to List.
- C. Create a new group on the state column and set the Group type to Bin.
- D. Create a new aggregation that summarizes by state.

**Answer: B**


**Explanation:**

<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with-power-bi/>

**NEW QUESTION 150**

- (Exam Topic 4)

You plan to create the chart shown in the following exhibit.



How should you create the dashed horizontal line denoting the 40th percentile of daily sales for the period shown?


- A. Create a horizontal line that has a fixed value of 24,000.
- B. Add a measure to the visual that uses the following DAX expression: `Measure1 = PERCENTUEX.EXC (Sales,Sales[Total Sales],@.40)`
- C. Add a new percentile line that uses Total Sales as the measure and 40% as the percentile.
- D. Add a measure to the visual that uses the following DAX expression: `Measure1 = PERCENTILEX.INC (Sales,Sales[Total Sales],6.40)`

**Answer: C**

#### Explanation:


The analytics feature enables you to show percentiles across groups specified along a specific axis. Example:

- \* 1. Click on the analytics tab
- \* 2. Select Percentile
- \* 3. You can choose a specific percentile along with other formatting options.
- \* 4. Drag a date or non-numeric dimension into the Axis of a column chart



Add percentile lines to monitor daily revenue





### NEW QUESTION 152

- (Exam Topic 4)

You are creating a Microsoft Power BI model that has two tables named CityData and Sales. CityData contains only the data shown in the following table.

State (CityData)	City	Population (million)
CA	Los Angeles	4.00
CA	San Francisco	0.90
New York	New York	8.50
WA	Seattle	0.70
WA	Spokane	0.20

Sales contains only the data shown in the following table.

State (Sales)	Type	Sales
CA	Internet	60
CA	Store	80
TX	Store	400
WA	Internet	150
WA	Store	100

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

#### Answer Area

Statements	Yes	No
In the Sales table, you can write a DAX expression that uses the RELATED() function to get data from the CityData table.	<input type="radio"/>	<input type="radio"/>
A DAX expression of sales total =CALCULATE(SUM(Sales[Sales]),ALL(Sales)) will produce the correct total sales value for each state, based on the data model.	<input type="radio"/>	<input type="radio"/>
A table visualization that uses CityData[State] and Sales[Sales] will contain sales from the state of TX.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A

#### Explanation:

Text Description automatically generated

Box 1: Yes

The Related function returns a related value from another table.

The RELATED function requires that a relationship exists between the current table and the table with related information. You specify the column that contains the data that you want, and the function follows an existing many-to-one relationship to fetch the value from the specified column in the related table. If a relationship does not exist, you must create a relationship.

Box 2: Yes

Box 3: No

TX only occurs in the Sales table, but not in the CityData table. Reference:

<https://docs.microsoft.com/en-us/dax/related-function-dax>

<https://docs.microsoft.com/en-us/dax/calculate-function-dax>

### NEW QUESTION 154

- (Exam Topic 4)

You have a power BI tenant that hosts the datasets shown in the following table.



Name	Contents	Used to generate
Sales	Sales targets Sales data Employee salary data	Daily performance reports Quarterly reports used to calculate bonuses
Operations	Environmental sensor data	Reports that show average sensor readings over time
Finance	Financial transaction data	Budget planning reports Monthly board reports

You have the following requirements:

- The export of reports that contain Personally Identifiable Information (PII) must be prevented.
- Data used for financial decisions must be reviewed and approved before use.

For each of the following statements, select Yes if the statement is true. Otherwise select No. NOTE: Each correct selection is worth one point

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	<input type="radio"/>	<input type="radio"/>
The Operations dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input type="radio"/>
The Finance dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	<input checked="" type="radio"/>	<input type="radio"/>
The Operations dataset requires a sensitivity label and must be certified.	<input type="radio"/>	<input checked="" type="radio"/>
The Finance dataset requires a sensitivity label and must be certified.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 155

- (Exam Topic 4)

You have a query that returns the data shown in the following exhibit.

A <sup>B</sup> <sub>C</sub> student	A <sup>B</sup> <sub>C</sub> classes
1. Mike A	Math, English, Art
2. Sam B	Physics
3. Kathy S	English, Math

You need to configure the query to display the data as shown in the following exhibit.

A <sup>B</sup> <sub>C</sub> student	A <sup>B</sup> <sub>C</sub> classes
1. Mike A	Math
2. Mike A	English
3. Mike A	Art
4. Sam B	Physics
5. Kathy S	English
6. Kathy S	Math

Which step should you use in the query?


- A. =Table.ExpandListColumn(Table.TransformColumnns(Source, {"classes".Splitter.SplitTextByDelimiter(",", QuoteStyle.None), let itemType - (type nullable text) meta [Serialized.Text = true] in type {itemType}}), "classes")
- B. = Table.Unpivot(Source, {"classes"}, "Attribute", "Value")
- C. = Table.SplitColumn(Source, "classes". Splitter.SplitTextByDelimiterf",", QuoteStyle.None),{"classes.1"})
- D. = Table.SplitColumn(Source, "classes". Splitter.SplitTextByPositions({10}), {"classes.1"})

Answer: B

#### Explanation:

Power Query Unpivot columns: You might want to unpivot data, sometimes called flattening the data, to put it in a matrix format so that all similar values are in one column. This is necessary, for example, to create a chart or a report.

Chart Description automatically generated



Note:

Syntax: Table.Unpivot(table as table, pivotColumns as list, attributeColumn as text, valueColumn as text) as table

Table.Unpivot translates a set of columns in a table into attribute-value pairs, combined with the rest of the values in each row.

Reference:

<https://docs.microsoft.com/en-us/power-query/unpivot-column> <https://docs.microsoft.com/en-us/powerquery-m/table-unpivot>

#### NEW QUESTION 157

- (Exam Topic 4)

You have a report that contains three pages. One of the pages contains a KPI visualization. You need to filter all the visualizations in the report except for the KPI visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the same slicer to each page and configure Sync slicers.
- B. Edit the interactions of the KPI visualization.
- C. Configure a page-level filter.
- D. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- E. Configure a report-level filter.

Answer: AD

#### Explanation:

Slicers are another way of filtering. They narrow the portion of the dataset that is shown in the other report visualizations.

By default, slicers on report pages affect all the other visualizations on that page, including each other. Use visual interactions to exclude some page visualizations from being affected by others.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

#### NEW QUESTION 158

- (Exam Topic 4)

Your company plans to use Power BI for 20 users in the sales department. The users will perform the following tasks:

- > Access a published Power BI app
- > Modify reports in an app workspace
- > Share dashboards created in My Workspace

You need to identify which Power BI licenses are required for the tasks. The solution must use the Power BI (free) licenses, whenever possible.

Which license should you identify for each task? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

## Answer Area

Access a published Power BI app:

☐

Power BI (free)  
Power BI PRO

Modify report in an app workspace:

☐

Power BI (free)  
Power BI PRO

Share dashboards created in My Workspace:

☐

Power BI (free)  
Power BI PRO

- A. Mastered
- B. Not Mastered

**Answer:** A

### Explanation:

Graphical user interface, text, application, email Description automatically generated

References:

<https://docs.microsoft.com/en-us/power-bi/service-create-distribute-apps> <https://docs.microsoft.com/en-us/power-bi/service-collaborate-power-bi-workspace>

## NEW QUESTION 160

- (Exam Topic 4)

Your company plans to completely separate development and production assets such as datasets, reports, and dashboards in Microsoft Power BI.

You need to recommend an application lifecycle strategy. The solution must minimize maintenance to update access and prevent end users from viewing the development assets.

What should you recommend?

- A. Create production reports in a separate workspace that uses a shared dataset from the development workspac
- B. Grant the end users access to the production workspace.
- C. In the same workspace, create separate copies of the assets and append DEV to the names of the copiedasset
- D. Grant the end users access to the workspace.
- E. Create separate workspaces for development and productio
- F. Grant the end users access to the production workspace.
- G. Create one workspace for developmen
- H. From the workspace, publish an app for production.

**Answer:** C

## NEW QUESTION 162

- (Exam Topic 4)

You have a folder of monthly transaction extracts.

You plan to create a report to analyze the transaction data.

You receive the following email message: "Hi. I've put 24 files of monthly transaction data onto the shared drive. File Transactions201901.csv through

Transactions201912.csv have the latest set of columns, but files Transactions201801.csv to Transactions201812.csv have an older layout without the extra fields needed for analysis. Each file contains 10 to 50 transactions."

You get data from the folder and select Combine & Load. The Combine Files dialog box is shown in the exhibit. (Click the Exhibit tab.)

## Combine Files

Specify the settings for each file. [Learn more](#)

Sample File:

First file

File Origin

1252: Western European (Windows)

Delimiter

Comma

Data Type Detection

Based on entire dataset

ID	Date	CustomerID	Amount
1	01/01/2018 08:00:00	5	28.99
2	01/01/2018 18:00:00	10	31.88
3	02/01/2018 08:00:00	15	22.99
4	02/01/2018 18:00:00	25	14.25
5	03/01/2018 08:00:00	35	85
6	03/01/2018 18:00:00	45	47.74
7	04/01/2018 08:00:00	55	76.66
8	04/01/2018 18:00:00	51	99.99
9	05/01/2018 08:00:00	52	10.99
10	05/01/2018 18:00:00	58	85

☒ Skip files with errors

OK

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

The resulting query will contain all the columns from the 2018 transactions.

☐

☐

The resulting query will contain all the columns from the 2019 transactions.

☐

☐

Setting Data Type Detection to **Based on first 200 rows** will improve import times.

☐

☐

- A. Mastered
- B. Not Mastered

Answer: A

### Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: Yes

The four columns used in the 2018 transactions are already displayed. Box 2: Yes

The columns used are based on the entire dataset. The additional columns in the 2019 files will be detected. Box 3: Yes

Note: Under the hood, Power BI will automatically detect which delimiter to use, and may even promote the first row as headers. You can manually change the delimiter, or define how Power BI should handle data types. You can set it to automatically detect data types based on first 200 rows, or the entire dataset or you can even opt out the detection of data types.

### NEW QUESTION 163

- (Exam Topic 4)

You publish a report to a workspace named Customer Services. The report identifies customers that have potential data quality issues that must be investigated by the customer services department of your company.

You need to ensure that customer service managers can create task lists in Microsoft Excel based on the data. Which report setting should you configure?

- A. Don't allow end user to save filters on this report.
- B. Change default visual interaction from cross highlighting to cross filtering.
- C. Enable the updated filter pane, and show filters in the visual header for this report.
- D. Allow users to add comments to this report.
- E. Choose the type of data you allow your end users to export.

Answer: E

### Explanation:

<https://powerbi.microsoft.com/en-us/blog/announcing-persistent-filters-in-the-service/>

### NEW QUESTION 168

- (Exam Topic 4)

You have a sales system that contains the tables shown in the following table.



Table name	Column name
Sales	sales_ID
	sales_date
	sales_amount
Date	DateID
	Month
	Week
	Year

The Date table is marked as a date table.

DateID is the date data type. You need to create an annual sales growth percentage measure. Which DAX expression should you use?

- A. SUM(sales[sales\_amount]) - CALCULATE(SUM(sales[sales\_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- B. (SUM('Sales'[sales\_amount]) - CALCULATE(SUM('Sales'[sales\_amount]), SAMEPERIODLASTYEAR('Date'[DateID])))/  
CALCULATE(SUM('Sales'[sales\_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))
- C. CALCULATE(SUM(sales[sales\_amount]), DATESYTD('Date'[DateID]))
- D. CALCULATE(SUM(sales[sales\_amount]), SAMEPERIODLASTYEAR('Date'[DateID]))

**Answer: B**

**Explanation:**

SAMEPERIODLASTYEAR returns a table that contains a column of dates shifted one year back in time from the dates in the specified dates column, in the current context.

Reference:

<https://docs.microsoft.com/en-us/dax/sameperiodlastyear-function-dax>

**NEW QUESTION 171**

- (Exam Topic 4)

You have a report that contains four pages. Each page contains slicers for the same four fields. Users report that when they select values on a slicer on one page, the visuals are not updated on all the pages. You need to recommend a solution to ensure that users can select a value once to filter the results on all the pages. What are two possible recommendations to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Sync the slicers across the pages.
- B. Replace the slicers with page-level filters.
- C. Replace the slicers with visual-level filters.
- D. Create a bookmark for each slicer value.
- E. Replace the slicers with report-level filters.


**Answer: AE**

**Explanation:**


Add a report-level filter to filter an entire report.

The visuals on the active page, and on all pages in the report, change to reflect the new filter. You can sync a slicer and use it on any or all pages in a report.

\* 1. On the Power BI Desktop View menu, select Sync slicers.



The Sync slicers pane appears between the Filters and Visualizations panes.



Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/power-bi-report-add-filter> <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

### NEW QUESTION 173

- (Exam Topic 4)

You create a report by using Microsoft Power BI Desktop.

The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network.

You plan to publish the report to the Power BI Service.

What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?

- A. a subscription
- B. a scheduled refresh of the dataset
- C. an OData feed
- D. an On-premises data gateway

**Answer:** D

### Explanation:

When you've created dynamic reports in Power BI Desktop, you can share them by publishing to your Power BI site. When you publish a Power BI Desktop file with a live connection to a tabular model to your Power BI site, an on-premises data gateway must be installed and configured by an administrator.

### NEW QUESTION 177

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PL-300 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PL-300 Product From:

<https://www.2passeasy.com/dumps/PL-300/>

## Money Back Guarantee

### PL-300 Practice Exam Features:

- \* PL-300 Questions and Answers Updated Frequently
- \* PL-300 Practice Questions Verified by Expert Senior Certified Staff
- \* PL-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* PL-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year