

Exam Questions CS0-002

CompTIA Cybersecurity Analyst (CySA+) Certification Exam

<https://www.2passeasy.com/dumps/CS0-002/>



NEW QUESTION 1

A cybersecurity analyst is reading a daily intelligence digest of new vulnerabilities. The type of vulnerability that should be disseminated FIRST is one that:

- A. enables remote code execution that is being exploited in the wild.
- B. enables data leakage but is not known to be in the environment.
- C. enables lateral movement and was reported as a proof of concept.
- D. affected the organization in the past but was probably contained and eradicated.

Answer: C

NEW QUESTION 2

A security analyst needs to reduce the overall attack surface.

Which of the following infrastructure changes should the analyst recommend?

- A. Implement a honeypot.
- B. Air gap sensitive systems.
- C. Increase the network segmentation.
- D. Implement a cloud-based architecture.

Answer: C

NEW QUESTION 3

Which of the following should be found within an organization's acceptable use policy?

- A. Passwords must be eight characters in length and contain at least one special character.
- B. Customer data must be handled properly, stored on company servers, and encrypted when possible.
- C. Administrator accounts must be audited monthly, and inactive accounts should be removed.
- D. Consequences of violating the policy could include discipline up to and including termination.

Answer: D

NEW QUESTION 4

Which of the following is the MOST important objective of a post-incident review?

- A. Capture lessons learned and improve incident response processes.
- B. Develop a process for containment and continue improvement efforts.
- C. Identify new technologies and strategies to remediate.
- D. Identify a new management strategy.

Answer: A

NEW QUESTION 5

An organization is moving its infrastructure to the cloud in an effort to meet the budget and reduce staffing requirements. The organization has three environments: development, testing, and production. These environments have interdependencies but must remain relatively segmented.

Which of the following methods would BEST secure the company's infrastructure and be the simplest to manage and maintain?

- A. Create three separate cloud accounts for each environment.
- B. Configure account peering and security rules to allow access to and from each environment.
- C. Create one cloud account with one VPC for all environments.
- D. Purchase a virtual firewall and create granular security rules.
- E. Create one cloud account and three separate VPCs for each environment.
- F. Create security rules to allow access to and from each environment.
- G. Create three separate cloud accounts for each environment and a single core account for network service.
- H. Route all traffic through the core account.

Answer: C

NEW QUESTION 6

During routine monitoring, a security analyst discovers several suspicious websites that are communicating with a local host. The analyst queries for IP 192.168.50.2 for a 24-hour period:

| Time | SRC | DST | Domain | Bytes |
|------------------|--------------|-------------|----------------------|-------|
| 6/26/19 10:01 | 192.168.50.2 | 138.10.2.5 | www.wioapsfeje.co | 50 |
| 6/26/19 11:05 | 192.168.50.2 | 138.10.2.5 | www.wioapsfeje.co | 1000 |
| 6/26/19 13:09 | 192.168.50.2 | 138.10.25.5 | www.wfaojsjfjoe.co | 1000 |
| 6/26/19 15:13 | 192.168.50.2 | 172.10.25.5 | www.wfalksdjflse.co | 1000 |
| 6/26/19 17:17 | 192.168.50.2 | 172.10.45.5 | www.wsahlfsdjlfse.co | 1000 |
| 6/26/19 23:45 | 192.168.50.2 | 172.10.3.5 | ftp.walksdjgfl.co | 50000 |
| 6/27/19 10:21 | 192.168.50.2 | 175.35.20.5 | www.whatsmyip.com | 25 |
| 6/27/19 11:25 | 192.168.50.2 | 175.35.20.5 | www.whatsmyip.com | 25 |

To further investigate, the analyst should request PCAP for SRC 192.168.50.2 and.

- A. DST 138.10.2.5.
- B. DST 138.10.25.5.
- C. DST 172.10.3.5.
- D. DST 172.10.45.5.
- E. DST 175.35.20.5.

Answer: A

NEW QUESTION 7

Which of the following BEST describes the process by which code is developed, tested, and deployed in small batches?

- A. Agile
- B. Waterfall
- C. SDLC
- D. Dynamic code analysis

Answer: A

NEW QUESTION 8

The inability to do remote updates of certificates, keys software and firmware is a security issue commonly associated with:

- A. web servers on private networks.
- B. HVAC control systems
- C. smartphones
- D. firewalls and UTM devices

Answer: B

NEW QUESTION 9

An organization developed a comprehensive modern response policy Executive management approved the policy and its associated procedures. Which of the following activities would be MOST beneficial to evaluate personnel's familiarity with incident response procedures?

- A. A simulated breach scenario evolving the incident response team
- B. Completion of annual information security awareness training by all employees
- C. Tabletop activities involving business continuity team members
- D. Completion of lessons-learned documentation by the computer security incident response team
- E. External and internal penetration testing by a third party

Answer: A

NEW QUESTION 10

A security analyst has discovered suspicious traffic and determined a host is connecting to a known malicious website. The MOST appropriate action for the analyst to take would be to implement a change request to:

- A. update the antivirus software
- B. configure the firewall to block traffic to the domain
- C. add the domain to the blacklist
- D. create an IPS signature for the domain

Answer: B

NEW QUESTION 10

A security analyst has been alerted to several emails that show evidence an employee is planning malicious activities that involve employee PII on the network before leaving the organization. The security analysis BEST response would be to coordinate with the legal department and:

- A. the public relations department
- B. senior leadership

- C. law enforcement
- D. the human resources department

Answer: D

NEW QUESTION 12

An analyst is reviewing a list of vulnerabilities, which were reported from a recent vulnerability scan of a Linux server. Which of the following is MOST likely to be a false positive?

- A. OpenSSH/OpenSSL Package Random Number Generator Weakness
- B. Apache HTTP Server Byte Range DoS
- C. GDI+ Remote Code Execution Vulnerability (MS08-052)
- D. HTTP TRACE / TRACK Methods Allowed (002-1208)
- E. SSL Certificate Expiry

Answer: E

NEW QUESTION 17

Which of the following is the BEST way to share incident-related artifacts to provide non-repudiation?

- A. Secure email
- B. Encrypted USB drives
- C. Cloud containers
- D. Network folders

Answer: B

NEW QUESTION 22

A web developer wants to create a new web part within the company website that aggregates sales from individual team sites. A cybersecurity analyst wants to ensure security measurements are implemented during this process. Which of the following remediation actions should the analyst take to implement a vulnerability management process?

- A. Personnel training
- B. Vulnerability scan
- C. Change management
- D. Sandboxing

Answer: C

NEW QUESTION 24

Which of the following BEST articulates the benefit of leveraging SCAP in an organization's cybersecurity analysis toolset?

- A. It automatically performs remedial configuration changes to enterprise security services
- B. It enables standard checklist and vulnerability analysis expressions for automation
- C. It establishes a continuous integration environment for software development operations
- D. It provides validation of suspected system vulnerabilities through workflow orchestration

Answer: B

NEW QUESTION 25

The security team at a large corporation is helping the payment-processing team to prepare for a regulatory compliance audit and meet the following objectives:

- Reduce the number of potential findings by the auditors.
- Limit the scope of the audit to only devices used by the payment-processing team for activities directly impacted by the regulations.
- Prevent the external-facing web infrastructure used by other teams from coming into scope.
- Limit the amount of exposure the company will face if the systems used by the payment-processing team are compromised.

Which of the following would be the MOST effective way for the security team to meet these objectives?

- A. Limit the permissions to prevent other employees from accessing data owned by the business unit.
- B. Segment the servers and systems used by the business unit from the rest of the network.
- C. Deploy patches to all servers and workstations across the entire organization.
- D. Implement full-disk encryption on the laptops used by employees of the payment-processing team.

Answer: B

NEW QUESTION 28

A security analyst is investigating malicious traffic from an internal system that attempted to download proxy avoidance software as identified from the firewall logs but the destination IP is blocked and not captured. Which of the following should the analyst do?

- A. Shut down the computer
- B. Capture live data using Wireshark
- C. Take a snapshot
- D. Determine if DNS logging is enabled.
- E. Review the network logs.

Answer: A

NEW QUESTION 31

A security analyst has a sample of malicious software and needs to know what the sample does? The analyst runs the sample in a carefully controlled and monitored virtual machine to observe the software behavior. Which of the following malware analysis approaches is this?

- A. White box testing
- B. Fuzzing
- C. Sandboxing
- D. Static code analysis

Answer: C

NEW QUESTION 32

A company was recently awarded several large government contracts and wants to determine its current risk from one specific APT. Which of the following threat modeling methodologies would be the MOST appropriate to use during this analysis?

- A. Attack vectors
- B. Adversary capability
- C. Diamond Model of Intrusion Analysis
- D. Kill chain
- E. Total attack surface

Answer: B

NEW QUESTION 35

A system administrator is doing network reconnaissance of a company's external network to determine the vulnerability of various services that are running. Sending some sample traffic to the external host, the administrator obtains the following packet capture:

```
18 17.646496 67.53.200.1 67.53.200.12 TCP 58 47669 -> 22 [SYN] Seq=0 Win=1024 Len=0 MSS=1460
19 17.646944 67.53.200.1 67.53.200.12 TCP 58 47669 -> 445 [SYN] Seq=0 Win=1024 Len=0 MSS=1460
20 17.648631 67.53.200.12 67.53.200.1 TCP 58 22 -> 47669 [SYN, ACK] Seq=0 Ack=1 Win=5840 Len=0 MSS=1460
21 17.648646 67.53.200.1 67.53.200.12 TCP 58 47669 -> 80 [SYN] Seq=0 Win=1024 Len=0 MSS=1460
22 17.648887 67.53.200.12 67.53.200.1 TCP 54 445 -> 47669 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
23 17.649763 67.53.200.12 67.53.200.1 TCP 54 80 -> 47669 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
```

Based on the output, which of the following services should be further tested for vulnerabilities?

- A. SSH
- B. HTTP
- C. SMB
- D. HTTPS

Answer: C

NEW QUESTION 38

A development team uses open-source software and follows an Agile methodology with two-week sprints. Last month, the security team filed a bug for an insecure version of a common library. The DevOps team updated the library on the server, and then the security team rescanned the server to verify it was no longer vulnerable. This month, the security team found the same vulnerability on the server.

Which of the following should be done to correct the cause of the vulnerability?

- A. Deploy a WAF in front of the application.
- B. Implement a software repository management tool.
- C. Install a HIPS on the server.
- D. Instruct the developers to use input validation in the code.

Answer: B

NEW QUESTION 43

A security analyst is reviewing the following log from an email security service.

```
Rejection type: Drop
Rejection description: IP found in RBL
Event time: Today at 16:06
Rejection information: mail.comptia.org
https://www.spamfilter.org/query?P=192.167.28.243
From address: user@comptex.org
To address: tests@comptia.org
IP address: 192.167.28.243
Remote server name: 192.167.28.243
```

Which of the following BEST describes the reason why the email was blocked?

- A. The To address is invalid.
- B. The email originated from the www.spamfilter.org URL.
- C. The IP address and the remote server name are the same.
- D. The IP address was blacklisted.
- E. The From address is invalid.

Answer: D

NEW QUESTION 46

A security analyst needs to assess the web server versions on a list of hosts to determine which are running a vulnerable version of the software and output that list into an XML file named Webserverslist.Xml. The host list is provided in a file named webserverlist.txt. Which of the following Nmap commands would BEST accomplish this goal?

- A)

```
nmap -iL webserverlist.txt -oC -p 443 -oX webserverlist.xml
```
- B)

```
nmap -iL webserverlist.txt -sV -p 443 -oX webserverlist.xml
```
- C)

```
nmap -iL webserverlist.txt -F -p 443 -oX webserverlist.xml
```
- D)

```
nmap --takefile webserverlist.txt --outputfileasXML webserverlist.xml --scanports 443
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

NEW QUESTION 50

A cyber-incident response analyst is investigating a suspected cryptocurrency miner on a company's server. Which of the following is the FIRST step the analyst should take?

- A. Create a full disk image of the server's hard drive to look for the file containing the malware.
- B. Run a manual antivirus scan on the machine to look for known malicious software.
- C. Take a memory snapshot of the machine to capture volatile information stored in memory.
- D. Start packet capturing to look for traffic that could be indicative of command and control from the miner.

Answer: D

NEW QUESTION 55

A company's Chief Information Security Officer (CISO) is concerned about the integrity of some highly confidential files. Any changes to these files must be tied back to a specific authorized user's activity session. Which of the following is the BEST technique to address the CISO's concerns?

- A. Configure DLP to reject all changes to the files without pre-authorization
- B. Monitor the files for unauthorized changes.
- C. Regularly use SHA-256 to hash the directory containing the sensitive information
- D. Monitor the files for unauthorized changes.
- E. Place a legal hold on the file
- F. Require authorized users to abide by a strict time context access policy. Monitor the files for unauthorized changes.
- G. Use Wireshark to scan all traffic to and from the director
- H. Monitor the files for unauthorized changes.

Answer: A

NEW QUESTION 60

A hybrid control is one that:

- A. is implemented differently on individual systems
- B. is implemented at the enterprise and system levels
- C. has operational and technical components
- D. authenticates using passwords and hardware tokens

Answer: B

NEW QUESTION 65

A security analyst at a technology solutions firm has uncovered the same vulnerabilities on a vulnerability scan for a long period of time. The vulnerabilities are on systems that are dedicated to the firm's largest client. Which of the following is MOST likely inhibiting the remediation efforts?

- A. The parties have an MOU between them that could prevent shutting down the systems
- B. There is a potential disruption of the vendor-client relationship
- C. Patches for the vulnerabilities have not been fully tested by the software vendor

NEW QUESTION 80

Which of the following are components of the intelligence cycle? (Select TWO.)

- A. Collection
- B. Normalization
- C. Response
- D. Analysis
- E. Correction
- F. Dissension

Answer: BE

NEW QUESTION 85

A cybersecurity analyst has access to several threat feeds and wants to organize them while simultaneously comparing intelligence against network traffic. Which of the following would BEST accomplish this goal?

- A. Continuous integration and deployment
- B. Automation and orchestration
- C. Static and dynamic analysis
- D. Information sharing and analysis

Answer: B

NEW QUESTION 86

The computer incident response team at a multinational company has determined that a breach of sensitive data has occurred in which a threat actor has compromised the organization's email system. Per the incident response procedures, this breach requires notifying the board immediately. Which of the following would be the BEST method of communication?

- A. Post of the company blog
- B. Corporate-hosted encrypted email
- C. VoIP phone call
- D. Summary sent by certified mail
- E. Externally hosted instant message

Answer: C

NEW QUESTION 89

A security analyst discovers accounts in sensitive SaaS-based systems are not being removed in a timely manner when an employee leaves the organization. To BEST resolve the issue, the organization should implement

- A. federated authentication
- B. role-based access control.
- C. manual account reviews
- D. multifactor authentication.

Answer: A

NEW QUESTION 90

An organization wants to move non-essential services into a cloud computing environment. Management has a cost focus and would like to achieve a recovery time objective of 12 hours. Which of the following cloud recovery strategies would work BEST to attain the desired outcome?

- A. Duplicate all services in another instance and load balance between the instances.
- B. Establish a hot site with active replication to another region within the same cloud provider.
- C. Set up a warm disaster recovery site with the same cloud provider in a different region
- D. Configure the systems with a cold site at another cloud provider that can be used for failover.

Answer: C

NEW QUESTION 94

An information security analyst is working with a data owner to identify the appropriate controls to preserve the confidentiality of data within an enterprise environment. One of the primary concerns is exfiltration of data by malicious insiders. Which of the following controls is the MOST appropriate to mitigate risks?

- A. Data deduplication
- B. OS fingerprinting
- C. Digital watermarking
- D. Data loss prevention

Answer: D

NEW QUESTION 99

A company wants to establish a threat-hunting team. Which of the following BEST describes the rationale for integration intelligence into hunt operations?

- A. It enables the team to prioritize the focus area and tactics within the company's environment.
- B. It provide critically analyses for key enterprise servers and services.
- C. It allow analysis to receive updates on newly discovered software vulnerabilities.
- D. It supports rapid response and recovery during and followed an incident.

Answer: A

NEW QUESTION 104

A cybersecurity analyst needs to rearchitect the network using a firewall and a VPN server to achieve the highest level of security To BEST complete this task, the analyst should place the:

- A. firewall behind the VPN server
- B. VPN server parallel to the firewall
- C. VPN server behind the firewall
- D. VPN on the firewall

Answer: B

NEW QUESTION 105

A team of security analysis has been alerted to potential malware activity. The initial examination indicates one of the affected workstations on beaconing on TCP port 80 to five IP addresses and attempting to spread across the network over port 445. Which of the following should be the team's NEXT step during the detection phase of this response process?

- A. Escalate the incident to management ,who will then engage the network infrastructure team to keep them informed
- B. Depending on system critically remove each affected device from the network by disabling wired and wireless connections
- C. Engage the engineering team to block SMB traffic internally and outbound HTTP traffic to the five IP addresses Identify potentially affected systems by creating a correlation
- D. Identify potentially affected system by creating a correlation search in the SIEM based on the network traffic.

Answer: D

NEW QUESTION 106

Data spillage occurred when an employee accidentally emailed a sensitive file to an external recipient. Which of the following controls would have MOST likely prevented this incident?

- A. SSO
- B. DLP
- C. WAF
- D. VDI

Answer: B

NEW QUESTION 109

An analyst is performing penetration testing and vulnerability assessment activities against a new vehicle automation platform. Which of the following is MOST likely an attack vector that is being utilized as part of the testing and assessment?

- A. FaaS
- B. RTOS
- C. SoC
- D. GPS
- E. CAN bus

Answer: E

NEW QUESTION 114

After a breach involving the exfiltration of a large amount of sensitive data a security analyst is reviewing the following firewall logs to determine how the breach occurred:

```
3-10-2019 10:23:22 FROM 192.168.1.10:3243 TO 10.10.10.5:53 PERMIT UDP 143 BYTES
3-10-2019 10:23:24 FROM 192.168.1.12:1076 TO 10.10.35.221:80 PERMIT TCP 100 BYTES
3-10-2019 10:23:25 FROM 192.168.1.1:1244 TO 10.10.1.1:22 DENY TCP 1 BYTES
3-10-2019 10:23:26 FROM 192.168.1.12:1034 TO 10.10.10.5:53 PERMIT UDP 5.3M BYTES
3-10-2019 10:23:29 FROM 192.168.1.10:4311 TO 10.10.200.50:3389 DENY TCP 1 BYTES
3-10-2019 10:23:30 FROM 192.168.1.193:2356 TO 10.10.50.199:25 PERMIT TCP 20K BYTES
```

Which of the following IP addresses does the analyst need to investigate further?

- A. 192.168.1.1
- B. 192.168.1.10
- C. 192.168.1.12
- D. 192.168.1.193

Answer: C

NEW QUESTION 119

A security analyst receives an alert that highly sensitive information has left the company's network Upon investigation, the analyst discovers an outside IP range has had connections from three servers more than 100 times in the past month The affected servers are virtual machines Which of the following is the BEST course of action?

- A. Shut down the servers as soon as possible, move them to a clean environment, restart, run a vulnerability scanner to find weaknesses determine the root cause, remediate, and report
- B. Report the data exfiltration to management take the affected servers offline, conduct an antivirus scan, remediate all threats found, and return the servers to service.
- C. Disconnect the affected servers from the network, use the virtual machine console to access the systems, determine which information has left the network, find

the security weakness, and remediate

- D. Determine if any other servers have been affected, snapshot any servers found, determine the vector that was used to allow the data exfiltration
- E. fix any vulnerabilities, remediate, and report.

Answer: A

NEW QUESTION 121

An organization has not had an incident for several months. The Chief Information Security Officer (CISO) wants to move to a proactive stance for security investigations. Which of the following would BEST meet that goal?

- A. Root-cause analysis
- B. Active response
- C. Advanced antivirus
- D. Information-sharing community
- E. Threat hunting

Answer: E

NEW QUESTION 124

Which of the following BEST articulates the benefit of leveraging SCAP in an organization's cybersecurity analysis toolset?

- A. It automatically performs remedial configuration changes to enterprise security services
- B. It enables standard checklist and vulnerability analysis expressions for automation
- C. It establishes a continuous integration environment for software development operations
- D. It provides validation of suspected system vulnerabilities through workflow orchestration

Answer: B

NEW QUESTION 125

A security analyst is responding to an incident on a web server on the company network that is making a large number of outbound requests over DNS. Which of the following is the FIRST step the analyst should take to evaluate this potential indicator of compromise?

- A. Run an anti-malware scan on the system to detect and eradicate the current threat
- B. Start a network capture on the system to look into the DNS requests to validate command and control traffic.
- C. Shut down the system to prevent further degradation of the company network
- D. Reimage the machine to remove the threat completely and get back to a normal running state.
- E. Isolate the system on the network to ensure it cannot access other systems while evaluation is underway.

Answer: A

NEW QUESTION 127

A user receives a potentially malicious email that contains spelling errors and a PDF document. A security analyst reviews the email and decides to download the attachment to a Linux sandbox for review.

Which of the following commands would MOST likely indicate if the email is malicious?

- A. `sha256sum ~/Desktop/file.pdf`
- B. `file ~/Desktop/file.pdf`
- C. `strings ~/Desktop/file.pdf | grep "<script"`
- D. `cat < ~/Desktop/file.pdf | grep -i .exe`

Answer: A

NEW QUESTION 131

A company's incident response team is handling a threat that was identified on the network. Security analysts have assets at remote sites. Which of the following is the MOST appropriate next step in the incident response plan?

- A. Quarantine the web server
- B. Deploy virtual firewalls
- C. Capture a forensic image of the memory and disk
- D. Enable web server containerization

Answer: B

NEW QUESTION 134

A system is experiencing noticeably slow response times, and users are being locked out frequently. An analyst asked for the system security plan and found the system comprises two servers: an application server in the DMZ and a database server inside the trusted domain. Which of the following should be performed NEXT to investigate the availability issue?

- A. Review the firewall logs.
- B. Review syslogs from critical servers.
- C. Perform fuzzing.
- D. Install a WAF in front of the application server.

Answer: C

NEW QUESTION 137

Which of the following types of policies is used to regulate data storage on the network?

- A. Password
- B. Acceptable use
- C. Account management
- D. Retention

Answer: D

NEW QUESTION 141

An analyst is investigating an anomalous event reported by the SOC. After reviewing the system logs, the analyst identifies an unexpected addition of a user with root-level privileges on the endpoint. Which of the following data sources will BEST help the analyst to determine whether this event constitutes an incident?

- A. Patching logs
- B. Threat feed
- C. Backup logs
- D. Change requests
- E. Data classification matrix

Answer: D

NEW QUESTION 143

Which of the following roles is ultimately responsible for determining the classification levels assigned to specific data sets?

- A. Data custodian
- B. Data owner
- C. Data processor
- D. Senior management

Answer: B

NEW QUESTION 145

A security analyst is supporting an embedded software team. Which of the following is the BEST recommendation to ensure proper error handling at runtime?

- A. Perform static code analysis.
- B. Require application fuzzing.
- C. Enforce input validation
- D. Perform a code review

Answer: B

NEW QUESTION 150

A security analyst has discovered that developers have installed browsers on all development servers in the company's cloud infrastructure and are using them to browse the Internet. Which of the following changes should the security analyst make to BEST protect the environment?

- A. Create a security rule that blocks Internet access in the development VPC
- B. Place a jumpbox in between the developers' workstations and the development VPC
- C. Remove the administrator profile from the developer user group in identity and access management
- D. Create an alert that is triggered when a developer installs an application on a server

Answer: A

NEW QUESTION 151

A security analyst has observed several incidents within an organization that are affecting one specific piece of hardware on the network. Further investigation reveals the equipment vendor previously released a patch.

Which of the following is the MOST appropriate threat classification for these incidents?

- A. Known threat
- B. Zero day
- C. Unknown threat
- D. Advanced persistent threat

Answer: B

NEW QUESTION 155

Which of the following policies would state an employee should not disable security safeguards, such as host firewalls and antivirus on company systems?

- A. Code of conduct policy
- B. Account management policy
- C. Password policy
- D. Acceptable use policy

Answer: D

NEW QUESTION 158

An audit has revealed an organization is utilizing a large number of servers that are running unsupported operating systems. As part of the management response phase of the audit, which of the following would BEST demonstrate senior management is appropriately aware of and addressing the issue?

- A. Copies of prior audits that did not identify the servers as an issue
- B. Project plans relating to the replacement of the servers that were approved by management
- C. Minutes from meetings in which risk assessment activities addressing the servers were discussed
- D. ACLs from perimeter firewalls showing blocked access to the servers
- E. Copies of change orders relating to the vulnerable servers

Answer: C

NEW QUESTION 182

As part of an exercise set up by the information security officer, the IT staff must move some of the network systems to an off-site facility and redeploy them for testing. All staff members must ensure their respective systems can power back up and match their gold image. If they find any inconsistencies, they must formally document the information.

Which of the following BEST describes this test?

- A. Walk through
- B. Full interruption
- C. Simulation
- D. Parallel

Answer: C

NEW QUESTION 187

Which of the following software security best practices would prevent an attacker from being able to run arbitrary SQL commands within a web application? (Choose two.)

- A. Parameterized queries
- B. Session management
- C. Input validation
- D. Output encoding
- E. Data protection
- F. Authentication

Answer: AC

NEW QUESTION 189

When attempting to do a stealth scan against a system that does not respond to ping, which of the following Nmap commands BEST accomplishes that goal?

- A. `nmap -sA -O <system> -noping`
- B. `nmap -sT -O <system> -P0`
- C. `nmap -sS -O <system> -P0`
- D. `nmap -sQ -O <system> -P0`

Answer: C

NEW QUESTION 192

A cybersecurity analyst is currently checking a newly deployed server that has an access control list applied. When conducting the scan, the analyst received the following code snippet of results:

```
Mail Server1
Trying 192.168.2.2
Connected
Get / HTTP/ 1.0

HTTP/1.0 200 Document follows
Server: server/0.10
Connection: close
Set-Cookie: testing=1; path=/
```

Which of the following describes the output of this scan?

- A. The analyst has discovered a False Positive, and the status code is incorrect providing an OK message.
- B. The analyst has discovered a True Positive, and the status code is correct providing a file not found error message.
- C. The analyst has discovered a True Positive, and the status code is incorrect providing a forbidden message.
- D. The analyst has discovered a False Positive, and the status code is incorrect providing a server error message.

Answer: B

NEW QUESTION 194

During a cyber incident, which of the following is the BEST course of action?

- A. Switch to using a pre-approved, secure, third-party communication system.
- B. Keep the entire company informed to ensure transparency and integrity during the incident.
- C. Restrict customer communication until the severity of the breach is confirmed.
- D. Limit communications to pre-authorized parties to ensure response efforts remain confidential.

Answer: D

NEW QUESTION 199

A security analyst has received reports of very slow, intermittent access to a public-facing corporate server. Suspecting the system may be compromised, the analyst runs the following commands:

```
[root@www18 /tmp]# uptime
19:23:35 up 2:33, 1 user, load average: 87.22, 79.69, 72.17
[root@www18 /tmp]# crontab -l
* * * * * /tmp/.t/t
[root@www18 /tmp]# ps ax | grep tmp
1325 ? Ss 0:00 /tmp/.t/t
[root@www18 /tmp]# netstat -anlp
tcp 0 0 0.0.0.0:22 172.168.0.0:* ESTABLISHED 1204/sshd
tcp 0 0 127.0.0.1:631 0.0.0.0:* LISTEN 1214/cupsd
tcp 0 0 0.0.0.0:443 0.0.0.0:* LISTEN 1267/httpd
```

Based on the output from the above commands, which of the following should the analyst do NEXT to further the investigation?

- A. Run `crontab -r; rm -rf /tmp/.t` to remove and disable the malware on the system.
- B. Examine the server logs for further indicators of compromise of a web application.
- C. Run `kill -9 1325` to bring the load average down so the server is usable again.
- D. Perform a binary analysis on the `/tmp/.t` file, as it is likely to be a rogue SSHD server.

Answer: B

NEW QUESTION 204

During an incident, a cybersecurity analyst found several entries in the web server logs that are related to an IP with a bad reputation. Which of the following would cause the analyst to further review the incident?

- A)
`BadReputationIp - - [2019-04-12 10:43z] "GET /etc/passwd" 403 1023`
- B)
`BadReputationIp - - [2019-04-12 10:43z] "GET /index.html?src=../../ssh/id_rsa" 401 17044`
- C)
`BadReputationIp - - [2019-04-12 10:43z] "GET /a.php?src=/etc/passwd" 403 11056`
- D)
`BadReputationIp - - [2019-04-12 10:43z] "GET /a.php?src=../../ssh/id_rsa" 200 15036`
- E)
`BadReputationIp - - [2019-04-12 10:43z] "GET /favicon.ico?src=../../usr/share/icons" 200 19064`

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: D

NEW QUESTION 205

As part of a merger with another organization, a Chief Information Security Officer (CISO) is working with an assessor to perform a risk assessment focused on data privacy compliance. The CISO is primarily concerned with the potential legal liability and fines associated with data privacy. Based on the CISO's concerns, the assessor will MOST likely focus on:

- A. qualitative probabilities.
- B. quantitative probabilities.
- C. qualitative magnitude.
- D. quantitative magnitude.

Answer: D

NEW QUESTION 207

Joe, a penetration tester, used a professional directory to identify a network administrator and ID administrator for a client's company. Joe then emailed the network administrator, identifying himself as the ID administrator, and asked for a current password as part of a security exercise. Which of the following techniques were used in this scenario?

- A. Enumeration and OS fingerprinting
- B. Email harvesting and host scanning
- C. Social media profiling and phishing
- D. Network and host scanning

Answer: C

NEW QUESTION 208

A small electronics company decides to use a contractor to assist with the development of a new FPGA-based device. Several of the development phases will occur off-site at the contractor's labs.

Which of the following is the main concern a security analyst should have with this arrangement?

- A. Making multiple trips between development sites increases the chance of physical damage to the FPGAs.
- B. Moving the FPGAs between development sites will lessen the time that is available for security testing.
- C. Development phases occurring at multiple sites may produce change management issues.
- D. FPGA applications are easily cloned, increasing the possibility of intellectual property theft.

Answer: B

NEW QUESTION 209

A system's authority to operate (ATO) is set to expire in four days. Because of other activities and limited staffing, the organization has neglected to start reauthentication activities until now. The cybersecurity group just performed a vulnerability scan with the partial set of results shown below:

```
-----  
Scan Host: 192.168.1.13  
15-Jan-16 08:12:10.1 EDT  
  
Vulnerability CVE-2015-1635  
HTTP.sys in Microsoft Windows 7 SP1, Windows Server 2008 R2 SP1, Windows 8,  
Windows 8.1 and Windows Server 2012 allows remote attackers to execute  
arbitrary code via crafted HTTP requests, aka "HTTP.sys remote code execution  
vulnerability"  
  
Severity: 10.0 (high)  
  
Expected Result: enforceHTTPValidation='enabled';  
Current Value: enforceHTTPValidation=enabled;  
  
Evidence:  
C:\%system%\Windows\config\web.config  
-----
```

Based on the scenario and the output from the vulnerability scan, which of the following should the security team do with this finding?

- A. Remediate by going to the web config file, searching for the enforce HTTP validation setting, and manually updating to the correct setting.
- B. Accept this risk for now because this is a "high" severity, but testing will require more than the four days available, and the system ATO needs to be completed.
- C. Ignore it
- D. This is false positive, and the organization needs to focus its efforts on other findings.
- E. Ensure HTTP validation is enabled by rebooting the server.

Answer: A

NEW QUESTION 211

A security analyst received a SIEM alert regarding high levels of memory consumption for a critical system. After several attempts to remediate the issue, the system went down. A root cause analysis revealed a bad actor forced the application to not reclaim memory. This caused the system to be depleted of resources. Which of the following BEST describes this attack?

- A. Injection attack
- B. Memory corruption
- C. Denial of service
- D. Array attack

Answer: B

NEW QUESTION 214

A SIEM solution alerts a security analyst of a high number of login attempts against the company's webmail portal. The analyst determines the login attempts used credentials from a past data breach. Which of the following is the BEST mitigation to prevent unauthorized access?

- A. Single sign-on
- B. Mandatory access control
- C. Multifactor authentication
- D. Federation
- E. Privileged access management

Answer: E

NEW QUESTION 216

An organization suspects it has had a breach, and it is trying to determine the potential impact. The organization knows the following:

- The source of the breach is linked to an IP located in a foreign country.
- The breach is isolated to the research and development servers.

- > The hash values of the data before and after the breach are unchanged.
- > The affected servers were regularly patched, and a recent scan showed no vulnerabilities.

Which of the following conclusions can be drawn with respect to the threat and impact? (Choose two.)

- A. The confidentiality of the data is unaffected.
- B. The threat is an APT.
- C. The source IP of the threat has been spoofed.
- D. The integrity of the data is unaffected.
- E. The threat is an insider.

Answer: BD

NEW QUESTION 221

A security analyst is evaluating two vulnerability management tools for possible use in an organization. The analyst set up each of the tools according to the respective vendor's instructions and generated a report of vulnerabilities that ran against the same target server.

Tool A reported the following:

```
The target host (192.168.10.13) is missing the following patches:  
CRITICAL KB50227328: Windows Server 2016 June 2019 Cumulative Update  
CRITICAL KB50255293: Windows Server 2016 July 2019 Cumulative Update  
HIGH MS19-055: Cumulative Security Update for Edge (2863871)
```

Tool B reported the following:

```
Methods GET HEAD OPTIONS POST TRACE are allowed on 192.168.10.13:80  
192.168.10.13:443 uses a self-signed certificate  
Apache 4.2.x < 4.2.28 Contains Multiple Vulnerabilities
```

Which of the following BEST describes the method used by each tool? (Choose two.)

- A. Tool A is agent based.
- B. Tool A used fuzzing logic to test vulnerabilities.
- C. Tool A is unauthenticated.
- D. Tool B utilized machine learning technology.
- E. Tool B is agent based.
- F. Tool B is unauthenticated.

Answer: CE

NEW QUESTION 222

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual CS0-002 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the CS0-002 Product From:

<https://www.2passeasy.com/dumps/CS0-002/>

Money Back Guarantee

CS0-002 Practice Exam Features:

- * CS0-002 Questions and Answers Updated Frequently
- * CS0-002 Practice Questions Verified by Expert Senior Certified Staff
- * CS0-002 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * CS0-002 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year