

CompTIA

Exam Questions XK0-005

CompTIA Linux+ Certification Exam



NEW QUESTION 1

A systems administrator is tasked with preventing logins from accounts other than root, while the file /etc/nologin exists. Which of the following PAM modules will accomplish this task?

- A. pam_login.so
- B. pam_access.so
- C. pam_logindef.so
- D. pam_nologin.so

Answer: D

NEW QUESTION 2

A Linux engineer receives reports that files created within a certain group are being modified by users who are not group members. The engineer wants to reconfigure the server so that only file owners and group members can modify new files by default. Which of the following commands would accomplish this task?

- A. chmod 775
- B. umask
- C. 002
- D. chattr -Rv
- E. chown -cf

Answer: B

NEW QUESTION 3

One leg of an LVM-mirrored volume failed due to the underlying physical volume, and a systems administrator is troubleshooting the issue. The following output has been provided:

Partial mode. Incomplete volume groups will be activated read-only

LV	VG	Attr	LSize	Origin	Snap%	Move	Log	Copy%	Devices
linear	vg	-wi-a-	40.00G						unknown device(0)
stripe	vg	-wi-a-	40.00G						unknown device(5120), /dev/sda1(0)

Given this scenario, which of the following should the administrator do to recover this volume?

- A. Reboot the server
- B. The volume will automatically go back to linear mode.
- C. Replace the failed drive and reconfigure the mirror.
- D. Reboot the server
- E. The volume will revert to stripe mode.
- F. Recreate the logical volume.

Answer: B

NEW QUESTION 4

In order to copy data from another VLAN, a systems administrator wants to temporarily assign IP address 10.1.6.5/24 to the newly added network interface enp1s0f1. Which of the following commands should the administrator run to achieve the goal?

- A. ip addr add 10.0.6.5/24 dev enp1s0f1
- B. echo "IPV4_ADDRESS=10.0.6.5/24" > /etc/sysconfig/network-scripts/ifcfg-enp1s0f1
- C. ifconfig 10.0.6.5/24 enp1s0f1
- D. nmcli conn add ipv4.address-10.0.6.5/24 ifname enp1s0f1

Answer: A

NEW QUESTION 5

An administrator attempts to rename a file on a server but receives the following error.

```
mv: cannot move 'files/readme.txt' to 'files/readme.txt.orig': Operation not permitted.
```

The administrator then runs a few commands and obtains the following output:

```
$ ls -ld files/
drwxrwxrwt.1 users users 20 Sep 10 15:15 files/
$ ls -a files/
drwxrwxrwt.1 users users 20 Sep 10 15:15 -
drwxr-xr-x.1 users users 32 Sep 10 15:15 ..
-rw-rw-r--.1 users users 4 Sep 12 10:34 readme.txt
```

Which of the following commands should the administrator run NEXT to allow the file to be renamed by any user?

- A. chgrp reet files
- B. chacl -R 644 files
- C. chown users files
- D. chmod -t files

Answer: D

NEW QUESTION 6

Rugged appliances are small appliances with ruggedized hardware and like Quantum Spark appliance they use which operating system?

- A. Centos Linux
- B. Gaia embedded
- C. Gaia
- D. Red Hat Enterprise Linux version 5

Answer: B

NEW QUESTION 7

A systems administrator is implementing a new service task with systems at startup and needs to execute a script entitled test.sh with the following content:

```
TIMESTAMP=$(date '+%Y-%m-%d %H:%M:%S')
echo "helpme.service: timestamp $(Timestamp)" | systemd-cat -p info
sleep 60
done
```

The administrator tries to run the script after making it executable with chmod +x; however, the script will not run. Which of the following should the administrator do to address this issue? (Choose two.)

- A. Add #!/bin/bash to the bottom of the script.
- B. Create a unit file for the new service in /etc/systemd/system/ with the name helpme.service in the location.
- C. Add #!/bin/bash to the top of the script.
- D. Restart the computer to enable the new service.
- E. Create a unit file for the new service in /etc/init.d with the name helpme.service in the location.
- F. Shut down the computer to enable the new service.

Answer: BC

NEW QUESTION 8

A Linux administrator needs to expand a volume group using a new disk. Which of the following options presents the correct sequence of commands to accomplish the task?

- A. partprobe vgcreate lvextend
- B. lvcreate fdisk partprobe
- C. fdiskpartprobe mkfs
- D. fdiskpvcreate vgextend

Answer: D

NEW QUESTION 9

Which of the following technologies can be used as a central repository of Linux users and groups?

- A. LDAP
- B. MFA
- C. SSO
- D. PAM

Answer: A

NEW QUESTION 10

At what point is the Internal Certificate Authority (ICA) created?

- A. During the primary Security Management Server installation process.
- B. Upon creation of a certificate.
- C. When an administrator decides to create one.
- D. When an administrator initially logs into SmartConsole.

Answer: A

NEW QUESTION 10

Which of the following tools is commonly used for creating CI/CD pipelines?

- A. Chef
- B. Puppet
- C. Jenkins
- D. Ansible

Answer: C

NEW QUESTION 15

An administrator recently updated the BIND software package and would like to review the default configuration that shipped with this version. Which of the following files should the administrator review?

- A. /etc/named.conf.rpmnew
- B. /etc/named.conf.rpmsave
- C. /etc/named.conf
- D. /etc/bind/bind.conf

Answer: C

NEW QUESTION 19

After installing a new version of a package, a systems administrator notices a new version of the corresponding, service file was installed in order to use the new version of the, service file, which of the following commands must be issued FIRST?

- A. systemctl status
- B. systemctl stop
- C. systemctl reinstall
- D. systemctl daemon-reload

Answer: D

NEW QUESTION 22

An administrator needs to make some changes in the IaC declaration templates. Which of the following commands would maintain version control?

- A. git clone https://github.com/comptia/linux+-.git git push origin
- B. git clone https://qithub.com/comptia/linux+-.git git fetch New-Branch
- C. git clone https://github.com/comptia/linux+-.git git status
- D. git clone https://github.com/comptia/linux+-.git git checkout -b <new-branch>

Answer: D

NEW QUESTION 24

A systems engineer is adding a new 1GB XFS filesystem that should be temporarily mounted under /ops/app. Which of the following is the correct list of commands to achieve this goal?

- A. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
pvcreate -L1G /dev/app
mkfs.xfs /dev/app
mount /dev/app /opt/app
```

- B. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
parted /dev/sdb --script mkpart primary xfs 1GB
mkfs.xfs /dev/sdb
mount /dev/sdb /opt/app
```

- C. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
lvcreate -L 1G -n app app_vg
mkfs.xfs /dev/app
mount /dev/app /opt/app
```

D. C:\Users\Admin\Desktop\Data\Odt data\Untitled.jpg

```
lvcreate -L 1G -n app app_vg
mkfs.xfs /dev/app_vg/app
mount /dev/app_vg/app /opt/app
```

Answer: D

NEW QUESTION 29

Which of the following files holds the system configuration for journal when running systemd?

- A. /etc/systemd/journald.conf
- B. /etc/systemd/systemd-journalctl.conf
- C. /usr/lib/systemd/journalctl.conf
- D. /etc/systemd/systemd-journald.conf

Answer: A

NEW QUESTION 34

A systems administrator is tasked with setting up key-based SSH authentication. In which of the following locations should the administrator place the public keys for the server?

- A. ~/.ssh/authkeys
- B. ~/.ssh/keys
- C. ~/.ssh/authorized_keys
- D. ~/.ssh/keyauth

Answer: C

NEW QUESTION 36

A junior systems administrator has just generated public and private authentication keys for passwordless login. Which of the following files will be moved to the remote servers?

- A. id_dsa.pem
- B. id_rsa
- C. id_ecdsa
- D. id_rsa.pub

Answer: D

NEW QUESTION 37

Developers have requested implementation of a persistent, static route on the application server. Packets sent over the interface eth0 to 10.0.213.5/32 should be routed via 10.0.5.1. Which of the following commands should the administrator run to achieve this goal?

- A. route -i eth0 -p add 10.0.213.5 10.0.5.1
- B. route modify eth0 +ipv4.routes "10.0.213.5/32 10.0.5.1"
- C. echo "10.0.213.5 10.0.5.1 eth0" > /proc/net/route
- D. ip route add 10.0.213.5/32 via 10.0.5.1 dev eth0

Answer: D

NEW QUESTION 41

A junior Linux administrator is tasked with installing an application. The installation guide states the application should only be installed in a run level 5 environment.

```
$ systemctl get-default
getty.target
```

Which of the following commands would ensure the server is set to runlevel 5?

- A. systemctl isolate multi-user.target
- B. systemctl isolate graphical.target
- C. systemctl isolate network.target
- D. systemctl isolate basic.target

Answer: B

NEW QUESTION 45

A cloud engineer is installing packages during VM provisioning. Which of the following should the engineer use to accomplish this task?

- A. Cloud-init
- B. Bash
- C. Docker
- D. Sidecar

Answer: A

NEW QUESTION 49

A Linux administrator has set up a new DNS forwarder and is configuring all internal servers to use the new forwarder to look up external DNS requests. The administrator needs to modify the firewall on the server for the DNS forwarder to allow the internal servers to communicate to it and make the changes persistent between server reboots. Which of the following commands should be run on the DNS forwarder server to accomplish this task?

- A. `ufw allow out dns`
- B. `systemctl reload firewalld`
- C. `iptables -A OUTPUT -p udp -ra udp -dport 53 -j ACCEPT`
- D. `firewall-cmd --zone-public --add-port-53/udp --permanent`

Answer: D

NEW QUESTION 53

A systems administrator received a notification that a system is performing slowly. When running the top command, the systems administrator can see the following values:

```
%Cpu(s): 2.7 us, 1.9 sy, 0.0 ni, 0.4 id, 95 wa, 0.0 hi, 0.0 si 0.0 st
```

Which of the following commands will the administrator most likely run NEXT?

- A. `vmstat`
- B. `strace`
- C. `htop`
- D. `lsdf`

Answer: A

NEW QUESTION 55

A Linux systems administrator needs to copy files and directories from Server A to Server B. Which of the following commands can be used for this purpose? (Select TWO)

- A. `rsyslog`
- B. `cp`
- C. `rsync`
- D. `reposync`
- E. `scp`
- F. `ssh`

Answer: CE

NEW QUESTION 59

A user is asking the systems administrator for assistance with writing a script to verify whether a file exists. Given the following:

```
#!/bin/bash
filename=$1
<CONDITIONAL>
echo "File exists"
else
echo "File does not exist"
fi
```

Which of the following commands should replace the <CONDITIONAL> string?

- A. `if [-f "$filename"]; then`
- B. `if [-d "$filename"]; then`
- C. `if [-f "$filename"] then`
- D. `if [-f "$filename"]; while`

Answer: A

NEW QUESTION 63

A Linux administrator is troubleshooting the root cause of a high CPU load and average.

```
$ uptime
07:30:43 up 20 days, 3 min, 1 user, load average: 2.98, 3.62, 5.21

$ top
PID  USER PR  NI  VIRT  RES  SHR  S  %CPU  %MEM  TIME+  COMMAND
6295  user1 30  -10 5465 56465 8254 R  86.5  1.5  7:35.25  appl

$ ps -ef | grep user1
user1 6295 1 7:42:19 tty/1 06:48:29 /usr/local/bin/appl
```

Which of the following commands will permanently resolve the issue?

- A. renice -n -20 6295
- B. pstree -p 6295
- C. iostat -cy 1 5
- D. kill -9 6295

Answer: A

NEW QUESTION 64

A Linux administrator was tasked with deleting all files and directories with names that are contained in the sobelete.txt file. Which of the following commands will accomplish this task?

- A. xargs -f cat toDelete.txt -rm
- B. rm -d -r -f toDelete.txt
- C. cat toDelete.txt | rm -frd
- D. cat toDelete.txt | xargs rm -rf

Answer: B

NEW QUESTION 69

A Linux administrator created a new file system. Which of the following files must be updated to ensure the filesystem mounts at boot time?

- A. /etc/sysctl
- B. /etc/filesystems
- C. /etc/fstab
- D. /etc/nfsmount.conf

Answer: C

NEW QUESTION 70

A Linux systems administrator needs to persistently enable IPv4 forwarding in one of the Linux systems. Which of the following commands can be used together to accomplish this task? (Choose two.)

- A. sysctl net.ipv4.ip_forward
- B. sysctl -w net.ipv4.ip_forward=1
- C. echo "net.ipv4.ip_forward=1" >> /etc/sysctl.conf
- D. echo 1 > /proc/sys/net/ipv4/ip_forward
- E. sysctl -p
- F. echo "net.ipv6.conf.all.forwarding=1" >> /etc/sysctl.conf

Answer: BC

NEW QUESTION 75

A Linux administrator needs to remove software from the server. Which of the following RPM options should be used?

- A. rpm -s
- B. rm -d
- C. rpm -q
- D. rpm -e

Answer: D

NEW QUESTION 79

A Linux administrator needs to ensure that Java 7 and Java 8 are both locally available for developers to use when deploying containers. Currently only Java 8 is available. Which of the following commands should the administrator run to ensure both versions are available?

- A. docker image load java:7
- B. docker image pull java:7
- C. docker image import java:7
- D. docker image build java:7

Answer: B

NEW QUESTION 83

A Linux administrator is alerted to a storage capacity issue on a server without a specific mount point or directory. Which of the following commands would be MOST helpful for troubleshooting? (Choose two.)

- A. parted
- B. df
- C. mount
- D. du
- E. fdisk
- F. dd
- G. ls

Answer: BD

NEW QUESTION 87

A systems administrator is receiving tickets from users who cannot reach the application app that should be listening on port 9443/tcp on a Linux server. To troubleshoot the issue, the systems administrator runs netstat and receives the following output:

```
# netstat -anp | grep appd | grep -w LISTEN
tcp 0 0 127.0.0.1:9443 0.0.0.0:* LISTEN 1234/appd
```

Based on the information above, which of the following is causing the issue?

- A. The IP address 0.0.0.0 is not valid.
- B. The application is listening on the loopback interface.
- C. The application is listening on port 1234.
- D. The application is not running.

Answer: B

Explanation:

The server is in a "Listen" state on port 9943 using its loopback address. The "1234" is a process-id

NEW QUESTION 89

A systems administrator is tasked with creating a cloud-based server with a public IP address.

```
---
-name: start an instance with a public IP address
  community.abc.ec2_instance:
    name: "public-compute-instance"
    key_name: "comptia-ssh-key"
    vpc_subnet_id: subnet-5cjsssh1
    instance_type: instance.type
    security_group: comptia
    network:
      assign_public_ip: true
    image_id: ami-1234568
    tags:
      Environment: Comptia-Items-Writing-Workshop
...

```

Which of the following technologies did the systems administrator use to complete this task?

- A. Puppet
- B. Git
- C. Ansible
- D. Terraform

Answer: D

NEW QUESTION 93

A systems administrator wants to be sure the sudo rules just added to /etc/sudoers are valid. Which of the following commands can be used for this task?

- A. visudo -c
- B. test -f /etc/sudoers
- C. sudo vi check
- D. cat /etc/sudoers | tee test

Answer: A

NEW QUESTION 95

A user generated a pair of private-public keys on a workstation. Which of the following commands will allow the user to upload the public key to a remote server and enable passwordless login?

- A. `scp ~/.ssh/id_rsa user@server:~/`
- B. `rsync ~/.ssh/ user@server:~/`
- C. `ssh-add user server`
- D. `ssh-copy-id user@server`

Answer: D

NEW QUESTION 100

A Linux administrator is providing a new Nginx image from the registry to local cache. Which of the following commands would allow this to happen?

- A. `docker pull nginx`
- B. `docker attach nginx`
- C. `docker commit nginx`
- D. `docker import nginx`

Answer: A

NEW QUESTION 102

A cloud engineer needs to remove all dangling images and delete all the images that do not have an associated container. Which of the following commands will help to accomplish this task?

- A. `docker images prune -a`
- B. `docker push images -a`
- C. `docker rmi -a images`
- D. `docker images rmi --all`

Answer: A

NEW QUESTION 106

Which of the following commands will display the operating system?

- A. `uname -n`
- B. `uname -s`
- C. `uname -o`
- D. `uname -m`

Answer: C

NEW QUESTION 108

A cloud engineer needs to check the link status of a network interface named eth1 in a Linux server. Which of the following commands can help to achieve the goal?

- A. `ifconfig hw eth1`
- B. `netstat -r eth1`
- C. `ss -ti eth1`
- D. `ip link show eth1`

Answer: D

NEW QUESTION 112

A systems administrator made some unapproved changes prior to leaving the company. The newly hired administrator has been tasked with revealing the system to a compliant state. Which of the following commands will list and remove the correspondent packages?

- A. `dnf list` and `dnf remove last`
- B. `dnf remove` and `dnf check`
- C. `dnf info` and `dnf upgrade`
- D. `dnf history` and `dnf history undo last`

Answer: D

NEW QUESTION 113

A Linux administrator wants to set the SUID of a file named dev_team.txt with 744 access rights. Which of the following commands will achieve this goal?

- A. `chmod 4744 dev_team.txt`
- B. `chmod 744 --setuid dev_team.txt`
- C. `chmod -c 744 dev_team.txt`
- D. `chmod -v 4744 --suid dev_team.txt`

Answer: A

NEW QUESTION 114


Junior system administrator had trouble installing and running an Apache web server on a Linux server. You have been tasked with installing the Apache web server on the Linux server and resolving the issue that prevented the junior administrator from running Apache.

INSTRUCTIONS

Install Apache and start the service. Verify that the Apache service is running with the defaults. Typing "help" in the terminal will show a list of relevant event commands.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

CentOS Command Prompt



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

```
yum install httpd
systemctl --now enable httpd systemctl status httpd
netstat -tunlp | grep 80 pkill <processname> systemctl restart httpd systemctl status httpd
```

NEW QUESTION 115

As a Systems Administrator, to reduce disk space, you were tasked to create a shell script that does the following: Add relevant content to /tmp/script.sh, so that it finds and compresses rotated files in /var/log without recursion.

INSTRUCTIONS

Fill the blanks to build a script that performs the actual compression of rotated log files.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

Snippets

tar	until	zip
egrep	awk	\$log
"\$@"	pgrep	repeat
/tmp/tempfile	locate	filename
nan	then	"log-[1-6]f"
in	done	/var/log
for	yz	"\$1"
sed	gzip	"\$log-[1-6]f"
while		

```
#!/bin/bash
#name: script.sh

find /var/log -type f -maxdepth 1 | grep [?] > /tmp/tempfile

[?] filename [?] $(cat [?])
do
[?] $filename
[?]
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Snippets

tar	until	zip
egrep	awk	{log
"\$@"	pgrep	repeat
/tmp/tmpfile	locate	filename
var	then	"log.[1-6]\$"
in	done	/var/log
for	do	"\$1"
sed	gzip	"\$log.[1-6]\$"
while		

```
#!/bin/bash

#name: script.sh

find /var/log -type f -maxdepth 1 | grep "$1" > /tmp/tmpfile

for filename in $(cat /tmp/tmpfile)
do
    gzip $filename
done
```

NEW QUESTION 118

A new file was added to a main Git repository. An administrator wants to synchronize a local copy with the contents of the main repository. Which of the following commands should the administrator use for this task?

- A. git reflog
- B. git pull
- C. git status
- D. git push

Answer: B

NEW QUESTION 122

An administrator accidentally deleted the /boot/vmlinuz file and must resolve the issue before the server is rebooted. Which of the following commands should the administrator use to identify the correct version of this file?

- A. rpm -qa | grep kernel; uname -a
- B. yum -y update; shutdown -r now
- C. cat /etc/centos-release; rpm -Uvh --nodeps
- D. telinit 1; restorecon -Rv /boot

Answer: A

NEW QUESTION 124

A systems administrator made some changes in the ~/.bashrc file and added an alias command. When the administrator tried to use the alias command, it did not work. Which of the following should be executed FIRST?

- A. source ~/.bashrc
- B. read ~/.bashrc
- C. touch ~/.bashrc
- D. echo ~/.bashrc

Answer: A

NEW QUESTION 127

A developer has been unable to remove a particular data folder that a team no longer uses. The developer escalated the issue to the systems administrator. The following output was received:

```
# rmdir data/  
rmdir: failed to remove 'data/': Operation not permitted  
# rm -rf data/  
rm: cannot remove 'data': Operation not permitted  
# mv data/ mydata  
mv: cannot move 'data/' to 'mydata': Operation not permitted  
# cd data/  
# cat > test.txt  
bash: test.txt: Permission denied
```

Which of the following commands can be used to resolve this issue?

- A. chgrp -R 755 data/
- B. chmod -R 777 data/
- C. chattr -R -i data/
- D. chown -R data/

Answer: C

NEW QUESTION 130

A systems administrator created a new Docker image called test. After building the image, the administrator forgot to version the release. Which of the following will allow the administrator to assign the v1 version to the image?

- A. docker image save test test:v1
- B. docker image build test:vl
- C. docker image tag test test:vl
- D. docker image version test:v1

Answer: C

NEW QUESTION 132

A systems administrator installed a new software program on a Linux server. When the systems administrator tries to run the program, the following message appears on the screen.

```
Hardware virtualization support is not available on this system.  
Either is not present or disabled in the system's BIOS
```

Which of the following commands will allow the systems administrator to check whether the system supports virtualization?

- A. dmidecode -s system-version
- B. lscpu
- C. sysctl -a
- D. cat /sys/device/system/cpu/possible

Answer: B

NEW QUESTION 133

A systems administrator is checking the system logs. The administrator wants to look at the last 20 lines of a log. Which of the following will execute the command?

- A. tail -v 20
- B. tail -n 20
- C. tail -c 20
- D. tail -l 20

Answer: B

NEW QUESTION 134

A server is experiencing intermittent connection issues. Some connections to the Internet work as intended, but some fail as if there is no connectivity. The systems administrator inspects the server configuration:

Routing table:

```
default via 89.107.157.129 dev ens3 proto static metric 100
default via 10.0.5.1 dev ens11 proto dhcp metric 101
10.0.0.0/16 dev sn11 proto kernel scope link src 10.0.6.225 metric 101
89.107.157.128/26 via 89.107.157.129 dev ens3 proto static metric 100
89.107.157.129 dev ens3 proto static scope link metric 100
89.107.157.160/29 dev ens3 proto kernel scope link src 89.107.157.161 metric 100
```

IP configuration:

```
ens3:
  inet 89.107.157.161/29 brd 89.107.157.167 scope global noprefixroute ens3
ens11:
  inet 10.0.6.225/16 brd 10.0.255.255 scope global noprefixroute dynamic ens11
```

ARP table:

Address	Hwtype	Hwaddress	Flags	Mask	Iface
10.0.5.1	ether	64:d1:54:c4:75:cb	C		ens11
89.107.157.129	ether	5c:5e:ab:01:85:cf	C		ens3
89.107.157.162	ether	52:54:00:e1:44:0a	C		ens3
10.0.255.1	ether	00:50:7f:e3:aa:1c	C		ens11

```
/etc/resolv.conf:
Generated by NetworkManager
search company.com
nameserver 10.0.5.1
```

Which of the following is MOST likely the cause of the issue?

- A. An internal-only DNS server is configured.
- B. The IP netmask is wrong for ens3.
- C. Two default routes are configured.
- D. The ARP table contains incorrect entries.

Answer: C

NEW QUESTION 138

A systems administrator wants to test the route between IP address 10.0.2.15 and IP address 192.168.1.40. Which of the following commands will accomplish this task?

- A. route -e get to 192.168.1.40 from 10.0.2.15
- B. ip route get 192.168.1.40 from 10.0.2.15
- C. ip route 192.168.1.40 to 10.0.2.15
- D. route -n 192.168.1.40 from 10.0.2.15

Answer: B

NEW QUESTION 143

A new Linux systems administrator just generated a pair of SSH keys that should allow connection to the servers. Which of the following commands can be used to copy a key file to remote servers? (Choose two.)

- A. wget
- B. ssh-keygen
- C. ssh-keyscan
- D. ssh-copy-id
- E. ftpd
- F. scp

Answer: DF

NEW QUESTION 147

Joe, a user, is unable to log in to the Linux system. Given the following output:

```
# grep joe /etc/passwd /etc/shadow
/etc/passwd:joe:x:1001:1001::/home/joe:/bin/nologin
/etc/shadow:joe:$6$93uOw6qWx9876jGhgKJedfH987634534voj.:18883:0:99999:7:::
```

Which of the following commands would resolve the issue?

- A. usermod -s /bin/bash joe
- B. pam_tally2 -u joe -r
- C. passwd -u joe
- D. chage -E 90 joe

Answer: A

NEW QUESTION 151

A systems administrator is encountering performance issues. The administrator runs 3 commands with the following output

```
09:10:18 up 457 days, 32min, 5 users, load average: 4.22 6.63 5.98
```

The Linux server has the following system properties CPU: 4 vCPU

Memory: 50GB

Which of the following accurately describes this situation?

- A. The system is under CPU pressure and will require additional vCPUs
- B. The system has been running for over a year and requires a reboot.
- C. Too many users are currently logged in to the system
- D. The system requires more memory

Answer: B

NEW QUESTION 155

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

XK0-005 Practice Exam Features:

- * XK0-005 Questions and Answers Updated Frequently
- * XK0-005 Practice Questions Verified by Expert Senior Certified Staff
- * XK0-005 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * XK0-005 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The XK0-005 Practice Test Here](#)