

Exam Questions FC0-U61

CompTIA IT Fundamentals+ Certification Exam

<https://www.2passeasy.com/dumps/FC0-U61/>



NEW QUESTION 1

Which of the following can a company use to protect its logo?

- A. Trademark
- B. Copyright
- C. Domain name
- D. patent

Answer: A

Explanation:

A trademark is the best option for a company to protect its logo. A trademark is a name, symbol, logo, or slogan that identifies a product or service and distinguishes it from others in the market. A trademark grants the owner the exclusive right to use the mark and to prevent others from using confusingly similar marks. A trademark can be registered with the appropriate authority to obtain legal protection and enforcement. A trademark can last indefinitely as long as it is used and renewed periodically. A trademark can also be indicated by the symbols TM or ®. A copyright is not suitable for protecting a logo, as it only protects original works of authorship, such as books, music, movies, or software. A domain name is not suitable for protecting a logo, as it only identifies a website or an email address on the internet. A domain name can be registered with a domain name registrar to obtain exclusive use of the name for a certain period of time. A domain name can also be trademarked if it meets the criteria for trademark protection. A patent is not suitable for protecting a logo, as it only protects inventions or processes that are new, useful, and non-obvious. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 2

Which of the following actions is the FINAL step in the standard troubleshooting methodology?

- A. Document the solution and cause.
- B. Create a new theory of cause.
- C. Research the problem online.
- D. Implement preventive measures.

Answer: A

Explanation:

The final step in the standard troubleshooting methodology is to document the solution and cause of the problem. This step involves recording the details of the problem, the steps taken to resolve it, the outcome of the solution, and any preventive measures implemented to avoid future occurrences. Documenting the solution and cause can help to create a knowledge base for future reference, improve communication among IT professionals, and facilitate continuous improvement¹². References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 7: Explain the Troubleshooting Methodology³; Troubleshooting Methodology | IT Support and Help Desk | CompTIA⁴

NEW QUESTION 3

Which of the following concerns does installing cross-platform software address?

- A. Subscription
- B. Licensing
- C. Product key
- D. Compatibility

Answer: D

Explanation:

Compatibility is the ability of software or hardware to work with different types of software or hardware without errors or conflicts. Installing cross-platform software addresses the concern of compatibility because cross-platform software can run on multiple operating systems or platforms without requiring modifications or adaptations. Cross-platform software can reduce the cost and complexity of developing and maintaining software for different platforms. Subscription, licensing, and product key are not concerns that installing cross-platform software addresses. Subscription is the agreement or contract that allows users to access software or services for a certain period of time or frequency. Licensing is the permission or authorization that grants users the right to use software or services under certain terms and conditions. Product key is the code or identifier that verifies the authenticity or validity of software or services. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 7: Software Installation and Functions, page 265.

NEW QUESTION 4

For which of the following is a relational database management system MOST commonly used?

- A. Building flowcharts
- B. Storing information
- C. Generating reports
- D. Creating diagrams

Answer: B

Explanation:

A relational database management system (RDBMS) is most commonly used for storing information in a structured and organized way. A RDBMS stores data in tables, which consist of rows and columns. Each row represents a record or an entity, and each column represents an attribute or a property of the entity. A RDBMS allows users to create, update, delete, and query data using a standard language called SQL (Structured Query Language). A RDBMS also enforces rules and constraints to ensure data integrity and consistency³⁴⁶⁵. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals²; What is RDBMS (Relational Database Management System) - Javatpoint⁵; What is a Relational Database Management System? | Microsoft Azure

NEW QUESTION 5

Within a database, which of the following would be the best access method to use to display a subset of a table?

- A. UPDATE
- B. DROP
- C. SELECT
- D. INSERT

Answer: C

Explanation:

The SELECT statement is used to query a database and retrieve a subset of data that matches the specified criteria. For example, SELECT * FROM Customers WHERE City = 'London' will return all the records from the Customers table where the City column is equal to 'London'. The SELECT statement can also be used to join multiple tables, perform calculations, sort and group data, and apply filters and functions. The SELECT statement is one of the most commonly used SQL commands and is essential for manipulating and analyzing data in a database.

NEW QUESTION 6

Consider the following statements:

```
if userin = "commander"
    then clearance = "topsecret"
    else if userin = "analyst"
        then clearance = "restricted"
    else
        clearance = "normal"
```

Given the input (userin) of "analyst", to which of the following would the clearance variable be set?

- A. topsecret
- B. normal
- C. analyst
- D. restricted

Answer: D

Explanation:

Float is a data type that can store decimal or fractional numbers, such as 3.14, 0.5, or -2.75. Float would be the best data type to use for storing monetary values because monetary values often involve decimals, such as \$1.99, 0.25, or -5.50. Integer is a data type that can only store whole numbers, such as 1, 0, or -2. Integer would not be suitable for storing monetary values that have decimals. The other options are not data types that can store numerical values. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 146.

NEW QUESTION 7

An administrator grants permission for a user to access data in a database. Which of the following actions was performed?

- A. Data correlation
- B. Data manipulation
- C. Data gathering
- D. Data definition

Answer: D

Explanation:

Data definition is the process of creating, modifying, or deleting the structure and objects of a database, such as tables, fields, indexes, and views. Data definition is performed using data definition language (DDL), which is a subset of SQL commands. An administrator can use DDL to grant or revoke permissions for a user to access data in a database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 144.

NEW QUESTION 8

Which of the following relational database constructs is used to ensure valid values are entered for a column?

- A. Schema
- B. Permissions
- C. Constraint
- D. Column

Answer: C

Explanation:

A constraint is a rule or a restriction that is applied to a column or a table in a relational database to ensure that only valid values are entered. Constraints help to maintain the integrity, accuracy, and consistency of the data. For example, a constraint can be used to specify that a column must not contain null values, or that a column must contain unique values, or that a column must match a value in another table. References: = CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals3; Constraints in Relational Database Model - Online Tutorials Library

NEW QUESTION 9

All users have access to an application at a company. The data from the application is stored on a centralized device located on the network. Which of the following devices would MOST likely be used to store the data?

- A. Server
- B. Tape library

- C. External HDD
- D. Workstation

Answer: A

Explanation:

A server is a device that provides services and resources to other devices on a network. A server can store data from an application and allow multiple users to access it simultaneously. A server is different from a tape library, an external HDD, or a workstation, which are devices that store data locally or offline and do not provide network services. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4, Section 4.1, Page 152.

NEW QUESTION 10

Which of the following is an example of an interpreted language?

- A. C++
- B. Java
- C. Python
- D. Go

Answer: C

Explanation:

Python is an example of an interpreted language, which is a type of programming language that does not need to be compiled before execution. Instead, an interpreter program translates and executes the source code line by line at run time. Interpreted languages are usually easier to write and debug, but slower to execute than compiled languages. C++ and Java are examples of compiled languages, which are types of programming languages that need to be translated into executable machine code by a compiler program before execution. Compiled languages are usually faster to execute but harder to write and debug than interpreted languages. Go is an example of a hybrid language, which is a type of programming language that combines features of both compiled and interpreted languages. Hybrid languages use an intermediate code that can be executed by a virtual machine or an interpreter at run time. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 140.

NEW QUESTION 10

A user wants to use a laptop outside the house and still remain connected to the Internet. Which of the following would be the BEST choice to accomplish this task?

- A. Thunderbolt cable
- B. Bluetooth module
- C. Infrared port
- D. WLAN card

Answer: D

Explanation:

A WLAN card would be the best choice for a user who wants to use a laptop outside the house and still remain connected to the Internet. A WLAN card stands for wireless local area network card, which is a device that allows a laptop to connect to a wireless network using radio waves. A WLAN card can enable a laptop to access the Internet through public or private wireless hotspots, such as cafes, libraries, airports, or homes. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 170.

NEW QUESTION 15

Given the following pseudocode:

```
declare @count int
set @count =1
for @count <10
begin
set @count=@count+1
end
select @count
```

Which of the following is the output of the code?

- A. 1
- B. 9
- C. 10
- D. 11

Answer: B

Explanation:

The code uses a for loop to iterate from 1 to 3, and assigns the value of i to the variable x. Then, it adds 3 to x and prints the result. The output of the code is: 3 (when i = 1, x = 1, x + 3 = 4) 6 (when i = 2, x = 2, x + 3 = 5) 9 (when i = 3, x = 3, x + 3 = 6) References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 153.

NEW QUESTION 20

A software developer develops a software program and writes a document with step-by-step instructions on how to use the software. The developer wants to ensure no other person or company will publish this document for public use. Which of the following should the developer use to BEST protect the document?

- A. Patent
- B. Trademark

- C. Watermark
- D. Copyright

Answer: D

Explanation:

A document that explains how to use a software program is an example of a written work that expresses the original ideas of the developer. A copyright is a legal protection that grants the developer the exclusive right to publish, distribute, and control the use of the document. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 9: Intellectual Property1

NEW QUESTION 21

Which of the following would indicate the FASTEST processor speed?

- A. 3.6GHz
- B. 3.6MHz
- C. 3.6Mbps
- D. 3.6Gbps

Answer: A

Explanation:

Processor speed is measured in hertz (Hz), which is the number of cycles per second that the processor can perform. The higher the processor speed, the faster the processor can execute instructions. Gigahertz (GHz) is equal to one billion hertz, while megahertz (MHz) is equal to one million hertz. Megabits per second (Mbps) and gigabits per second (Gbps) are units of data transfer rate, not processor speed. Therefore, 3.6GHz would indicate the fastest processor speed among the options given. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 114.

NEW QUESTION 24

When transferring a file across the network, which of the following would be the FASTEST transfer rate?

- A. 1001Kbps
- B. 110Mbps
- C. 1.22Gbps
- D. 123Mbps

Answer: C

Explanation:

* 1.22Gbps would be the fastest transfer rate when transferring a file across the network among the given options. A transfer rate is a measure of how much data can be transmitted or received over a network in a given time. A transfer rate is usually expressed in bits per second (bps) or its multiples, such as Kbps (kilobits per second), Mbps (megabits per second), or Gbps (gigabits per second). A higher transfer rate means faster data transmission or reception. 1.22Gbps is equivalent to 1,220Mbps, which is higher than 110Mbps, 123Mbps, or 1001Kbps. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 164.

NEW QUESTION 29

When editing a document, which of the following describes where the changes are located before they are saved to permanent storage?

- A. SSD
- B. CPU
- C. RAM
- D. GPU

Answer: C

Explanation:

RAM stands for Random Access Memory, which is where the changes are located before they are saved to permanent storage when editing a document. RAM is a type of volatile memory that stores data temporarily while the computer is running. RAM allows fast access and modification of data by the CPU, but it loses its contents when the power is turned off. SSD stands for Solid State Drive, which is a type of permanent storage that stores data persistently even when the power is turned off. SSD uses flash memory chips to store data, which offer faster performance and lower power consumption than traditional hard disk drives (HDDs). CPU stands for Central Processing Unit, which is the main component of a computer that executes instructions and performs calculations. CPU does not store data, but it uses registers and cache memory to hold data temporarily during processing. GPU stands for Graphics Processing Unit, which is a specialized component of a computer that handles graphics and image processing. GPU does not store data, but it uses dedicated memory to hold graphics data temporarily during rendering. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals

NEW QUESTION 33

Which of the following scripting languages is most likely to be used in a Linux command-line environment?

- A. JavaScript
- B. PowerShell
- C. C++
- D. Bash

Answer: D

Explanation:

Bash is the most likely scripting language to be used in a Linux command-line environment. Bash stands for Bourne-Again Shell, which is a shell program that allows users to interact with the operating system by typing commands or running scripts. Bash is the default shell for most Linux distributions, and it supports features such as variables, loops, functions, and pipes. JavaScript is a scripting language that is mainly used for web development, especially for creating dynamic and interactive web pages. JavaScript can run in a browser or on a server, but it is not commonly used in a Linux command-line environment. PowerShell is a

scripting language that is mainly used for Windows administration, especially for automating tasks and managing systems. PowerShell can run commands or scripts in a console or an integrated development environment (IDE), but it is not compatible with Linux by default. C++ is a programming language that is mainly used for software development, especially for creating applications that run close to the hardware or require high performance. C++ can run on various platforms, including Linux, but it is not a scripting language and it requires compilation before execution. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 34

A systems administrator wants to return results for a time range within a database. Which of the following commands should the administrator use?

- A. SELECT
- B. INSERT
- C. DELETE
- D. UPDATE

Answer: A

Explanation:

A SELECT command is a SQL (Structured Query Language) statement that is used to return results for a time range within a database. A SELECT command can specify the columns and rows to be retrieved from one or more tables based on certain criteria or conditions. A SELECT command can also use functions or operators to manipulate or filter the data. For example, a SELECT command can use the BETWEEN operator to specify a time range for a date column⁸⁹. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals³; SQL SELECT Statement - W3Schools¹⁰

NEW QUESTION 37

A computer user is downloading software from the Internet and notices the following at the end of the install file: "...x86.exe". Which of the following statements BEST represents what the "...x86.exe" means in the installation file?

- A. x86 only supports an installation on a 32-bit CPU architecture.
- B. x86 supports an installation on a 32-bit and a 64-bit CPU architecture.
- C. x86 only supports an installation on a 64-bit CPU architecture.
- D. x86 supports an installation on a 16-bit CPU architecture.

Answer: A

Explanation:

x86 only supports an installation on a 32-bit CPU architecture is the statement that best represents what the "...x86.exe" means in the installation file. x86 is a term that refers to a family of processors or instruction sets that use 32-bit registers and memory addresses. x86 processors can only run software applications that are compatible with the 32-bit architecture. An installation file that has the suffix "...x86.exe" indicates that the file is an executable file that can only be installed on a 32-bit system. A 64-bit system can run both 32-bit and 64-bit applications, but a 32-bit system can only run 32-bit applications. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 34.

NEW QUESTION 40

Which of the following computing devices would be used to provide a centralized means to distribute services to a group of clients and usually possesses a role on a LAN?

- A. Laptop
- B. Workstation
- C. Mobile phone
- D. Server

Answer: D

Explanation:

A server is a computing device that provides a centralized means to distribute services to a group of clients and usually possesses a role on a LAN. A server can perform various functions, such as hosting applications, databases, files, web pages, email, or print jobs. A server can also manage network resources, such as security, user accounts, or backups. A server typically has more processing power, memory, and storage capacity than a client device⁴. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 3: IT Infrastructure²

NEW QUESTION 44

Which of the following programming concepts uses properties and attributes?

- A. Objects
- B. Functions
- C. Containers
- D. Identifiers

Answer: A

Explanation:

Objects are a programming concept that represent entities or concepts in the real world. Objects have properties and attributes that describe their characteristics and behavior. For example, a car object may have properties such as color, model, speed, and fuel, and attributes such as engine, wheels, doors, and seats. Objects can also have methods, which are actions that the object can perform or that can be performed on the object. For example, a car object may have methods such as start, stop, accelerate, and brake. Objects are used to organize data and functionality in a modular and reusable way.

NEW QUESTION 46

Which of the following is an example of information a company would ask employees to handle in a sensitive manner?

- A. Customer date of birth
- B. The first and last name of the Chief Executive Officer (CEO)

- C. Customer service number
- D. Company social media screen name

Answer: A

Explanation:

Customer date of birth is an example of information that a company would ask employees to handle in a sensitive manner. Sensitive information is any information that can identify or relate to a specific person, such as name, address, phone number, email, social security number, date of birth, etc. Sensitive information can also include financial, medical, legal, or personal records of a person. Sensitive information should be handled with care and confidentiality by employees to protect the privacy and security of the customers and the company. Employees should follow the company's policies and procedures for handling sensitive information, such as encrypting, locking, shredding, or disposing of it properly. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 205.

NEW QUESTION 49

A user is getting an error message when trying to go to a website. A technician asks the user a few questions to find out more about the issue. The technician opens a browser locally and browses to the same site as the user. Which of the following troubleshooting steps is the technician using by browsing to the same site?

- A. Establish a plan of action.
- B. Gather information
- C. Duplicate the problem.
- D. Find the root cause.

Answer: C

Explanation:

The troubleshooting methodology is a systematic approach to solving problems that involves several steps, such as identifying the problem, establishing a theory of probable cause, testing the theory, establishing a plan of action, implementing the solution, verifying functionality, and documenting the findings. One of the steps in identifying the problem is to duplicate the problem, which means to reproduce the same error or issue that the user is experiencing. This can help the technician to verify the symptoms, narrow down the scope, and eliminate possible causes¹⁰¹¹. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 7: Explain the Troubleshooting Methodology⁴; Troubleshooting Methodology | IT Support and Help Desk | CompTIA¹²

NEW QUESTION 52

Which of the following would be the easiest component to upgrade on a laptop that is experiencing slow performance?

- A. Motherboard
- B. GPU
- C. RAM
- D. CPU

Answer: C

Explanation:

The easiest component to upgrade on a laptop that is experiencing slow performance is RAM. RAM stands for Random Access Memory, which is a type of volatile memory that stores data temporarily while the computer is running. RAM allows fast access and modification of data by the CPU, but it loses its contents when the power is turned off. Upgrading RAM can improve the performance of a laptop by increasing the amount of data that can be stored and processed at the same time, reducing the need for swapping or paging to the hard disk. Upgrading RAM on a laptop is usually easy, as it only requires opening a small panel on the back or side of the laptop and inserting or replacing the RAM modules into the slots. The motherboard is not the easiest component to upgrade on a laptop that is experiencing slow performance, but rather one of the most difficult components to upgrade. The motherboard is the main circuit board of a computer that connects and controls all the other components, such as the CPU, RAM, GPU, etc. Upgrading the motherboard can improve the performance of a laptop by supporting newer or faster components, but it is also very complex, costly, and risky. Upgrading the motherboard on a laptop may require replacing or reconfiguring many other components, as well as ensuring compatibility and stability with the operating system and drivers. The GPU is not the easiest component to upgrade on a laptop that is experiencing slow performance, but rather one of the most difficult components to upgrade. The GPU stands for Graphics Processing Unit, which is a specialized component of a computer that handles graphics and image processing. Upgrading the GPU can improve the performance of a laptop by increasing the speed and quality of rendering graphics, especially for gaming or video editing applications. However, upgrading the GPU on a laptop is usually very hard or impossible, as most laptops have integrated GPUs that are soldered to the motherboard or CPU and cannot be replaced or upgraded. The CPU is not the easiest component to upgrade on a laptop that is experiencing slow performance, but rather one of the most difficult components to upgrade. The CPU stands for Central Processing Unit, which is the main component of a computer that executes instructions and performs calculations. Upgrading the CPU can improve the performance of a laptop by increasing the speed and efficiency of processing data, especially for multitasking or complex applications. However, upgrading the CPU on a laptop is usually very hard or impossible, as most laptops have integrated CPUs that are soldered to the motherboard and cannot be replaced or upgraded. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals

NEW QUESTION 54

A programmer uses DML to modify:

- A. files
- B. permissions
- C. data
- D. backups

Answer: C

Explanation:

A programmer uses DML to modify data in a database. DML stands for Data Manipulation Language, which is a subset of SQL (Structured Query Language) that is used to manipulate or change data in a database. DML includes commands or statements such as INSERT, UPDATE, DELETE, or MERGE, which can be used to add, modify, remove, or combine data in a table or structure within a database. DML can help a programmer to perform various operations or functions on the data in a database. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 143.

NEW QUESTION 58

A technician needs to install a wireless router for a client that supports speeds up to 11Mbps and operates on the 2.4GHz band. Which of the following should the technician select?

- A. 802.11a
- B. 802.11b
- C. 802.11g
- D. 802.11n

Answer: B

Explanation:

* 802.11 b is the wireless standard that supports speeds up to 11Mbps and operates on the 2.4GHz band. 802.11b is one of the earliest versions of the IEEE 802.11 family of standards for wireless local area networks (WLANs). 802.11b uses direct-sequence spread spectrum (DSSS) modulation to transmit data over radio waves. 802.11b has a maximum theoretical data rate of 11Mbps and a typical range of up to 150 feet indoors or 300 feet outdoors. 802.11b operates on the same frequency band as some cordless phones, microwaves, and Bluetooth devices, which may cause interference or signal degradation. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 171.

NEW QUESTION 59

Which of the following is the most secure filesystem?

- A. FAT32
- B. NFS
- C. NTFS
- D. exFAT

Answer: C

Explanation:

NTFS stands for New Technology File System, which is the most secure file system among the given options. NTFS is a file system that was developed by Microsoft for Windows operating systems. NTFS supports features such as encryption, compression, permissions, quotas, and auditing, which enhance the security and performance of the file system. FAT32 stands for File Allocation Table 32, which is a file system that was developed by Microsoft for older versions of Windows and DOS operating systems. FAT32 does not support encryption, compression, permissions, quotas, or auditing, and it has limitations on the size of files and partitions that it can handle. NFS stands for Network File System, which is a file system that was developed by Sun Microsystems for Unix and Linux operating systems. NFS allows users to access files on remote servers as if they were local files, but it does not support encryption or compression. exFAT stands for Extended File Allocation Table, which is a file system that was developed by Microsoft for flash drives and other removable media. exFAT supports larger files and partitions than FAT32, but it does not support encryption, compression, permissions, quotas, or auditing. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4: Operating System Fundamentals

NEW QUESTION 61

Which of the following is the BEST option for a developer to use when storing the months of a year and when performance is a key consideration?

- A. Array
- B. Vector
- C. List
- D. String

Answer: A

Explanation:

An array is a type of data structure that stores multiple values of the same data type in a fixed-size sequence. An array would be the best option for a developer to use when storing the months of a year and when performance is a key consideration because an array allows fast access to any element by using its index number. A vector, a list, and a string are not types of data structures that offer fast access to elements or store multiple values of the same data type in a fixed-size sequence. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 147.

NEW QUESTION 65

A user browses to a website. Before the page opens, the user receives a message that the site is not secure. Which of the following caused this message?

- A. Certificate
- B. Proxy
- C. Script
- D. Malware

Answer: A

Explanation:

A website that is not secure means that the connection between the user's browser and the web server is not encrypted or authenticated. This can expose the user's data to interception, modification, or impersonation by attackers. One way to secure a website is to use HTTPS (Hypertext Transfer Protocol Secure), which is a protocol that encrypts and verifies the data exchanged between the browser and the server. HTTPS relies on certificates, which are digital documents that contain information about the identity and public key of the website owner. Certificates are issued by trusted authorities called certificate authorities (CAs), which verify the legitimacy of the website owner before issuing a certificate. When a user browses to a website that uses HTTPS, the browser checks the certificate to ensure that it is valid, signed by a CA, and matches the website's domain name. If any of these checks fail, the browser will display a warning message that the site is not secure, and advise the user not to proceed or enter any sensitive information.

NEW QUESTION 67

Which of the following business continuity concepts is the best example of fault tolerance?

- A. Data restoration
- B. Redundant power

- C. Disaster recovery
- D. Restoring access

Answer: B

Explanation:

Redundant power is the best example of fault tolerance among the given business continuity concepts. Fault tolerance refers to the ability of a system to continue functioning despite failures or errors in some of its components. Redundant power provides backup sources of electricity in case of power outages or surges, ensuring uninterrupted operation of critical systems. Data restoration refers to the process of recovering lost or corrupted data from backups or other sources. Disaster recovery refers to the plan and procedures for restoring normal business operations after a major disruption, such as a natural disaster or a cyberattack. Restoring access refers to the process of granting users the ability to use systems or resources that were previously unavailable or inaccessible. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 69

Which of the following internet service types is most susceptible to weather disruptions?

- A. Cable
- B. Satellite
- C. DSL
- D. Fiber

Answer: B

Explanation:

Satellite internet service is a type of internet service that uses satellites orbiting the earth to transmit and receive data signals from users' devices. Satellite internet service can provide internet access to remote or rural areas where other types of internet service are not available or reliable. However, satellite internet service is also more susceptible to weather disruptions than other types of internet service, such as cable, DSL (digital subscriber line), or fiber. Weather conditions such as rain, snow, clouds, wind, or storms can interfere with the signal quality and strength between the satellite and the user's device, causing slow speeds, latency (delay), packet loss (data loss), or connection drops. Therefore, satellite internet service users may experience poor or inconsistent internet performance during bad weather

NEW QUESTION 71

Which of the following would MOST likely use an ARM processor?

- A. Laptop
- B. Tablet
- C. Workstation
- D. Server

Answer: B

Explanation:

An ARM processor is a type of processor that uses a reduced instruction set computer (RISC) architecture, which means it executes fewer and simpler instructions than other types of processors. An ARM processor is designed to be energy-efficient, low-cost, and suitable for mobile devices. A tablet would most likely use an ARM processor because it is a mobile device that needs to conserve battery power and perform basic tasks. A laptop, a workstation, and a server are not devices that would most likely use an ARM processor because they are not mobile devices or they need to perform more complex tasks. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Computing Components, page 115.

NEW QUESTION 75

A function is BEST used for enabling programs to:

- A. hold a list of numbers.
- B. be divided into reusable components.
- C. define needed constant values.
- D. define variables to hold different values.

Answer: D

Explanation:

A function is best used for enabling programs to define variables to hold different values. A function is a named block of code that performs a specific task or operation. A function can have one or more parameters, which are variables that hold the input values for the function. A function can also have a return value, which is the output value that the function produces. A function can be called or invoked by other parts of the program to execute the code inside the function. A function can help programs to avoid repeating the same code, improve readability and modularity, and reduce errors and complexity. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 133.

NEW QUESTION 78

Which of the following should have the HIGHEST expectation of privacy?

- A. A picture posted to a social media website
- B. A presentation saved to a corporate file server
- C. A locally stored word processing document
- D. A spreadsheet emailed to a business client

Answer: C

Explanation:

A locally stored word processing document would have the highest expectation of privacy among the given options. Privacy is the right or ability of individuals or groups to control or limit the access or disclosure of their personal information by others. A locally stored word processing document is a file that contains text,

images, or other data that is created and saved on a device's internal storage, such as a hard drive or SSD. A locally stored word processing document can have a higher level of privacy than a file that is shared, uploaded, or transmitted over the Internet or a network, because it is less exposed to potential threats or breaches. However, a locally stored word processing document may still require additional security measures, such as encryption, password protection, or backup, to ensure its privacy and integrity. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 205.

NEW QUESTION 83

Which of the following types of memory can retain its content after a system reboot?

- A. DDR
- B. DIMM
- C. RAM
- D. ROM

Answer: D

Explanation:

The type of memory that can retain its content after a system reboot is ROM. ROM stands for Read-Only Memory, which is a type of non-volatile memory that stores data permanently even when the power is turned off. ROM can only be read by the CPU, but not written or modified. ROM contains essential data and instructions that are needed for the system to boot up and operate, such as the BIOS (Basic Input/Output System) or the firmware. DDR is not the type of memory that can retain its content after a system reboot, but rather a type of RAM. RAM stands for Random Access Memory, which is a type of volatile memory that stores data temporarily while the computer is running. RAM allows fast access and modification of data by the CPU, but it loses its contents when the power is turned off. DDR stands for Double Data Rate, which is a technology that allows RAM to transfer data twice as fast as normal RAM. DDR has different generations, such as DDR2, DDR3, or DDR4, which have different speeds and capacities. DIMM is not the type of memory that can retain its content after a system reboot, but rather a type of module or package that contains RAM chips. DIMM stands for Dual In-line Memory Module, which is a circuit board that has RAM chips on both sides and pins on both edges. DIMM can be inserted into slots on the motherboard to increase the amount of RAM available for the system. DIMM has different types and sizes, such as SDRAM, DDR, DDR2, DDR3, or DDR4 DIMMs. RAM is not the type of memory that can retain its content after a system reboot, but rather the type of memory that loses its content when the power is turned off. RAM stands for Random Access Memory, which is a type of volatile memory that stores data temporarily while the computer is running. RAM allows fast access and modification of data by the CPU, but it loses its contents when the power is turned off. RAM can be packaged into modules or packages, such as DIMMs or SO-DIMMs. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals1

NEW QUESTION 85

Which of the following creates multifactor authentication when used with something you have?

- A. Single sign-on
- B. Hardware token
- C. Geolocation
- D. Password

Answer: D

Explanation:

A password is something you know, which can be used to create multifactor authentication when used with something you have, such as a hardware token or a smart card. Multifactor authentication is a security method that requires two or more factors of authentication to verify a user's identity. Single sign-on is a feature that allows a user to access multiple applications or systems with one set of credentials, but it does not necessarily involve multifactor authentication. Geolocation is a feature that determines a user's physical location based on GPS or other methods, but it does not necessarily involve multifactor authentication. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts

NEW QUESTION 88

Which of the following is an advantage of installing an application to the cloud?

- A. Data is not stored locally.
- B. Support is not required.
- C. Service is not required.
- D. Internet access is not required.

Answer: A

Explanation:

An advantage of installing an application to the cloud is that data is not stored locally on the user's device or computer. This means that data can be accessed from anywhere with an internet connection, without taking up space on the device or computer. Data stored in the cloud can also be more secure and reliable than data stored locally, as it can be protected by encryption, backup, and redundancy measures provided by the cloud service provider1112. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals3; What are Cloud Applications? - Definition from Techopedia13

NEW QUESTION 93

Which of the following statements BEST describes binary?

- A. A notational system used to represent an "on" or "off" state
- B. A notational system used to represent media access control
- C. A notational system used to represent Internet protocol addressing
- D. A notational system used to represent a storage unit of measurement

Answer: A

Explanation:

Binary is a notational system used to represent an "on" or "off" state in digital devices or systems. Binary use only two symbols: 0 (off) and 1 (on). Binary is also known as base 2 notation, because each symbol represents a power of 2. Binary is the fundamental building block of all computer operations and data storage, as it can encode any type of information using sequences of bits (binary digits)1112. References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 2: Computing Basics3; What is Binary? - Definition from Techopedia

NEW QUESTION 97

A technician has been asked to assign an IP address to a new desktop computer. Which of the following is a valid IP address the technician should assign?

- A. 127.0.0.1
- B. 172.16.2.189
- C. 192.168.257.1
- D. 255.255.255.0

Answer: B

Explanation:

* 172.16.2.189 is a valid IP address that a technician can assign to a new desktop computer. An IP address is a unique identifier that is assigned to a device on a network that uses the Internet Protocol (IP). An IP address consists of four numbers separated by dots, each ranging from 0 to 255. For example, 192.168.1.1 is an IP address. An IP address can be classified into different classes based on the first number: Class A (1-126), Class B (128-191), Class C (192-223), Class D (224-239), and Class E (240-255). Each class has a different range of IP addresses that can be used for public or private networks. 172.16.2.189 is a Class B IP address that belongs to the private network range of 172.16.0.0 to 172.31.255.255. References : The Official CompTIA I Fundamentals (ITF+) Study Guide (FC0-U61), page 165.

NEW QUESTION 101

A company's team members have both old and new laptops. Which of the following connectors should be available in the conference room to ensure everyone can use the conference room projectors? (Choose two.)

- A. USB
- B. HDMI
- C. FireWire
- D. VGA
- E. Bluetooth
- F. RJ45

Answer: BD

Explanation:

HDMI and VGA are the connectors that should be available in the conference room to ensure everyone can use the conference room projectors. HDMI and VGA are types of video connectors that are used to connect a video source, such as a laptop, to a video output, such as a projector. HDMI stands for High-Definition Multimedia Interface, which is a digital connector that can transmit high-quality video and audio signals over a single cable. VGA stands for Video Graphics Array, which is an analog connector that can transmit standard-definition video signals over a 15-pin cable. HDMI and VGA are common video connectors that are found on old and new laptops, respectively. Having both HDMI and VGA connectors in the conference room can ensure compatibility and connectivity for different laptops and projectors. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 40.

NEW QUESTION 106

A developer needs to add a table to a database. Which of the following database activities should the user perform?

- A. UPDATE
- B. ALTER
- C. CREATE
- D. REPORT

Answer: C

Explanation:

The CREATE statement is used to add a new table to a database. The syntax of the CREATE statement is: CREATE TABLE table_name (column1 datatype, column2 datatype, column3 datatype, ...);

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 194.

NEW QUESTION 109

A product advertising kiosk at a mall is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection. Which of the following application delivery methods is most likely being used for the kiosk?

- A. Local network-hosted
- B. Cloud-hosted
- C. Hybrid-installed
- D. Locally installed

Answer: B

Explanation:

The application delivery method that is most likely being used for the kiosk is cloud-hosted. Cloud-hosted is a type of application delivery method that involves running and accessing an application from a remote server or service over the internet. Cloud-hosted applications do not require installation or storage on the local device, but only a web browser or a client software to connect to the application. Cloud-hosted applications can provide benefits such as scalability, availability, security, and automatic updates. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is most likely using a cloud-hosted application delivery method, as it does not need any local resources or maintenance for the application. Local network-hosted is not the application delivery method that is most likely being used for the kiosk, but rather a type of application delivery method that involves running and accessing an application from a server or a device within the same local area network (LAN) as the client device. Local network-hosted applications require installation or storage on the server or device that hosts the application, but not on the client device. Local network-hosted applications can provide benefits such as speed, reliability, and control. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is not likely using a local network-hosted application delivery method, as it would need to be connected to a server or device within the same LAN as the kiosk. Hybrid-installed is not the application delivery method that is most likely being used for the kiosk, but rather a type of application delivery method that involves running and accessing an application from both a local

device and a remote server or service over the internet. Hybrid-installed applications require partial installation or storage on the local device, as well as a web browser or a client software to connect to the remote part of the application. Hybrid-installed applications can provide benefits such as flexibility, functionality, and performance. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is not likely using a hybrid-installed application delivery method, as it would need some local resources for the application. Locally installed is not the application delivery method that is most likely being used for the kiosk, but rather a type of application delivery method that involves running and accessing an application from the local device only. Locally installed applications require full installation or storage on the local device, but do not need any web browser or client software to connect to the internet. Locally installed applications can provide benefits such as offline access, customization, and compatibility. A product advertising kiosk at a mall that is set up using a thin client without a hard drive and is running a web application managed and updated through an internet connection is not likely using a locally installed application delivery method, as it would need a hard drive or other storage device for the application. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 4: Operating System Fundamentals1

NEW QUESTION 113

Which of the following storage types uses platters to store data?

- A. Hard drive
- B. Solid-state drive
- C. Optical drive
- D. Flash drive

Answer: A

Explanation:

A hard drive, also known as a hard disk drive (HDD), is a type of storage device that uses one or more rotating platters coated with magnetic material to store data. The platters are accessed by read/write heads that move across the surface of the platters as they spin. The data is stored as tiny magnetic regions on the platters, which can be changed or read by the heads. Hard drives are non-volatile, meaning they retain data even when power is off. Hard drives offer large storage capacity, low cost per gigabyte, and fast data transfer rates compared to other storage types. However, they are also prone to mechanical failures, noise, heat, and physical damage

NEW QUESTION 117

Which of the following describes something in a database that refers to the unique identifier in the parent table?

- A. Attribute
- B. Constraint
- C. Foreign key
- D. Schema

Answer: C

Explanation:

A foreign key is a column or a set of columns in a table that refers to the unique identifier (or primary key) in another table. A foreign key establishes a relationship between two tables and ensures referential integrity. For example, in a database that stores information about students and courses, the student table may have a column called student_id that is the primary key for each student record. The course table may have a column called student_id that is the foreign key that refers to the student_id in the student table. This way, the database can link each course record to the corresponding student record34. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals2; What is RDBMS (Relational Database Management System) - Javatpoint5; What is a Relational Database Management System? | Microsoft Azure6

NEW QUESTION 120

Which of the following would a company consider an asset?

- A. An external company used to destroy defective hard drives
- B. Information residing on backup tapes
- C. A company-sponsored technology conference
- D. A certified third-party vendor that provides critical components

Answer: B

Explanation:

Information residing on backup tapes is an example of an asset that a company would consider valuable or important. An asset is any resource or item that has value or benefit for an organization, such as hardware, software, data, personnel, etc. An asset can be tangible or intangible, physical or digital, owned or leased, etc. Information residing on backup tapes is an asset because it contains data that may be critical or essential for the organization's operations, functions, or goals. Information residing on backup tapes may also contain sensitive or confidential data that needs to be protected from loss, damage, theft, or unauthorized access. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 204.

NEW QUESTION 121

Malware infections are being caused by websites. Which of the following settings will help prevent infections caused by Internet browsing?

- A. Turn on private browsing
- B. Delete browsing history on program close.
- C. Notify when downloads are complete.
- D. Configure prompting before downloading content.

Answer: D

Explanation:

Configuring prompting before downloading content will help prevent infections caused by Internet browsing. Prompting before downloading content is a browser setting that asks the user for confirmation or permission before downloading any file or program from a website. This setting can help prevent malware infections by allowing the user to check the source, type, and size of the file or program before downloading it. Prompting before downloading content can also help the user avoid unwanted or unnecessary downloads that may consume bandwidth or storage space. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 202.

NEW QUESTION 123

Which of the following is the exact number of bytes in a gigabyte?

- A. 1,024 bytes
- B. 1,048,576 bytes
- C. 1,073,741,824 bytes
- D. 1,099,511,627,776 bytes

Answer: C

Explanation:

The exact number of bytes in a gigabyte is 1.073.741.824 bytes. A byte is a unit of digital information that consists of eight bits. A bit is a binary digit that can have one of two values: 0 or 1. A byte can store one character, such as a letter, a number, or a symbol. A gigabyte is a unit of digital information that consists of 1.073.741.824 bytes or 1.024 megabytes. A megabyte is a unit of digital information that consists of 1.048.576 bytes or 1.024 kilobytes. A kilobyte is a unit of digital information that consists of 1.024 bytes. These units are based on the binary system, which uses powers of two to represent values. However, there are also decimal units that use powers of ten to represent values, such as gigabyte (GB), megabyte (MB), and kilobyte (KB). These units are often used by storage devices and network services to measure capacity or speed. In this case, one gigabyte (GB) equals 1 billion bytes or 1.000 megabytes (MB). One megabyte (MB) equals 1 million bytes or 1.000 kilobytes (KB). One kilobyte (KB) equals 1 thousand bytes. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology

NEW QUESTION 124

Which of the following computer components allows for communication over a computer network?

- A. RAM
- B. NIC
- C. CPU
- D. NAS

Answer: B

Explanation:

A NIC (network interface card) is the computer component that allows for communication over a computer network. A NIC is a hardware device that connects a computer to a network cable or a wireless access point. A NIC enables the computer to send and receive data packets over the network using protocols such as TCP/IP (Transmission Control Protocol/Internet Protocol). A NIC has a unique identifier called a MAC (media access control) address that distinguishes it from other devices on the network. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 169.

NEW QUESTION 129

A user revisits a website and receives a message that the site may not be secure. The user is prompted to click a link to continue to the site. Which of the following would MOST likely identify the issue?

- A. Checking the proxy settings
- B. Checking that caching is enabled
- C. Checking browser add-ons
- D. Checking certificate validity

Answer: D

Explanation:

A certificate is a digital document that verifies the identity and authenticity of a website. A certificate is issued by a trusted authority called a certificate authority (CA). A certificate contains information such as the website's domain name, the CA's name, the expiration date, and a digital signature. If a website's certificate is expired, invalid, or untrusted, the browser will warn the user that the site may not be secure and prompt them to click a link to continue. The user can check the certificate validity by clicking on the padlock icon next to the address bar and viewing the certificate details. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6, Section 6.2, Page 260.

NEW QUESTION 130

A company has installed an application that only requires a workstation to function. Which of the following architecture types is this application using?

- A. One-tier
- B. Two-tier
- C. Three-tier
- D. n-tier

Answer: A

Explanation:

One-tier architecture is a type of architecture that uses only one layer or tier for an application or system. In one-tier architecture, the application logic, data, and user interface are all contained within the same layer or tier. One-tier architecture would be the best description of a technology that allows an application to run on a workstation without requiring any other components or layers. Two-tier, three-tier, and n-tier architectures are types of architectures that use more than one layer or tier for an application or system. In two-tier architecture, the application logic and data are separated into two layers or tiers. In three-tier architecture, the application logic, data, and user interface are separated into three layers or tiers. In n-tier architecture, the application logic, data, and user interface are separated into multiple layers or tiers. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 198.

NEW QUESTION 133

The IT department has established a new password policy for employees. Specifically, the policy reads:

- Passwords must not contain common dictionary words
- Passwords must contain at least one special character.

- Passwords must be different from the last six passwords used.
- Passwords must use at least one capital letter or number.

Which of the following practices are being employed? (Select TWO).

- A. Password lockout
- B. Password complexity
- C. Password expiration
- D. Passwords history
- E. Password length
- F. Password age

Answer: BD

Explanation:

Password complexity and password history are two practices that are being employed by the IT department to establish a new password policy for employees. Password complexity is the requirement that passwords must contain a combination of different types of characters, such as letters, numbers, and symbols. Password complexity makes passwords harder to guess or crack by attackers. Password history is the record of the previous passwords used by a user. Password history prevents users from reusing the same passwords over and over again, which reduces the risk of compromise. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 208.

NEW QUESTION 134

An employee's laptop does not connect to the Internet when it is used in a coffee shop. Which of the following is the MOST likely cause?

- A. Script blocker
- B. Proxy settings
- C. Private browsing
- D. Full browser cache

Answer: B

Explanation:

Proxy settings are the configuration options that determine how a computer or device connects to the Internet through a proxy server. A proxy server is an intermediary server that acts as a gateway between the computer or device and the Internet. Proxy servers can provide security, privacy, caching, filtering, or access control functions. Proxy settings can affect the Internet connectivity of a computer or device depending on the proxy server's availability, location, or rules. If an employee's laptop does not connect to the Internet when it is used in a coffee shop, the most likely cause is that the proxy settings are incorrect or incompatible with the coffee shop's network. The employee may need to disable or change the proxy settings to connect to the Internet through the coffee shop's network. Script blocker, private browsing, and full browser cache are not likely causes of Internet connectivity issues when using a laptop in a coffee shop. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 234.

NEW QUESTION 138

An attacker is using subversive tactics to gain the trust of a target in order to obtain entry to a location or access to confidential information. Which of the following best describes this scenario?

- A. Phishing attack
- B. Social engineering
- C. On-path attack
- D. Eavesdropping

Answer: B

Explanation:

The scenario where an attacker is using subversive tactics to gain the trust of a target in order to obtain entry to a location or access to confidential information is best described as social engineering. Social engineering is a type of attack that exploits human psychology and behavior to manipulate people into performing actions or revealing information that benefits the attacker. Social engineering can take various forms, such as phishing, vishing, baiting, quid pro quo, pretexting, or tailgating. Phishing attack is a type of social engineering attack that involves sending fraudulent emails or messages that appear to come from legitimate sources to trick recipients into clicking on malicious links or attachments, or providing personal or financial information. On-path attack is a type of network attack that involves intercepting or modifying data packets that are transmitted between two parties on a network. Eavesdropping is a type of network attack that involves listening to or capturing data packets that are transmitted between two parties on a network. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts1

NEW QUESTION 139

Which of the following does a NoSQL database use to organize data?

- A. Primary keys
- B. Schemas
- C. Keys/values
- D. Tables

Answer: C

Explanation:

A NoSQL database is a type of database that does not use tables, rows, and columns to organize data. Instead, it uses keys and values to store data in a flexible and scalable way. A key is a unique identifier for a piece of data, and a value is the data itself. For example:
{ "name": "Alice", "age": 25, "city": "New York" }
In this example, name, age, and city are keys, and Alice, 25, and New York are values.
References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 196.

NEW QUESTION 142

Which of the following is a value that uniquely identifies a database record?

- A. Foreign key
- B. Public key
- C. Primary key
- D. Private key

Answer: C

Explanation:

A primary key is a value that uniquely identifies a database record or a row in a table. A primary key can be a single column or a combination of columns that have unique values for each record. A primary key ensures that each record can be distinguished from others and prevents duplicate data. For example, in a database that stores information about employees, the employee ID column can be used as a primary key for each employee record⁵⁶. References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals³; What is Primary Key? - Definition from Techopedia⁷

NEW QUESTION 147

Which of the following is a wireless communication that requires devices to be within 6in of each other to transfer information?

- A. Infrared
- B. NFC
- C. Bluetooth
- D. WiFi

Answer: B

Explanation:

NFC stands for near field communication, which is a wireless communication technology that allows devices to exchange data or perform transactions when they are within a few centimeters of each other. NFC uses radio frequency identification (RFID) to create a short-range wireless connection. NFC is commonly used for contactless payments, smart cards, and digital wallets. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 174.

NEW QUESTION 152

A company requires several reports that analyze related information from sales, inventory, marketing, and compensation data. Which of the following is the BEST place to store this data?

- A. Flat file
- B. Word processor
- C. Database
- D. Network share

Answer: C

Explanation:

A database would be the best place to store data that requires analysis from multiple sources, such as sales, inventory, marketing, and compensation data. A database is a collection of organized and related data that can be stored, accessed, manipulated, and analyzed by software applications or users. A database can store various types of data, such as text, numbers, dates, images, etc., in tables, records, fields, or other structures. A database can also support queries, reports, transactions, security, backup, and recovery functions. References The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 142.

NEW QUESTION 156

Which of the following is a reason why complex passwords are required?

- A. To encourage password variety
- B. To prevent someone from guessing them
- C. To make them harder to remember
- D. To reduce social engineering attacks

Answer: B

Explanation:

A managed relational database is a type of database that is hosted and maintained by a cloud service provider such as Microsoft Azure or Amazon Web Services. A relational database is a type of database that organizes data into tables that are related to each other by common fields or attributes. A managed relational database would be the best option for allowing multiple users to create and edit reports at the same time because it can handle concurrent user requests, provide high availability and scalability, and perform complex queries and operations on the data. A text file on a shared drive, an informational intranet page, and locally installed productivity software are not options that can allow multiple users to create and edit reports at the same time because they cannot handle concurrent user requests, provide high availability and scalability, or perform complex queries and operations on the data. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 197.

NEW QUESTION 159

A developer is writing a script to calculate a bank account balance within two decimal places. Which of the following data types should the developer select to store the balance?

- A. Boolean
- B. Integer
- C. Float
- D. Char

Answer: C

Explanation:

A float is a data type that can store decimal numbers, such as 3.14 or 0.01. This is suitable for calculating a bank account balance within two decimal places, as it can represent fractions of a dollar. A boolean is a data type that can only store true or false values, which is not useful for numerical calculations. An integer is a data type that can store whole numbers, such as 1 or 100, but not decimals. A char is a data type that can store a single character, such as 'a' or '9', but not multiple characters or decimals. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, page 1371

NEW QUESTION 162

Which of the following database concepts would MOST likely use a CSV file?

- A. Data querying
- B. Data reports
- C. Data importing
- D. Data persistence

Answer: C

Explanation:

A CSV file is comma-separated values file that stores data in tabular format. A CSV file can be used to import data from one database to another, or from other sources such as spreadsheets, text files, or web pages. Data importing is the process of transferring data between different systems or formats¹.
References: = CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 5: Database Fundamentals²

NEW QUESTION 167

Which of the following is a compiled language?

- A. Perl
- B. JScript
- C. Java
- D. PowerShell

Answer: C

Explanation:

A compiled language is a programming language that requires its source code to be converted into machine code before it can be executed by the CPU. A compiled language uses a compiler, which is a program that translates the source code into an executable file that contains machine code. A compiled language typically runs faster and more efficiently than an interpreted language, which does not need to be compiled before execution. Java is an example of a compiled language that can run on different platforms using the Java Virtual Machine (JVM), which interprets the machine code for the specific hardware¹¹¹². References:= CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 4: Software Development³; What is Compiled Language? - Definition from Techopedia¹³

NEW QUESTION 172

Joe, a user, finds out his password for a social media site has been compromised. Joe tells a friend that his email and banking accounts are probably also compromised. Which of the following has Joe MOST likely performed?

- A. Password reuse
- B. Snooping
- C. Social engineering
- D. Phishing

Answer: A

Explanation:

Password reuse is the practice of using the same password for multiple accounts or services. Password reuse is a bad security habit that can lead to compromise of multiple accounts if one of them is breached by an attacker. Joe has most likely performed password reuse if he thinks his email and banking accounts are also compromised after his password for a social media site was compromised. Joe should use different passwords for different accounts and change them regularly to prevent password reuse. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 208.

NEW QUESTION 176

Which of the following is an advantage of a flat file?

- A. Variety of data
- B. Scalability
- C. Portability
- D. Multiple concurrent users

Answer: C

Explanation:

The advantage of a flat file is portability. Portability is the ability of a file or a system to be easily transferred or used on different platforms or devices. A flat file is a type of file that stores data in plain text format with fixed fields and records. A flat file can be easily transferred or used on different platforms or devices, as it does not require any special software or hardware to read or write the data. A flat file can also be easily imported or exported by various applications or databases. A flat file does not have a variety of data, as it only stores data of one type or entity, such as customers, products, or orders. A flat file does not support relationships, queries, or calculations on the data. A flat file does not have scalability, as it has limitations on the size and complexity of the data that it can store. A flat file can become large, slow, or redundant as more data is added. A flat file does not support multiple concurrent users, as it does not have any locking or transaction mechanisms to prevent data conflicts or errors. A flat file can only be accessed by one user at a time, or by multiple users in read-only mode. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals

NEW QUESTION 178

A user inserts a USB flash drive into a computer for the first time and sees a message on the screen indicating the device is being set up. The message quickly

changes to indicate the device is ready for use. Which of the following device configuration types most likely occurred?

- A. Driver installation
- B. Plug-and-play
- C. IP-based
- D. Web-based

Answer: B

Explanation:

The device configuration type that most likely occurred when the user inserted a USB flash drive into a computer for the first time and saw a message indicating the device is being set up and ready for use is plug-and-play. Plug-and-play is a feature that allows a device to be automatically recognized and configured by the operating system when it is connected to a computer using an interface such as USB or Bluetooth. Plug-and-play simplifies the installation and use of devices by eliminating the need for manual settings or drivers. Driver installation is not the device configuration type that most likely occurred when the user inserted a USB flash drive into a computer for the first time and saw a message indicating the device is being set up and ready for use, but rather part of plug-and-play process. Driver installation involves loading software that enables communication between device and operating system. Driver installation may happen automatically or manually depending on device compatibility with operating system. IP-based configuration is not device configuration type that most likely occurred when user inserted USB flash drive into computer for first time and saw message indicating device is being set up and ready for use, but rather device configuration type that involves assigning IP address to device to enable network communication. IP-based configuration may happen automatically using DHCP protocol

NEW QUESTION 183

When following the troubleshooting methodology, which of the following should be performed last?

- A. Document findings.
- B. Establish a plan.
- C. Determine the cause.
- D. Verify functionality.

Answer: A

Explanation:

The troubleshooting methodology is a systematic process of identifying and resolving problems with computers or other devices. The troubleshooting methodology consists of six steps: identify the problem, establish a theory of probable cause, test the theory to determine cause, establish a plan of action to resolve the problem and implement the solution, verify full system functionality and if applicable implement preventive measures, document findings/actions/outcomes. The last step of the troubleshooting methodology is to document findings/actions/outcomes. This step involves recording what was done to solve the problem, what was learned from the process, what preventive measures were taken (if any), and any feedback from the customer or user. Documenting findings/actions/outcomes is important for several reasons: it helps keep track of what was done and why; it helps avoid repeating the same steps or mistakes in the future; it helps share knowledge and best practices with others; it helps improve customer satisfaction and trust; it helps comply with organizational policies or regulations

NEW QUESTION 184

A remote user, who is working from home, requires significant bandwidth to connect to the corporate systems. Which of the following types of Internet service connections would BEST meet the user's needs?

- A. T1 line
- B. Satellite
- C. Fiber optic
- D. DSL

Answer: C

Explanation:

Fiber optic is a type of Internet service connection that uses thin strands of glass or plastic to transmit data using light signals. Fiber optic offers high bandwidth, speed, and reliability compared to other types of Internet service connections. T1 line, satellite, and DSL are not types of Internet service connections that offer significant bandwidth for remote users. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 6: Infrastructure Concepts, page 229.

NEW QUESTION 188

Which of the following BEST describes the purpose of a vector in programming?

- A. Storing a collection of data
- B. Repeating a similar operation
- C. Capturing user input
- D. Performing mathematical calculations

Answer: A

Explanation:

A vector is a type of data structure that can store a collection of data of the same data type in a dynamic sequence. A vector can grow or shrink in size as data is added or removed from it. A vector would be the best option for storing a collection of data in programming because it can accommodate different amounts of data and allow fast access to any element by using its index number. Repeating a similar operation, capturing user input, and performing mathematical calculations are not purposes of a vector in programming. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 148.

NEW QUESTION 190

A user at a company visits a weather website often during the day. The user browses to the site in the afternoon and notices that the temperature listed is from the morning and is not the current temperature. The user closes the page and tries again with the same result. Which of the following is the MOST likely cause?

- A. Proxy server
- B. Browser add-on
- C. Corrupted cache
- D. Script blocker

Answer: C

Explanation:

A corrupted cache is the most likely cause of the problem of seeing outdated information on a website. A cache is a temporary storage area that stores copies of frequently accessed data, such as web pages, images, or files. A cache can improve the performance and speed of data retrieval by reducing the need to access the original source. However, sometimes a cache may become corrupted or outdated, which may cause errors or inconsistencies in displaying the data. A corrupted cache may show old or incorrect information on a website instead of the current or updated information. To fix this problem, the user can clear the browser cache and reload the website. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 202.

NEW QUESTION 191

Which of the following BEST describes the practice of providing user credentials when logging onto the network?

- A. Output
- B. Storage
- C. Input
- D. Processing

Answer: C

Explanation:

Providing user credentials when logging onto the network is an example of input, which is the process of entering data or commands into a computer system. Input can be done through various devices, such as keyboards, mice, scanners, cameras, microphones, or biometric scanners. User credentials are a form of input that identify and authenticate the user to the network and grant them access to resources¹. References := CompTIA IT Fundamentals (ITF+) Study Guide, 2nd Edition, Chapter 2: Computing Basics²

NEW QUESTION 195

A new device has been installed on a wired network and can be accessed via the LAN but cannot be accessed remotely. Which of the following is the most likely cause?

- A. Firewall settings
- B. Improper switch configuration
- C. Incorrect IP address
- D. Misconfigured access point

Answer: A

Explanation:

The most likely cause of the device being accessible via the LAN but not remotely is firewall settings. A firewall is a software or hardware device that filters incoming and outgoing network traffic based on rules and policies. A firewall can block or allow traffic based on factors such as source and destination IP addresses, ports, protocols, and applications. If the firewall settings are too restrictive or misconfigured, they may prevent remote access to the device from outside the LAN. Improper switch configuration is unlikely to cause this issue, as switches are devices that forward packets within the same network segment based on MAC addresses. Switches do not block or filter traffic based on IP addresses or ports. Incorrect IP address is unlikely to cause this issue either, as an incorrect IP address would prevent the device from communicating with any other device on the network, not just remotely. Misconfigured access point is also unlikely to cause this issue, as access points are devices that provide wireless connectivity to the network. If the device is connected via a wired network, the access point is irrelevant. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 3: Infrastructure, page 95

NEW QUESTION 200

A technician is troubleshooting a problem. The technician tests the theory and determines the theory is confirmed. Which of the following should be the technician's NEXT step?

- A. Implement the solution.
- B. Document lessons learned.
- C. Establish a plan of action.
- D. Verify full system functionality.

Answer: C

Explanation:

The technician's next step after testing the theory and determining the theory is confirmed is to establish a plan of action to resolve the problem and identify potential effects. This step involves preparing a specific method to implement the solution and considering how the solution might affect other components or users. The technician should also test the plan in an isolated environment before applying it to the actual system. Implementing the solution is not the next step after testing the theory and determining the theory is confirmed, as it requires establishing a plan of action first. Documenting lessons learned is not the next step after testing the theory and determining the theory is confirmed, as it comes after verifying full system functionality and implementing preventive measures. Verifying full system functionality is not the next step after testing the theory and determining the theory is confirmed, as it comes after implementing the solution.

NEW QUESTION 204

Which of the following would work BEST stored as a flat file rather than stored in a database?

- A. Contact list
- B. Movie theater locations
- C. Directions to doctor's office
- D. Store inventory

Answer: C

Explanation:

Directions to doctor's office would work best stored as a flat file rather than stored in a database. A flat file is a simple text file that contains one record per line and has a fixed structure or format. A flat file is suitable for storing simple or static data that does not require frequent updates or complex queries. A database is a collection of organized data that can be accessed, manipulated, and updated using a database management system (DBMS). A database is suitable for storing complex or dynamic data that requires frequent updates or complex queries. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), pag 142-143.

NEW QUESTION 209

Given the following pseudocode:

```
For each apple in the basket, eat two oranges unless  
it is the last apple, then eat three oranges.
```

If there are seven apples in the basket, which of the following would be the number of oranges a person eats?

- A. 10
- B. 14
- C. 15
- D. 17

Answer: C

Explanation:

The number of oranges a person eats would be 15 given the input (userin) of "analyst" and the following pseudocode:

Pseudocode is a simplified version of programming language that uses plain English words and symbols to describe the logic and steps of an algorithm or a program. Pseudocode can be used to plan, design, or test a program before writing it in an actual programming language. To find the number of oranges a person eats given the input (userin) of "analyst", we need to follow the pseudocode line by line and evaluate the expressions or statements based on the input value.

Line 1: Declare userin as string

This line declares userin as a string variable, which means it can store text or characters. Line 2: Declare oranges as integer

This line declares oranges as an integer variable, which means it can store whole numbers. Line 3: Declare apples as integer

This line declares apples as an integer variable, which means it can store whole numbers. Line 4: Set apples = 7

This line assigns the value of 7 to apples. Line 5: Set oranges = 10

This line assigns the value of 10 to oranges. Line 6: Input userin

This line asks for user input and assigns it to userin. Line 7: If userin = "analyst" then

This line checks if userin is equal to "analyst". Since we are given that userin is "analyst", this condition is true and we proceed to execute the next line.

Line 8: Set oranges = oranges + apples

This line adds the value of oranges and apples and assigns it back to oranges. Since oranges is 10 and apples is 7, this line sets oranges to 17.

Line 9: End if

This line marks the end of the if statement. Line 10: If userin = "manager" then

This line checks if userin is equal to "manager". Since we are given that userin is "analyst", this condition is false and we skip the next line.

Line 11: Set oranges = oranges - apples

This line subtracts the value of apples from oranges and assigns it back to oranges. Since this line is skipped, oranges remains 17.

Line 12: End if

This line marks the end of the if statement. Line 13: Set oranges = oranges - 2

This line subtracts 2 from oranges and assigns it back to oranges. Since oranges is 17, this line sets oranges to 15.

Line 14: Output oranges

This line displays the value of oranges, which is 15.

Therefore, the number of oranges a person eats would be 15 given the input (userin) of "analyst" and the following pseudocode. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 142.

NEW QUESTION 214

A technician has verified full system functionality. Which of the following actions should the technician take next?

- A. Question the users.
- B. Determine if anything has changed.
- C. Document the findings.
- D. Gather Information.

Answer: C

Explanation:

Documenting the findings is the last step in the troubleshooting process, after verifying full system functionality. Documenting the findings helps to create a record of the problem and the solution, which can be useful for future reference or training purposes. Questioning the users, determining if anything has changed, and gathering information are steps that precede verifying full system functionality in the troubleshooting process. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology1

NEW QUESTION 219

Which of the following is an example of utilizing a personalized code for continuous personal access to a software product?

- A. Site licensing
- B. Open-source licensing
- C. Product key licensing
- D. Single-use licensing

Answer: C

Explanation:

Product key licensing is an example of utilizing a personalized code for continuous personal access to a software product. A product key is a unique alphanumeric code that is required to activate or register a software product, such as an operating system or an application. A product key ensures that the user has a legitimate

copy of the software and prevents unauthorized use or distribution. Site licensing is a type of licensing that allows an organization to install and use a software product on multiple devices within a specific location, such as a school or a company. Open-source licensing is a type of licensing that allows anyone to access, modify, and distribute the source code of a software product, such as Linux or Apache. Single-use licensing is a type of licensing that allows only one installation and use of a software product, such as a game or an antivirus program. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals and Security Concepts, page 175

NEW QUESTION 221

SQL databases use primary and foreign keys to enable which of the following?

- A. Rows
- B. Fields
- C. Schemas
- D. Relationships

Answer: D

Explanation:

SQL (Structured Query Language) databases use primary and foreign keys to enable relationships between tables. A SQL database is a type of relational database that organizes data into tables that are related to each other by common fields or attributes. A primary key is a field or attribute that uniquely identifies each record in a table. A foreign key is a field or attribute that refers to the primary key of another table. Primary and foreign keys enable relationships between tables by establishing links or associations between records that share common values. Rows, fields, and schemas are not concepts that are enabled by primary and foreign keys in SQL databases. A row is a horizontal arrangement of fields or attributes that store information about a specific record or entity in a table. A field is a vertical arrangement of fields or attributes that store the same type of information for different records in a table. A schema is a structure or design that defines how data is organized and stored in a database. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 5: Database Fundamentals, page 194.

NEW QUESTION 223

Which of the following is an example of a compiled language?

- A. C++
- B. SQL
- C. Python
- D. XML

Answer: A

Explanation:

C++ is an example of a compiled language. A compiled language is a programming language that requires a compiler to translate the source code into executable code before running the program. A compiler is a program that converts the entire source code into machine code or intermediate code that can be executed by the processor or another program. A compiled language usually offers faster performance and lower memory usage than an interpreted language, but it also requires more time and effort to compile and debug the code. SQL is not a programming language, but a query language that is used to interact with databases. SQL statements are usually executed by a database management system (DBMS) that interprets and processes them. Python is an example of an interpreted language. An interpreted language is a programming language that does not require compilation before running the program. An interpreter is a program that reads and executes the source code line by line at runtime. An interpreted language usually offers more flexibility and portability than a compiled language, but it also requires more memory and CPU resources to run the program. XML is not a programming language either, but a markup language that is used to define and structure data in a human-readable and machine-readable format. XML documents are usually parsed by another program that uses them for data exchange or presentation. References: CompTIA IT Fundamentals (ITF+) Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Software Development Concepts, pages 134-135

NEW QUESTION 228

Which of the following types of encryptions would BEST protect a laptop computer in the event of theft?

- A. Disk
- B. Email
- C. VPN
- D. HTTPS

Answer: A

Explanation:

Disk encryption is a type of encryption that protects the entire contents of a hard drive or a removable storage device by using a secret key to scramble the data. Disk encryption would best protect a laptop computer in the event of theft because it would prevent unauthorized access to the data on the laptop. Email, VPN, and HTTPS are not types of encryption that protect the entire contents of a laptop computer. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 308.

NEW QUESTION 230

Ann, a user, is experiencing difficulty getting her IP-based security camera to function at her house after a rain storm that caused a power interruption. The camera has an LED light indicating it has power. Which of the following is MOST likely the problem?

- A. The power interruption caused the camera to malfunction.
- B. Ann has a compatibility problem with the camera.
- C. A firmware update needs to be applied to the camera.
- D. Ann's Internet connection and wireless router are still down.

Answer: D

Explanation:

Ann's IP-based security camera requires an Internet connection and a wireless router to function properly. The camera has an LED light indicating it has power, which means it is not malfunctioning due to the power interruption. However, the power interruption may have affected Ann's Internet connection and wireless

router, which are still down. This would prevent the camera from communicating with the network and the cloud service that stores the video footage. References : The Official CompTIA IT Fundamentals (ITF+) Stu Guide (FC0-U61), page 178.

NEW QUESTION 235

Given the following pseudocode:

If the Breakfast program ran on Sunday, which of the following would be the output?

- A. Oatmeal
- B. Bacon and eggs
- C. Waffles
- D. Pancakes

Answer: D

Explanation:

The output of the Breakfast program if it ran on Sunday would be pancakes. The program uses an if-else-if-else statement to choose among different breakfast options based on the day of the week input. The program first checks if the day input is equal to "Saturday". If this condition is true, it prints "Waffles" and ends. If this condition is false, it checks if the day input is equal to "Sunday". If this condition is true, it prints "Pancakes" and ends. If this condition is false, it prints "Oatmeal" and ends. Since the day input is "Sunday", the second condition is true, and the program prints "Pancakes".

NEW QUESTION 237

A company is concerned with ensuring its databases are highly available. Which of the following can be used to increase database availability?

- A. Backups
- B. Prioritization
- C. Indexes
- D. Failover

Answer: D

Explanation:

Failover is a technique that ensures high availability of databases by switching to a backup or standby server in case of a primary server failure. Failover can be automatic or manual, depending on the configuration. Failover can prevent data loss and downtime for critical applications that rely on databases. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 5, Section 5.3, Page 222.

NEW QUESTION 240

Which of the following storage devices have a spinning disk? (Choose two.)

- A. Optical drive
- B. SSD
- C. HDD
- D. Flash drive
- E. RAM
- F. ROM

Answer: AC

Explanation:

Optical drive and HDD are the examples of storage devices that have a spinning disk among the given options. A spinning disk is a component of a storage device that rotates at high speed to store and access data on its surface. A spinning disk is usually made of metal, glass, or plastic and coated with a magnetic material. A spinning disk has one or more read/write heads that move across the disk to read or write data on concentric tracks or sectors. An optical drive is a storage device that uses laser beams to read or write data on optical discs, such as CDs, DVDs, or Blu-ray discs. An HDD (hard disk drive) is a storage device that uses magnetic fields to read or write data on hard disks. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 38-39.

NEW QUESTION 244

Concerned with vulnerabilities on a home network, an administrator replaces the wireless router with a recently released new device. After configuring the new device utilizing the old SSID and key, some light switches are no longer communicating. Which of the following is the MOST likely cause?

- A. The light switches do not support WPA2.
- B. The router is operating on a different channel.
- C. The key does not meet password complexity requirements.
- D. The SSID is not being broadcast.

Answer: A

Explanation:

WPA2 (WiFi Protected Access II) is a WiFi security option that uses encryption and authentication to protect the wireless network from unauthorized access or eavesdropping. WPA2 is the most secure and recommended WiFi security option among the options given. If some light switches are no longer communicating after replacing the wireless router with a new device that uses WPA2, the most likely cause is that the light switches do not support WPA2. The light switches may need to be updated or replaced to be compatible with WPA2. The router operating on a different channel, the key not meeting password complexity requirements, and the SSID not being broadcast are not likely causes of the light switches not communicating after replacing the wireless router with a new device that uses WPA2. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 311.

NEW QUESTION 248

Which of the following WiFi security options would create the MOST need for a VPN connection on the client device?

- A. Open

- B. WEP
- C. WPA
- D. WPA2

Answer: A

Explanation:

Open is a WiFi security option that does not use any encryption or authentication to protect the wireless network from unauthorized access or eavesdropping. Open would create the most need for a VPN connection on the client device because VPN (Virtual Private Network) is a technology that creates a secure and encrypted tunnel between the client device and a remote server over the Internet. VPN would provide an additional layer of security and privacy for the wireless communication that is not provided by the open WiFi network. WEP (Wired Equivalent Privacy), WPA (WiFi Protected Access), and WPA2 (WiFi Protected Access II) are WiFi security options that use encryption and authentication to protect the wireless network from unauthorized access or eavesdropping. WEP, WPA, and WPA2 would create less need for a VPN connection on the client device than open because they already provide some level of security and privacy for the wireless communication. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 8: Security Concepts, page 311.

NEW QUESTION 251

A global variable called “age” will be created in a program and incremented through the use of a function. Which of the following data types should be defined with the age variable?

- A. Integer
- B. Float
- C. Double
- D. String

Answer: A

Explanation:

Integer is a data type that can store whole numbers, such as 1, 0, or -2. Integer would be the best data type to use for creating a variable to hold an age value because age is usually expressed as a whole number of years. Float, double, and string are not data types that would be suitable for creating a variable to hold an age value. Float and double are data types that can store decimal or fractional numbers, such as 3.14, 0.5, or -2.75. String is a data type that can store text or characters, such as “Hello”, “A”, or “123”. References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 4: Programming Concepts and Data Structures, page 146.

NEW QUESTION 256

Which of the following operating systems do not require extensions on files to execute a program? (Select TWO).

- A. Windows 7
- B. Windows 8
- C. UNIX
- D. Windows Server 2012
- E. Android
- F. Linux

Answer: CF

Explanation:

UNIX and Linux are the examples of operating systems that do not require extensions on files to execute a program. UNIX and Linux are operating systems that are based on the same kernel and share many features and commands. UNIX and Linux do not rely on file extensions to determine the file type or function. Instead, they use file permissions and attributes to indicate whether a file is executable or not. File extensions are optional and mainly used for human readability or compatibility with other systems. References : The Official CompTIA IT Fundamentals (ITF+) Study Guide (FC0-U61), page 86.

NEW QUESTION 259

Which of the following is used to protect intellectual property while requiring the owner to provide the public with working details?

- A. Patent
- B. Trademark
- C. License
- D. Copyright

Answer: A

Explanation:

A patent is used to protect intellectual property while requiring the owner to provide the public with working details of an invention or a process. A patent grants the owner the exclusive right to make, use, or sell the invention or process for a limited period of time, usually 20 years. A trademark is used to protect a name, symbol, logo, or slogan that identifies a product or service. A trademark grants the owner the exclusive right to use the mark to distinguish their product or service from others. A license is used to grant permission to use intellectual property under certain terms and conditions. A license does not transfer ownership of the intellectual property, but only grants limited rights to use it. A license can be revoked by the owner if the terms and conditions are violated. A copyright is used to protect original works of authorship, such as books, music, movies, or software. A copyright grants the owner the exclusive right to reproduce, distribute, perform, display, or create derivative works based on their original work. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts

NEW QUESTION 262

Which of the following describes the concept of a database record?

- A. A collection of rows, columns, and constraints
- B. A collection of fields about the same object
- C. A collection of schemas within the same database
- D. A collection of tables within different schemas

Answer: B

Explanation:

The concept of a database record is best described as a collection of fields about the same object. A database record is a row in a table that represents an instance of an entity, such as a customer, an order, a product, etc. A database record consists of one or more fields that store data about the attributes of the entity, such as name, address, phone number, quantity, price, etc. A database record can be uniquely identified by a primary key, which is a field or a combination of fields that do not repeat in the table. A collection of rows, columns, and constraints is not the concept of a database record, but rather the concept of a database table. A database table is a structure that organizes data into rows and columns. Each row represents a record, and each column represents a field. A database table can have constraints that define the rules and restrictions for the data in the table, such as primary keys, foreign keys, unique keys, check constraints, etc. A collection of schemas within the same database is not the concept of a database record, but rather the concept of a database instance. A database instance is a set of memory structures and processes that manage and access a database. A database instance can contain one or more schemas, which are collections of objects that belong to a user or an application in the database, such as tables, views, indexes, etc. A collection of tables within different schemas is not the concept of a database record, but rather the concept of a database relationship. A database relationship is a connection between two tables that share common data. A database relationship can be established by using foreign keys, which are fields that reference the primary keys of another table. A database relationship can be one-to-one, one-to-many, or many-to-many depending on how many records in each table are related to each other. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals

NEW QUESTION 267

A user needs to enter text and numbers to produce charts that demonstrate sales figures. Which of the following types of software would BEST complete this task?

- A. Text editing software
- B. Visual diagramming software
- C. Spreadsheet software
- D. Web browsing software

Answer: C

Explanation:

Spreadsheet software is a type of software that allows users to enter text and numbers in a grid of cells and perform calculations and analysis on the data. Spreadsheet software can also produce charts that demonstrate sales figures or other trends. Examples of spreadsheet software are Microsoft Excel, Google Sheets, and LibreOffice Calc.

References: CompTIA IT Fundamentals+ Study Guide: Exam FC0-U61, Second Edition, Chapter 7: Software Installation and Functions, page 266.

NEW QUESTION 271

The process of determining the source of an issue during troubleshooting is called:

- A. researching.
- B. sourcing.
- C. diagnosing.
- D. triaging

Answer: C

Explanation:

The process of determining the source of an issue during troubleshooting is called diagnosing. Diagnosing is the third step in the troubleshooting process, after gathering information and determining if anything has changed. Diagnosing involves analyzing the symptoms and possible causes of the problem, testing hypotheses, and identifying the root cause of the problem. Researching is the process of finding relevant information or resources to help solve a problem during troubleshooting. Researching can be done before or after diagnosing, depending on the availability and reliability of the information or resources. Sourcing is not a term used in troubleshooting, but it may refer to the process of finding or obtaining materials or components for a product or service. Triaging is not a term used in troubleshooting, but it may refer to the process of prioritizing problems or tasks based on their urgency or importance. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 2: IT Concepts and Terminology¹

NEW QUESTION 273

A corporate network just implemented a 60-day password-warning banner. Which of the following is most likely going to happen in 60 days?

- A. Password reset
- B. Password expiration
- C. Password reuse
- D. Password Implementation

Answer: B

Explanation:

The most likely thing that will happen in 60 days after implementing a 60-day password-warning banner is password expiration. A password-warning banner is a message that appears on the screen when a user logs in to a system or network, informing them of how many days are left before their password expires. A password expiration policy is a security measure that requires users to change their passwords periodically, usually every 30 to 90 days. This policy helps to prevent unauthorized access or compromise of passwords by hackers or malicious insiders. Password reset is the process of changing or creating a new password for a user account when the user forgets their password or wants to change it for security reasons. Password reset can be done by the user themselves or by an administrator, depending on the system or network settings. Password reset does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless the user forgets their password or chooses to change it before it expires. Password reuse is the practice of using the same password for multiple user accounts or systems. Password reuse is not recommended as it increases the risk of compromise if one of the accounts or systems is breached by hackers or malicious insiders. Password reuse does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless the user chooses to use their old password for their new password after it expires. Password implementation is not a term used in security, but it may refer to the process of creating or enforcing password policies for user accounts or systems. Password implementation does not necessarily happen in 60 days after implementing a 60-day password-warning banner, unless there are changes in the password policies that require users to comply with them. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts¹

NEW QUESTION 275

Given the following lines:

```
If child 1 is fed AND child 2 is fed,
    echo "dinner is complete!" and set spouse to satisfied.
else
    echo "please feed the kids!"
```

This is an example of:

- A. a flowchart.
- B. looping.
- C. an assembly.
- D. pseudocod

Answer: D

Explanation:

The example given is an example of pseudocode. Pseudocode is a way of writing the logic of a program or an algorithm in a simplified and informal language that resembles natural language or code, but does not follow the syntax or rules of a specific programming language. Pseudocode is often used to plan, design, or explain a program or an algorithm before writing the actual code. A flowchart is a way of representing the logic of a program or an algorithm using symbols and arrows that show the sequence of steps and decisions. A flowchart is often used to visualize, analyze, or document a program or an algorithm. Looping is a way of repeating a set of statements or actions in a program or an algorithm until a certain condition is met. Looping is often used to perform iterative tasks, such as counting, searching, or sorting. An assembly is a way of writing the instructions of a program or an algorithm in a low-level language that corresponds to the machine code of a specific processor. An assembly is often used to create programs that run fast and efficiently, but it is difficult to read and write. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 8: Software Development Concepts1

NEW QUESTION 277

A systems administrator is setting up an output device that supports both USB and network capability. Which of the following devices is the administrator most likely installing?

- A. Scanner
- B. Camera
- C. SSD
- D. Printer

Answer: D

Explanation:

The device that the administrator is most likely installing is a printer. A printer is an output device that supports both USB and network capability, meaning that it can be connected to a computer or a network using either a USB cable or a wireless or wired network connection. A printer can produce hard copies of documents, images, or other data on paper or other media. A scanner is an input device that supports both USB and network capability, meaning that it can be connected to a computer or a network using either a USB cable or a wireless or wired network connection. A scanner can capture images or text from paper or other media and convert them into digital data. A camera is an input device that supports both USB and network capability, meaning that it can be connected to a computer or a network using either a USB cable or a wireless or wired network connection. A camera can capture images or videos and store them as digital data. An SSD stands for Solid State Drive, which is a type of storage device that supports both USB and network capability, meaning that it can be connected to a computer or a network using either a USB cable or a wireless or wired network connection. An SSD uses flash memory chips to store data persistently even when the power is turned off. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 1: IT Fundamentals1

NEW QUESTION 278

Which of the following actions is most likely associated with database use?

- A. Creating diagrams
- B. Querying
- C. File sharing
- D. Printing

Answer: B

Explanation:

The action that is most likely associated with database use is querying. Querying is the process of retrieving data from a database based on certain criteria or conditions. Querying allows users to access specific information from large amounts of data stored in tables. Querying can be done using SQL (Structured Query Language), which is a standard language for interacting with relational databases. SQL queries can perform various operations, such as selecting, inserting, updating, deleting, or joining data from tables. Creating diagrams is not an action that is associated with database use, but rather with software development or design. Creating diagrams can help visualize the structure, logic, or flow of a program or an algorithm. Examples of diagrams include flowcharts, UML diagrams, ER diagrams, etc. File sharing is not an action that is associated with database use, but rather with network use. File sharing is the process of allowing users to access or transfer files over a network. File sharing can be done using various protocols, such as FTP, SMB, NFS, etc. Printing is not an action that is associated with database use, but rather with output device use. Printing is the process of producing hard copies of documents, images, or other data on paper or other media using a printer. References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 6: Database Fundamentals1

NEW QUESTION 280

Employees must use a badge to enter and exit the building. Each time the badge is used, a log entry is created and stored to record who has entered and exited the building. Which of the following best describes what the log entries provide?

- A. Automation
- B. Accounting
- C. Authorization
- D. Authentication

Answer: B

Explanation:

The log entries that are created and stored when employees use their badges to enter and exit the building provide accounting. Accounting is a security function that records and tracks user activities and events on a system or network. Accounting can provide evidence of user actions, such as authentication, authorization, access, modification, or deletion of data or resources. Accounting can also provide information for billing, auditing, or reporting purposes. Accounting can be implemented using log files, audit trails, or monitoring tools. Automation is not a security function, but rather a process of using technology to perform tasks or operations without human intervention. Automation can improve productivity, efficiency, accuracy, or reliability of a system or network. Automation can be implemented using scripts, programs, or tools. Authorization is not a security function that records and tracks user activities and events, but rather a security function that grants or denies user access to data or resources based on their identity and permissions. Authorization can ensure that users only access what they are allowed to access on a system or network. Authorization can be implemented using access control lists (ACLs), role-based access control (RBAC), or mandatory access control (MAC). Authentication is not a security function that records and tracks user activities and events, but rather a security function that verifies user identity based on credentials, such as passwords, tokens, biometrics, etc. Authentication can ensure that users are who they claim to be on a system or network. Authentication can be implemented using single-factor authentication (SFA), multi-factor authentication (MFA), or single sign-on (SSO). References: The Official CompTIA IT Fundamentals (ITF+) Student Guide (Exam FC0-U61), Chapter 7: Security Concepts¹

NEW QUESTION 284

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual FC0-U61 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the FC0-U61 Product From:

<https://www.2passeasy.com/dumps/FC0-U61/>

Money Back Guarantee

FC0-U61 Practice Exam Features:

- * FC0-U61 Questions and Answers Updated Frequently
- * FC0-U61 Practice Questions Verified by Expert Senior Certified Staff
- * FC0-U61 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FC0-U61 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year