

## AZ-700 Dumps

# Designing and Implementing Microsoft Azure Networking Solutions

<https://www.certleader.com/AZ-700-dumps.html>



### NEW QUESTION 1

- (Exam Topic 1)

You need to prepare Vnet1 for the deployment of an ExpressRoute gateway. The solution must meet the hybrid connectivity requirements and the business requirements.

Which three actions should you perform in sequence for Vnet1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Create a VPN gateway by using the VPNGW1 SKU.
- Assign a user-defined route to GatewaySubnet.
- Set the subnet mask of GatewaySubnet to /27.
- Delete VPNGW1.
- Create a VPN gateway by using the Basic SKU.

**Answer Area**

> <

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Actions**

- Create a VPN gateway by using the VPNGW1 SKU.
- Assign a user-defined route to GatewaySubnet.
- Set the subnet mask of GatewaySubnet to /27.
- Delete VPNGW1.
- Create a VPN gateway by using the Basic SKU.

**Answer Area**

- Set the subnet mask of GatewaySubnet to /27.
- Assign a user-defined route to GatewaySubnet.
- Create a VPN gateway by using the Basic SKU.

> <

### NEW QUESTION 2

- (Exam Topic 1)

You need to configure the default route in Vnet2 and Vnet3. The solution must meet the virtual networking requirements.

What should you use to configure the default route?

- A. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3
- B. a user-defined route assigned to GatewaySubnet in Vnet1
- C. BGP route exchange
- D. route filters

**Answer:** A

**Explanation:**

VNet 1 will get the default from BGP and propagate it to VNET 2 and 3

### NEW QUESTION 3

- (Exam Topic 1)

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements.

What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

**Answer:** A

### NEW QUESTION 4

- (Exam Topic 2)

You need to configure GW1 to meet the network security requirements for the P2S VPN users. Which Tunnel type should you select in the Point-to-site configuration settings of GW1?

- A. IKEv2 and OpenVPN (SSL)
- B. IKEv2
- C. IKEv2 and SSTP (SSL)
- D. OpenVPN (SSL)
- E. SSTP (SSL)

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/openvpn-azure-ad-tenant>

**NEW QUESTION 5**

- (Exam Topic 2)

You are implementing the Virtual network requirements for Vnet6.

What is the minimum number of subnets and service endpoints you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

2, 4


**NEW QUESTION 6**

- (Exam Topic 2)

In which NSGs can you use ASG1 and to which virtual machine network interfaces can you associate ASG1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

NSGs:

- NGS1 only
- NSG1 and NSG2 only
- NSG1, NSG2, and NSG5 only
- NSG1, NSG2, NSG4, and NSG5 only
- NSG1, NSG2, NSG3, NSG4, and NSG5

Virtual machines:

- VM2 only
- VM2 and VM5 only
- VM2, VM4, and VM5 only
- VM2, VM3, VM4, and VM5

#### NEW QUESTION 7

- (Exam Topic 2)

You need to meet the network security requirements for the NSG flow logs.

Which type of resource do you need, and how many instances should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Resource type:

- An Azure Monitor workbook
- An Azure Monitor data collection rule
- A Log Analytics workspace
- An NSG
- A storage account

Minimum number of instances: 0

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Resource type:

- An Azure Monitor workbook
- An Azure Monitor data collection rule
- A Log Analytics workspace
- An NSG
- A storage account

Minimum number of instances: 0

#### NEW QUESTION 8

- (Exam Topic 2)

You are implementing the virtual network requirements for VM Analyze.

What should you include in a custom route that is linked to Subnet2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Address prefix:

▼
0.0.0.0/0
0.0.0.0/32
10.1.0.0/16
255.255.255.255/0
255.255.255.255/32

Next hop type:

▼
None
Internet
Virtual appliance
Virtual network
Virtual network gateway

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

**NEW QUESTION 9**

- (Exam Topic 2)

What should you implement to meet the virtual network requirements for the virtual machines that connect to Vnet4 and Vnet5?

- A. a private endpoint
- B. a virtual network peering
- C. a private link service
- D. a routing table
- E. a service endpoint

**Answer:** B

**Explanation:**

There is no virtual network peering between VM4's VNet (VNet3) and VM5's VNet (VNet4). To enable the VMs to communicate over the Microsoft backbone network a VNet peering is required between VNet3 and VNet4.

**NEW QUESTION 10**

- (Exam Topic 2)

Which virtual machines can VM1 and VM4 ping successfully? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

VM1:

▼
VM2 only
VM2 and VM4 only
VM2, VM3, and VM4 only
VM2, VM3, VM4, and VM5

VM4:

▼
VM3 only
VM1 and VM3 only
VM1, VM2, and VM3 only
VM1, VM2, VM3, and VM5

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Box 1: VM2, VM3 and VM4.

VM1 is in VNet1/Subnet1. VNet1 is peered with VNet2 and VNet3.

There are no NSGs blocking outbound ICMP from VNet1. There are no NSGs blocking inbound ICMP to VNet1/Subnet2, VNet2 or VNet3. Therefore, VM1 can ping VM2 in VNet1/Subnet2, VM3 in VNet2 and VM4 in VNet3.

Box 2:

VM4 is in VNet3. VNet3 is peered with VNet1 and VNet2. There are no NSGs blocking outbound ICMP from VNet3. There are no NSGs blocking inbound ICMP to VNet1/Subnet1, VNet1/Subnet2 or VNet2 from VNet3 (NSG10 blocks inbound ICMP from VNet4 but not from VNet3). Therefore, VM4 can ping VM1 in VNet1/Subnet1, VM2 in VNet1/Subnet2 and VM3 in VNet2.

NEW QUESTION 10

- (Exam Topic 3)

You have an Azure Front Door instance named FD1 that is protected by using Azure Web Application Firewall (WAF).

FD1 uses a frontend host named app1.contoso.com to provide access to Azure web apps hosted in the East US Azure region and the West US Azure region.

You need to configure FD1 to block requests to app1.contoso.com from all countries other than the United States.

What should you include in the WAF policy?

- A. a frontend host association
- B. a managed rule set
- C. a custom rule that uses a rate limit rule
- D. a custom rule that uses a match rule

Answer: C

NEW QUESTION 14

- (Exam Topic 3)

You are planning an Azure solution that will contain the following types of resources in a single Azure region:

- > Virtual machine
- > Azure App Service
- > Virtual Network gateway
- > Azure SQL Managed Instance

App Service and SQL Managed Instance will be delegated to create resources in virtual networks.

You need to identify how many virtual networks and subnets are required for the solution. The solution must minimize costs to transfer data between virtual networks.

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Virtual Networks:

1
2
3
4

Subnets:

1
2
3
4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Diagram, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services#services-that-can-be>

NEW QUESTION 15

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You reset the gateway of Vnet1.

Does this meet the goal?

A. Yes

B. No

**Answer: B**

**Explanation:**

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

**NEW QUESTION 20**

- (Exam Topic 3)

Your company has a single on-premises datacenter in New York. The East US Azure region has a peering location in New York.

The company only has Azure resources in the East US region.

You need to implement ExpressRoute to support up to 1 Gbps. You must use only ExpressRoute Unlimited data plans. The solution must minimize costs.

Which type of ExpressRoute circuits should you create?

A. ExpressRoute Local

B. ExpressRoute Direct

C. ExpressRoute Premium

D. ExpressRoute Standard

**Answer: A**

**Explanation:**

Reference:

<https://azure.microsoft.com/en-us/pricing/details/expressroute/>

**NEW QUESTION 22**

- (Exam Topic 3)

You are planning the IP addressing for the subnets in Azure virtual networks. Which type of resource requires IP addresses in the subnets?

A. Azure Virtual Network NAT

B. virtual network peering

C. service endpoints

D. private endpoints

**Answer: A**

**NEW QUESTION 24**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that has one subnet. Vnet1 is in the West Europe Azure region.

You deploy an Azure App Service app named App1 to the West Europe region.

You need to provide App1 with access to the resources in Vnet1. The solution must minimize costs. What should you do first?

A. Create a private link.

B. Create a new subnet.

C. Create a NAT gateway.

D. Create a gateway subnet and deploy a virtual network gateway.

**Answer: B**

**Explanation:**

Virtual network integration depends on a dedicated subnet.

<https://docs.microsoft.com/en-us/azure/app-service/overview-vnet-integration#regional-virtual-network-integrat> For outgoing traffic from Web App to vnet, it will go through Internet, so the cost not the minimum.

The connection between the Private Endpoint and the Web App uses a secure Private Link. Private Endpoint is only used for incoming flows to your Web App.


Outgoing flows will not use this Private Endpoint, but you can inject outgoing flows to your network in a different subnet through the VNet integration feature.

<https://docs.microsoft.com/en-us/azure/app-service/networking/private-endpoint#conceptual-overview>

**NEW QUESTION 28**

- (Exam Topic 3)

You have the Azure environment shown in the exhibit.



VM1 is a virtual machine that has an instance-level public IP address (ILPIP). Basic Load Balancer uses a public IP address. VM1 and VM2 are in the backend pool. NAT Gateway uses a public IP address named IP3 that is associated to SubnetA. VNet1 has a virtual network gateway that has a public IP address named IP4. When initiating outbound traffic to the internet from VM1, which public address is used?

- A. IP1
- B. IP2
- C. IP3
- D. IP4

**Answer:** A

### NEW QUESTION 33

- (Exam Topic 3)

You have the Azure environment shown in the Azure Environment exhibit. (Click the Azure Environment tab.) The settings for each subnet are shown in the following table.

Subnet	Service endpoint
Vnet1/Subnet1	Storage
Vnet1/Subnet2	Storage
Vnet2/Subnet1	None

The Firewalls and virtual networks settings for storage1 are configured as shown in the Storage1 exhibit. (Click the Storage1 tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

#### Answer Area

Statements	Yes	No
VM1 can access storage1.	<input type="radio"/>	<input type="radio"/>
VM2 can access storage1 by using a service endpoint.	<input type="radio"/>	<input type="radio"/>
VM3 can access storage1 by using the public IP address.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### Answer Area

Statements	Yes	No
VM1 can access storage1.	<input type="radio"/>	<input checked="" type="radio"/>
VM2 can access storage1 by using a service endpoint.	<input type="radio"/>	<input checked="" type="radio"/>
VM3 can access storage1 by using the public IP address.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 37**

- (Exam Topic 3)

You have an Azure virtual network and an on-premises datacenter.

You need to implement a Site-to-Site VPN connection between the datacenter and the virtual network. Which two resources should you create? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Firewall
- C. a local network gateway
- D. Azure Web Application Firewall (WAF)
- E. an on-premises data gateway
- F. an Azure application gateway
- G. a user-defined route

**Answer:** CG

**NEW QUESTION 41**

- (Exam Topic 3)

You are planning an Azure Point-to-Site (P2S) VPN that will use OpenVPN. Users will authenticate by using an on premises Active Directory domain. Which additional service should you deploy to support the VPN authentication?

- A. a certification authority (CA)
- B. a RADIUS server
- C. an Azure key vault
- D. Azure Active Directory (Azure AD) Application Proxy

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/point-to-site-about>

**NEW QUESTION 44**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1.

You need to ensure that the virtual machines in Vnet1 can access only the Azure SQL resources in the East US Azure region. The virtual machines must be prevented from accessing any Azure Storage resources.

Which two outbound network security group (NSG) rules should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an allow rule that has the IP address range of Vnet1 as the source and destination of Sql.EastUS
- B. a deny rule that has a source of VirtualNetwork and a destination of Sql
- C. a deny rule that has a source of VirtualNetwork and a destination of 168.63.129.0/24
- D. a deny rule that has the IP address range of Vnet1 as the source and destination of Storage

**Answer:** CD

**NEW QUESTION 46**

- (Exam Topic 3)

You plan to publish a website that will use an FQDN of www.contoso.com. The website will be hosted by using the Azure App Service apps shown in the following table.

Name	FQDN	Location	Public IP address
AS1	As1.contoso.com	East US	131.107.100.1
AS2	As2.contoso.com	West US	131.107.200.1

You plan to use Azure Traffic Manager to manage the routing of traffic for www.contoso.com between AS1 and AS2.

You need to ensure that Traffic Manager routes traffic for www.contoso.com. Which DNS record should you create?

- A. two A records that map wmv.contoso.com to 131 107 100 1 and 131 107 200 1
- B. a CNAME record that maps www.contoso.com to TMprofile1.azurefd.net
- C. a CNAME record that mapswww.contoso.comtoTMprofile1.trafficmanager.net
- D. a TXT record that contains a string ofas1.contoso.com and as2.contoso.com in the details

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/quickstart-create-traffic-manager-profile> <https://docs.microsoft.com/en-us/azure/app-service/configure-domain-traffic-manager>

**NEW QUESTION 49**

- (Exam Topic 3)

You have an Azure Front Door instance that has a single frontend named Frontend1 and an Azure Web Application Firewall (WAF) policy named Policy1. Policy1 redirects requests that have a header containing "string1" to https://www.contoso.com/redirect1. Policy1 is associated to Frontend1.

You need to configure additional redirection settings. Requests to Frontend1 that have a header containing "string2" must be redirected to https://www.contoso.com/redirect2.

Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create a custom rule.
- B. Configure a managed rule.
- C. Create a frontend host.
- D. Create a policy.
- E. Create an association.
- F. Add a custom rule to Policy1.

**Answer:** ABE

#### NEW QUESTION 53

- (Exam Topic 3)

You have the Azure Traffic Manager profiles shown in the following table.

Name	Routing method
Profile1	Performance
Profile2	Multivalue

You plan to add the endpoints shown in the following table.

Name	Type	Additional settings
Endpoint1	Azure endpoint	Target resource type: App Service
Endpoint2	External endpoint	FQDN or IP: www.contoso.com
Endpoint3	External endpoint	FQDN or IP: 131.107.10.15
Endpoint4	Nested endpoint	Target resource: Profile1

Which endpoints can you add to Profile2?

- A. Endpoint1 and Endpoint4 only
- B. Endpoint1, Endpoint2, Endpoint3, and Endpoint4
- C. Endpoint1 only
- D. Endpoint2 and Endpoint3 only
- E. Endpoint3 only

**Answer:** A

#### NEW QUESTION 57

- (Exam Topic 3)

Azure virtual networks in the East US Azure region as shown in the following table.

Name	IP address space
Vnet1	192.168.0.0/20
Vnet2	10.0.0.0/20

The virtual networks are peered to one another. Each virtual network contains four subnets.

You plan to deploy a virtual machine named VM1 that will inspect and route traffic between all the subnets on both the virtual networks.

What is the minimum number of IP addresses that you must assign to VM1?

- A. 1
- B. 2
- C. 4
- D. 8

**Answer:** A

#### NEW QUESTION 60

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- \* A virtual network named Vnet1
- \* A subnet named Subnet1 in Vnet1
- \* A virtual machine named VM1 that connects to Subnet1
- \* Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG). You configure a service tag for MicrosoftStorage and link the tag to Subnet1.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### NEW QUESTION 62

- (Exam Topic 3)

You have the network security groups (NSGs) shown in the following table.

Name	Resource	Prefix
NSG1	Subnet1	10.10.0.0/24
NSG2	Subnet2	10.10.1.0/24

In NSG1, you create inbound rules as shown in the following table.

Source	Priority	Port	Action
*	101	80	Allow
*	150	443	Allow
Virtual network	200	*	Deny

You have the Azure virtual machines shown in the following table.

Name	Subnet
VM1	Subnet1
VM2	Subnet1
VM3	Subnet2

NSG2 has only the default rules configured.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

#### Answer Area

Statements	Yes	No
VM3 can connect to port 8080 on VM1.	<input type="radio"/>	<input type="radio"/>
VM1 and VM2 can connect on port 9090.	<input type="radio"/>	<input type="radio"/>
VM1 can connect to VM3 on port 9090.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

#### Answer Area

Statements	Yes	No
VM3 can connect to port 8080 on VM1.	<input checked="" type="radio"/>	<input type="radio"/>
VM1 and VM2 can connect on port 9090.	<input checked="" type="radio"/>	<input type="radio"/>
VM1 can connect to VM3 on port 9090.	<input type="radio"/>	<input checked="" type="radio"/>

#### NEW QUESTION 64

- (Exam Topic 3)

You have an Azure private DNS zone named contoso.com that is linked to the virtual networks shown in the following table.

Name	IP address
Vnet1	10.1.0.0/16
Vnet2	10.2.0.0/16

The links have auto registration enabled.

You create the virtual machines shown in the following table.

Name	IP address
VM1	10.1.10.10
VM2	10.2.10.10
VM3	10.2.10.11

You manually add the following entry to the contoso.com zone:

> Name: VM1

➤ IP address: 10.1.10.9

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
VM2 will resolve vm1.contoso.com to 10.1.10.10	<input type="radio"/>	<input type="radio"/>
Deleting VM1 will delete the VM1 record automatically	<input type="radio"/>	<input type="radio"/>
Changing the IP address of VM3 will update the DNS record of VM3 automatically	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

The manual DNS record will overwrite the auto-registered DNS record so VM1 will resolve to 10.1.10.9. Box 2: No

The DNS record for VM1 is now a manually created record rather than an auto-registered record. Only auto-registered DNS records are deleted when a VM is deleted.

Box 3: No

This answer depends on how the IP address is changed. To change the IP address of a VM manually, you would need to select 'Static' as the IP address assignment. In this case, the DNS record will not be updated because only DHCP assigned IP addresses are auto-registered.

Reference:

<https://docs.microsoft.com/en-us/azure/dns/dns-faq-private>

#### NEW QUESTION 65

- (Exam Topic 3)


You have a website that uses an FQDN of www.contoso.com. The DNS record for www.contoso.com resolves to an on-premises web server.

You plan to migrate the website to an Azure web app named Web1. The website on Web1 will be published by using an Azure Front Door instance named ContosoFD1.

You build the website on Web1.

You plan to configure ContosoFD1 to publish the website for testing.

When you attempt to configure a custom domain for www.contoso.com on ContosoFD1, you receive the error message shown in the exhibit.



You need to test the website and ContosoFD1 without affecting user access to the on-premises web server. Which record should you create in the contoso.com DNS domain?

- A. a CNAME record that maps www.contoso.com to ContosoFD1.azurefd.net  
B. a CNAME record that maps www.contoso.com to Web1.contoso.com  
C. a CNAME record that maps afdverify.www.contoso.com to ContosoFD1.azurefd.net  
D. a CNAME record that maps afdverify.www.contoso.com to afdverify.ContosoFD1.azurefd.net

**Answer:** A

#### NEW QUESTION 66

- (Exam Topic 3)

You have an Azure subscription that contains the following resources:

- A virtual network named Vnet1  
➤ Two subnets named subnet1 and AzureFirewallSubnet  
➤ A public Azure Firewall named FW1

- A route table named RT1 that is associated to Subnet1
- A rule routing of 0.0.0.0/0 to FW1 in RT1

After deploying 10 servers that run Windows Server to Subnet1, you discover that none of the virtual machines were activated. You need to ensure that the virtual machines can be activated. What should you do?

- A. On FW1, create an outbound service tag rule for AzureCloud.
- B. On FW1, create an outbound network rule that allows traffic to the Azure Key Management Service (KMS).
- C. Deploy a NAT gateway.
- D. To Subnet1, associate a network security group (NSG) that allows outbound access to port 1688.

**Answer:** B

**Explanation:**

Reference:

<https://ryanmangansitblog.com/2020/05/11/firewall-considerations-windows-virtual-desktop-wvd/>

**NEW QUESTION 70**

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that balances requests to a web app named App1. You need to modify the server variables in the response header of App1.

What should you configure on AppGW1?

- A. HTTP settings
- B. rewrites
- C. rules
- D. listeners

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url>

**NEW QUESTION 75**

- (Exam Topic 3)

You are configuring two network virtual appliances (NVAs) in an Azure virtual network. The NVAs will be used to inspect all the traffic within the virtual network. You need to provide high availability for the NVAs. The solution must minimize administrative effort. What should you include in the solution?

- A. Azure Standard Load Balancer
- B. Azure Traffic Manager
- C. Azure Application Gateway
- D. Azure Front Door

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/dmz/nva-ha?tabs=cli>

**NEW QUESTION 80**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 and an on-premises network.

The on-premises network has policy-based VPN devices. In Vnet1, you deploy a virtual network gateway named GW1 that uses a SKU of VpnGw1 and is route-based.

You have a Site-to-Site VPN connection for GW1 as shown in the following exhibit.

Save

X Discard

Use Azure Private IP Address ⓘ

Disabled Enabled

BGP ⓘ

Disabled Enabled

IPsec / IKE policy ⓘ

Default Custom

Use policy based traffic selector ⓘ

Enable Disable

DPD timeout in seconds \* ⓘ

45

Connection Mode ⓘ

☒ Default ☐ InitiatorOnly ☐ ResponderOnly

IKE Protocol ⓘ

IKEV2

You need to ensure that the on-premises network can connect to the route-based GW1. What should you do before you create the connection?

- A. Set Use Azure Private IP Address to Enabled
- B. Set IPsec / IKE policy to Custom.
- C. Set Connection Mode to ResponderOnly
- D. Set BGP to Enabled

Answer: A

NEW QUESTION 82

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that contains two subnets named Subnet1 and Subnet2. You have the NAT gateway shown in the NATgateway1 exhibit.

NATgateway1

NAT gateway

» 

Delete

Refresh

^ Essentials

JSON View

Resource group (change)

: RG1

Location

: North Europe (Zone 1)

Subscription (change)

: Subscription1

Subscription ID

: 489f2hht-se7y-987v-g571-463hw3679512

Virtual network

: Vnet1

Subnets

: 1

Public IP addresses

: 0


Public IP prefixes

: 1

Tags (change)

: Click here to add tags

You have the virtual machine shown in the VM1 exhibit.


**VM1**  
Virtual machine

»
 [Connect](#)
[Start](#)
[Restart](#)
[Stop](#)
[Capture](#)
[Delete](#)
[Refresh](#)

**Essentials**

Resource group [\(change\)](#)  
RG1

Status  
Running

Location  
North Europe (Zone 2)

Subscription [\(change\)](#)  
Subscription1

Subscription ID  
489f2hht-se7y-987v-g571-463hw3679512

Availability zone  
2

Tags [\(change\)](#)  
[Click here to add tags](#)

Operating system  
Windows

Size  
Standard B1s (1 vcpus, 1 GiB memory)

Public IP address

Virtual network/subnet  
Vnet1/Subnet1

DNS name

Subnet1 is configured as shown in the Subnet1 exhibit.

## Subnet1

Vnet1

Name

Subnet1

Subnet address range \* ⓘ

10.100.1.0/24

10.100.1.0 – 10.100.1.255 (251 + 5 Azure reserved addresses)

☐ Add IPv6 address space ⓘ

NAT gateway ⓘ

NATgateway1

Network security group

None

Route table

RouteTable1

### SERVICE ENDPOINTS

Create service endpoint policies to allow traffic to specific azure resources from your virtual network over service endpoints. [Learn more](#)

Services ⓘ

Microsoft.Storage

Service

Status

Microsoft.Storage

Succeeded



Service endpoint policies

0 selected

### SUBNET DELEGATION

Delegate subnets to a service ⓘ

None

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
VM1 can communicate outbound by using NATgateway1	<input type="radio"/>	<input type="radio"/>
The virtual machines in Subnet2 communicate outbound by using NATgateway1	<input type="radio"/>	<input type="radio"/>
All the virtual machines that use NATgateway1 to connect to the internet use the same public IP address	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

VM1 is in Zone2 whereas the NAT Gateway is in Zone1. The VM would need to be in the same zone as the NAT Gateway to be able to use it. Therefore, VM1 cannot use the NAT gateway.

Box 2: Yes

NATgateway1 is configured in the settings for Subnet2. Box 3: No

The NAT gateway does not have a single public IP address, it has an IP prefix which means more than one IP address. The VMs that use the NAT Gateway can use different public IP addresses contained within the IP prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-gateway-resource>

#### NEW QUESTION 84

- (Exam Topic 3)

You have the Azure resources shown in the following table.

Name	Type	Location	Description
storage1	Storage account	East US	Read-access geo-redundant storage (RA-GRS)
Vnet1	Virtual network	East US	Contains one subnet

You configure storage1 to provide access to the subnet in Vnet1 by using a service endpoint.

You need to ensure that you can use the service endpoint to connect to the read-only endpoint of storage1 in the paired Azure region.

What should you do first?

- A. Configure the firewall settings for storage1.  
B. Fail over storage1 to the paired Azure region.  
C. Create a virtual network in the paired Azure region.  
D. Create another service endpoint.

**Answer:** A

#### NEW QUESTION 87

- (Exam Topic 3)

Your company has 10 instances of a web service. Each instance is hosted in a different Azure region and is accessible through a public endpoint.

The development department at the company is creating an application named App1. Every 10 minutes, App1 will use a list of end points and connect to the first available endpoint.

You plan to use Azure Traffic Manager to maintain the list of endpoints.

You need to configure a Traffic Manager profile that will minimize the impact of DNS caching. What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

### Answer Area

Traffic Manager algorithm:

- ☐ Geographic
- ☐ Multivalue
- ☐ Priority
- ☐ Subnet

Endpoint type:

- ☐ Azure endpoint
- ☐ External endpoint
- ☐ Nested endpoint


- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**



#### NEW QUESTION 90

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- \* A virtual network named Vnet1
- \* A subnet named Subnet1 in Vnet1
- \* A virtual machine named VM1 that connects to Subnet1
- \* Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG) and associate the NSG to Subnet1. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### NEW QUESTION 91

- (Exam Topic 3)

You plan to configure BGP for a Site-to-Site VPN connection between a datacenter and Azure. Which two Azure resources should you configure? Each correct answer presents a part of the solution.

(Choose two.)

NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Application Gateway
- C. Azure Firewall
- D. a local network gateway
- E. Azure Front Door

**Answer:** AD

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/bgp-howto>

#### NEW QUESTION 96

- (Exam Topic 3)

You have an Azure virtual network that contains the subnets shown in the following table.

Name	IP address space
AzureFirewallSubnet	192.168.1.0/24
Subnet2	192.168.2.0/24

You deploy an Azure firewall to AzureFirewallSubnet. You route all traffic from Subnet2 through the firewall. You need to ensure that all the hosts on Subnet2 can access an external site located at [https://\\*.contoso.com](https://*.contoso.com). What should you do?

- A. Create a network security group (NSG) and associate the NSG to Subnet2.
- B. In a firewall policy, create an application rule.
- C. In a firewall policy, create a DNAT rule.
- D. In a firewall policy, create a network rule.

**Answer:** B

#### NEW QUESTION 98

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that hosts an Azure firewall named FW1 and 150 virtual machines. Vnet1 is linked to a private DNS zone named contoso.com. All the virtual machines have their name registered in the contoso.com zone.

Vnet1 connects to an on-premises datacenter by using ExpressRoute.

You need to ensure that on-premises DNS servers can resolve the names in the contoso.com zone. Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the on-premises DNS servers, configure forwarders that point to the frontend IP address of FW1.
- B. On the on-premises DNS servers, configure forwarders that point to the Azure provided DNS service at 168.63.129.16.
- C. Modify the DNS server settings of Vnet1.
- D. For FW1, enable DNS proxy.
- E. For FW1, configure a custom DNS server.

**Answer:** AC

#### NEW QUESTION 103

- (Exam Topic 3)

You have an Azure application gateway for a web app named App1. The application gateway allows end-to-end encryption.

You configure the listener for HTTPS by uploading an enterprise signed certificate.

You need to ensure that the application gateway can provide end-to-end encryption for App1. What should you do?

- A. Set Listener type to Multi site.
- B. Increase the Unhealthy threshold setting in the custom probe.
- C. Upload the public key certificate to the HTTPS settings.
- D. Enable the SSL profile for the listener.

**Answer:** C

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/end-to-end-ssl-portal> <https://docs.microsoft.com/en-us/azure/application-gateway/create-ssl-portal#configuration-tab>

#### NEW QUESTION 104

- (Exam Topic 3)

You plan to deploy Azure Virtual WAN.

You need to deploy a virtual WAN hub that meets the following requirements:

- Supports 10 sites that will connect to the virtual WAN hub by using a Site-to-Site VPN connection
- Supports 8 Gbps of ExpressRoute traffic
- Minimizes costs

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

**Answer Area**

Virtual WAN type:

▼

Basic

Standard

Number of scale units:

▼

2

4

6

8

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, diagram Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

#### NEW QUESTION 107

- (Exam Topic 3)

You have an application named App1 that listens for incoming requests on a preconfigured group of 50 TCP ports and UDP ports.

You install App1 on 10 Azure virtual machines.

You need to implement load balancing for App1 across all the virtual machines. The solution must minimize the number of load balancing rules. What should you include in the solution?

- A. Azure Standard Load Balancer that has Floating IP enabled
- B. Azure Application Gateway V2 that has multiple listeners
- C. Azure Application Gateway v2 that has multiple site hosting enabled
- D. Azure Standard Load Balancer that has high availability (HA) ports enabled

**Answer:** A

#### NEW QUESTION 108

- (Exam Topic 3)

You need to connect an on-premises network and an Azure environment. The solution must use ExpressRoute and support failing over to a Site-to Site VPN connection if there is an ExpressRoute failure.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

#### Answer Area

Routing type:

Policy-based

Route-based

Static routing

Number of virtual network gateways:

1

2

3

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

#### Answer Area

Routing type:

Policy-based

Route-based

Static routing

Number of virtual network gateways:

1

2

3

#### NEW QUESTION 109

- (Exam Topic 3)

You have an Azure subscription that contains two virtual networks named Vnet1 and Vnet2.

You register a public DNS zone named fabrikam.com. The zone is configured as shown in the Public DNS Zone exhibit.

DNS

Fabrikam.com

DNS zone

+ Record set

+ Child zone

→ Move

🗑️ Delete zone

🔄 Refresh

^ Essentials

JSON View

Resource group (change)

:

rg1

Subscription (change)

:

Subscription1

Subscription ID

:

169d1bba-ba4c-471c-b513-092eb7063265

Name server 1

:

ns1-06.azure-dns.com.

Name server 2

:

ns2-06.azure-dns.net.

Name server 3

:

ns3-06.azure-dns.org.

Name server 4

:

ns4-06.azure-dns.info.

Tags (change)

:

Click here to add tags

📘 You can search for record sets that have been loaded on this page. If you don't see what you're looking for, you can try scrolling to allow more record sets to load.

🔍 Search record sets

Name	Type	TTL	Value
@	NS	172800	ns1-06.azure-dns.com. ns2-06.azure-dns.net. ns3-06.azure-dns.org. ns4-06.azure-dns.info.
@	SOA	3600	Email: azuredns-hostmaster.microsoft.com Host: ns1-06.azure-dns.com. Refresh: 3600 Retry: 300 Expire: 2419200 Minimum TTL: 300 Serial number: 1
appservice1	A	3600	131.107.1.1
www	CNAME	3600	appservice1.fabrikam.com

You have a private DNS zone named fabrikam.com. The zone is configured as shown in the Private DNS Zone exhibit.

DNS

Fabrikam.com

Private DNS zone

+ Record set

→ Move

🗑️ Delete zone

🔄 Refresh

^ Essentials

JSON View

Resource group (change)

:

rg1

Subscription (change)

:

Subscription1

Subscription ID

:

169d1bba-ba4c-471c-b513-092eb7063265

Tags (change)

:

Click here to add tags

📘 You can search for record sets that have been loaded on this page. If you don't see what you're looking for, you can try scrolling to allow more record sets to load.

🔍 Search record sets

Name	Type	TTL	Value	Auto registered
@	SOA	3600	Email: azureprivatedns-hostmicrosoft.co... Host: azureprivatedns.net. Refresh: 3600 Retry: 300 Expire: 2419200 Minimum TTL: 10 Serial number: 1	False
appservice1	A	3600	131.107.100.10	False
server1	A	3600	131.107.100.1	False
server2	A	3600	131.107.100.2	False
server3	A	3600	131.107.100.3	False
www	CNAME	3600	appservice1.fabrikam.com	False

You have a virtual network link configured as shown in the Virtual Network Link exhibit.

Fabrikam.com   Virtual network links			
Private DNS zone			
<div> <div>+ Add</div> <div>🔄 Refresh</div> </div>			
<div>🔍 Search virtual network links</div>			
Link Name	Link status	Virtual network	Auto-Registration
vnet1_link	Completed	Vnet1	Disabled ***

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
Queries for www.fabrikam.com from the internet are resolved to 131.107.1.1.	<input type="radio"/>	<input type="radio"/>
Queries for server1.fabrikam.com can be resolved from the internet.	<input type="radio"/>	<input type="radio"/>
Queries for www.fabrikam.com from Vnet2 are resolved to 131.107.100.10.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Queries for www.fabrikam.com from the internet are resolved to 131.107.1.1.	<input checked="" type="radio"/>	<input type="radio"/>
Queries for server1.fabrikam.com can be resolved from the internet.	<input type="radio"/>	<input checked="" type="radio"/>
Queries for www.fabrikam.com from Vnet2 are resolved to 131.107.100.10.	<input checked="" type="radio"/>	<input type="radio"/>

**NEW QUESTION 114**

- (Exam Topic 3)

You have an Azure Front Door instance that provides access to a web app. The web app uses a hostname of www.contoso.com. You have the routing rules shown in the following table.

Name	Path
RuleA	/abc/def
RuleB	/ab
RuleC	/*
RuleD	/abc/*

Which rule will apply to each incoming request? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Answer Area	
www.contoso.com/abc/def	<div>▼</div> <div> <div>RuleA</div> <div>RuleB</div> <div>RuleC</div> <div>RuleD</div> </div>
www.contoso.com/default.htm	<div>▼</div> <div> <div>RuleA</div> <div>RuleB</div> <div>RuleC</div> <div>RuleD</div> </div>
www.contoso.com/abc/def/default.htm	<div>▼</div> <div> <div>RuleA</div> <div>RuleB</div> <div>RuleC</div> <div>RuleD</div> </div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-route-matching>

NEW QUESTION 115

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timeStamp": "2021-06-02T18:13:45+00:00",
  "resourceID": "/SUBSCRIPTIONS/489f2hht-se7y-987v-g571-463hw3679512/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP_CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of \\\"pm AppleWebKit Android\\\" against \\\"REQUEST_HEADER:User-Agent\\\" required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "appl.contoso.com",
    "transactionId": "f7546159ylhjk7wall4568if5131t68h7",
    "policyId": "default",
    "policyScope": "Global",
    "popolicyScopeName": "Global",
  }
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You disable the WAF rule that has a ruleId of 920300. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 118

- (Exam Topic 3)

You have an Azure Front Door instance named FrontDoor1.

You deploy two instances of an Azure web app to different Azure regions.

You plan to provide access to the web app through FrontDoor1 by using the name app1.contoso.com. You need to ensure that FrontDoor1 is the entry point for requests that use app1.contoso.com.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Add a PTR record to DNS.

Add a CNAME record to DNS.

Add a routing rule to FrontDoor1.

Add a custom domain to FrontDoor1.

Add a rules engine configuration to FrontDoor1.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Add a PTR record to DNS.	Add a custom domain to FrontDoor1.
Add a CNAME record to DNS.	Add a PTR record to DNS.
Add a routing rule to FrontDoor1.	Add a rules engine configuration to FrontDoor1.
Add a custom domain to FrontDoor1.	
Add a rules engine configuration to FrontDoor1.	

**NEW QUESTION 120**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timestamp": "2021-04-02T10:13:41.002000",
  "resourceId": "/SUBSCRIPTIONS/489f2b8f-a61y-q571-463a3e79512/RESOURCES/092/F61/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWAFS_CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "900100",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "route": "Global",
    "details": {
      "message": "Warning: Match of '\\\\?m AppleWebFit Android\\\\?' against '\\\\?REQUEST_HEADER:User-Agent\\\\?' required.",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1241"
    }
  },
  "hostname": "appl.contoso.com",
  "transactionId": "f75463592h3x7aall45x0:fs191tesh?",
  "policyId": "default",
  "policyScope": "Global",
  "policyScopeName": "Global",
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You add a rewrite rule for the host header. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url#limitations>

**NEW QUESTION 124**

- (Exam Topic 3)

You have an Azure subscription that contains an Azure App Service app. The app uses a URL of <https://www.contoso.com>.

You need to use a custom domain on Azure Front Door for [www.contoso.com](https://www.contoso.com). The custom domain must use a certificate from an allowed certification authority (CA).

What should you include in the solution?

- A. an enterprise application in Azure Active Directory (Azure AD)
- B. Active Directory Certificate Services (AD CS)
- C. Azure Key Vault
- D. Azure Application Gateway

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-custom-domain-https>

**NEW QUESTION 129**

- (Exam Topic 3)

You have five virtual machines that run Windows Server. Each virtual machine hosts a different web app. You plan to use an Azure application gateway to provide access to each web app by using a hostname of

[www.contoso.com](https://www.contoso.com) and a different URL path for each web app, for example: <https://www.contoso.com/app1>.

You need to control the flow of traffic based on the URL path. What should you configure?

- A. rules
- B. rewrites
- C. HTTP settings
- D. listeners

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/url-route-overview>

**NEW QUESTION 131**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AZ-700 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AZ-700-dumps.html>