



Microsoft

Exam Questions AI-102

Designing and Implementing an Azure AI Solution

About Exambible

[Your Partner of IT Exam](#)

Found in 1998

Exambible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, Exambible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

- (Exam Topic 1)

You are planning the product creation project.

You need to recommend a process for analyzing videos.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose four.)

Actions

Index the video by using the Video Indexer API.

Upload the video to blob storage.

Analyze the video by using the Computer Vision API.

Extract the transcript from Microsoft Stream.

Send the transcript to the Language Understanding API as an utterance.

Extract the transcript from the Video Indexer API.

Translate the transcript by using the Translator API.

Upload the video to file storage.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Scenario: All videos must have transcripts that are associated to the video and included in product descriptions. Product descriptions, transcripts, and all text must be available in English, Spanish, and Portuguese. Step 1: Upload the video to blob storage Given a video or audio file, the file is first dropped into a Blob Storage. T Step 2: Index the video by using the Video Indexer API. When a video is indexed, Video Indexer produces the JSON content that contains details of the specified video insights. The insights include: transcripts, OCRs, faces, topics, blocks, etc. Step 3: Extract the transcript from the Video Indexer API. Step 4: Translate the transcript by using the Translator API. Reference: <https://azure.microsoft.com/en-us/blog/get-video-insights-in-even-more-languages/> <https://docs.microsoft.com/en-us/azure/media-services/video-indexer/video-indexer-output-json-v2>

NEW QUESTION 2

- (Exam Topic 1)

You are planning the product creation project.

You need to build the REST endpoint to create the multilingual product descriptions.

How should you complete the URI? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

api.cognitive.microsofttranslator.com

api-nam.cognitive.microsofttranslator.com

westus.tts.speech.microsoft.com

wwics.cognitiveservices.azure.com/translator

/detect

/languages

/text-to-speech

/translate

?api-version=3.0&to=es&to=pt

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: api.cognitive.microsofttranslator.com Translator 3.0: Translate. Send a POST request to: <https://api.cognitive.microsofttranslator.com/translate?api-version=3.0> Box 2: /translate Reference: <https://docs.microsoft.com/en-us/azure/cognitive-services/translator/reference/v3-0-translate>

NEW QUESTION 3

- (Exam Topic 1)

You need to develop code to upload images for the product creation project. The solution must meet the accessibility requirements. How should you complete the code? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

```
public static async Task<string> SuggestAltText(ComputerVisionClient client,
{
    List<VisualFeatureTypes?> features = new List<VisualFeatureTypes?>()
    {
        VisualFeatureTypes.Description
        VisualFeatureTypes.ImageType
        VisualFeatureTypes.Objects
        VisualFeatureTypes.Tags
    };
    ImageAnalysis results = await client.AnalyzeImageAsync(image, features);

    var c = results.Brands.DetectedBrands[0]
    var c = results.Description.Captions[0]
    var c = results.Metadata[0]
    var c = results.Objects[0]

    if(c.Confidence>0.5) return(c.Text);
}
```

image)

Dictionary
stream
string

VisualFeatureTypes.Description
VisualFeatureTypes.ImageType
VisualFeatureTypes.Objects
VisualFeatureTypes.Tags

var c = results.Brands.DetectedBrands[0]
var c = results.Description.Captions[0]
var c = results.Metadata[0]
var c = results.Objects[0]

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://github.com/Azure-Samples/cognitive-services-dotnet-sdk-samples/blob/master/documentation-samples/q>

NEW QUESTION 4

- (Exam Topic 1)

HOTSPOT

You are developing the shopping on-the-go project.

You are configuring access to the QnA Maker resources.

Which role should you assign to AllUsers and LeadershipTeam? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

AllUsers:

Cognitive Service User
Contributor
Owner
QnA Maker Editor
QnA Maker Read

LeadershipTeam:

Cognitive Service User
Contributor
Owner
QnA Maker Editor
QnA Maker Read

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: QnA Maker Editor

Scenario: Provide all employees with the ability to edit Q&As. The QnA Maker Editor (read/write) has the following permissions: Create KB API

Update KB API Replace KB API Replace Alterations "Train API" [in new service model v5] Box 2: Contributor
Scenario: Only senior managers must be able to publish updates. Contributor permission: All except ability to add new members to roles
Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/reference-role-based-access-control>

NEW QUESTION 5

- (Exam Topic 2)
You are building a chatbot that will provide information to users as shown in the following exhibit.

Passengers

Sarah Hum
Jeremy Goldberg
Evan Litvak

2 Stops

Tue, May 30, 2017 10:25 PM



Non-Stop

Fri, Jun 2, 2017 11:55 PM



Total **\$4,032.54**

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

The chatbot is showing [answer choice].

	▼
an Adaptive Card	
a Hero Card	
a Thumbnail Card	

The card includes [answer choice].

	▼
an action set	
an image	
an image group	
media	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: A Thumbnail card
A Thumbnail card typically contains a single thumbnail image, some short text, and one or more buttons. Reference:
<https://docs.microsoft.com/en-us/microsoftteams/platform/task-modules-and-cards/cards/cards-reference>

NEW QUESTION 6

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure a network security group (NSG) for vnet1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 7

- (Exam Topic 2)

You train a Custom Vision model used in a mobile app.

You receive 1,000 new images that do not have any associated data.

You need to use the images to retrain the model. The solution must minimize how long it takes to retrain the model.

Which three actions should you perform in the Custom Vision portal? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Upload the images by category.

Get suggested tags.

Upload all the images.

Group the images locally into category folders.

Review the suggestions and confirm the tags.

Tag the images manually.

Answer Area

<

>

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/getting-started-build-a-classifie>

NEW QUESTION 8

- (Exam Topic 2)

You are reviewing the design of a chatbot. The chatbot includes a language generation file that contains the following fragment.

Greet(user)

- \${Greeting()}, \${user.name}

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
<code>\${user.name}</code> retrieves the user name by using a prompt.	<input type="radio"/>	<input type="radio"/>
<code>Greet ()</code> is the name of the language generation template.	<input type="radio"/>	<input type="radio"/>
<code>\${Greeting () }</code> is a reference to a template in the language generation file.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
Example: Greet a user whose name is stored in `user.name`
- \${ welcomeUser(user.name) }
Example: Greet a user whose name you don't know:
- \${ welcomeUser() }
Box 2: No
Greet(User) is a Send a response action.
Box 3: Yes
Reference:
<https://docs.microsoft.com/en-us/composer/how-to-ask-for-user-input>

NEW QUESTION 9

- (Exam Topic 2)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.
You plan to create a new Azure Cognitive Search service named service1.
You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint to a new virtual network, and you configure Azure Private Link.
Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 10

- (Exam Topic 2)
You are developing an application to recognize employees' faces by using the Face Recognition API. Images of the faces will be accessible from a URI endpoint. The application has the following code.

```
static async void AddFace(string subscription_key, string personGroupId, string personId, string imageURI)
{
    var client = new HttpClient();
    client.DefaultRequestHeaders.Add("Ocp-Apim-Subscription-Key", subscription_key);
    var endpointURI = $"https://westus.api.cognitive.microsoft.com/face/v1.0/persongroups/{personGroupId}/persons/{personId}/persistedFaces";
    HttpResponseMessage response;
    var body = "{ \"url\": \"\" + imageURI + \"\"}";
    var content = new StringContent(body, Encoding.UTF8, "application/json");
    var response = await client.PutAsync(endpointURI, content);
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
The code will add a face image to a person object in a person group.	<input type="radio"/>	<input type="radio"/>
The code will work for a group of 10,000 people.	<input type="radio"/>	<input type="radio"/>
AddFace can be called multiple times to add multiple face images to a person object.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/use-persondirectory>

NEW QUESTION 10

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model. You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You create a new model, and then upload the new images and labels. Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

The model needs to be extended and retrained.

NEW QUESTION 15

- (Exam Topic 2)

You successfully run the following HTTP request. POST

[https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/pro](https://management.azure.com/subscriptions/18c51a87-3a69-47a8-aedc-a54745f708a1/resourceGroups/RG1/providers/Microsoft.CognitiveServices/accounts/acc1/regenerateKey?api-version=2017-04-18)

Body{"keyName": "Key2"} What is the result of the request?

A. A key for Azure Cognitive Services was generated in Azure Key Vault.

B. A new query key was generated.

C. The primary subscription key and the secondary subscription key were rotated.

D. The secondary subscription key was reset.

Answer: B

Explanation:

Accounts - Regenerate Key regenerates the specified account key for the specified Cognitive Services account. Syntax:

POST [https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/](https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18)

[providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18](https://management.azure.com/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.CognitiveServices/accounts/{accountName}/regenerateKey?api-version=2017-04-18)

Reference:

<https://docs.microsoft.com/en-us/rest/api/cognitiveservices/accountmanagement/accounts/regeneratekey>

NEW QUESTION 20

- (Exam Topic 2)

You need to create a new resource that will be used to perform sentiment analysis and optical character recognition (OCR). The solution must meet the following requirements:

➤ Use a single key and endpoint to access multiple services.

➤ Consolidate billing for future services that you might use.

➤ Support the use of Computer Vision in the future.

How should you complete the HTTP request to create the new resource? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

▼

PATCH

POST

PUT

https://management.azure.com/subscriptions/xxxxxxx-xxxx-

xxxx-xxxx-

xxxxxxxxxxxxx/resourceGroups/RG1/providers/Microsoft.CognitiveServices/accounts/CS1?api-version=2017-04-18

{

"location": "West US",

"kind": "

▼

CognitiveServices

ComputerVision

TextAnalytics

",

"sku": {

"name": "S0"

,

"properties": {},

"identity": {

"type": "SystemAssigned"

}

}

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: PUT

Sample Request: PUT

<https://management.azure.com/subscriptions/00000000-0000-0000-0000-000000000000/resourceGroups/test-rg>

Reference:

<https://docs.microsoft.com/en-us/rest/api/deviceupdate/resourcemanager/accounts/create> <https://www.analyticsvidhya.com/blog/2020/12/microsoft-azure-cognitive-services-api-for-ai-development/>

NEW QUESTION 22

- (Exam Topic 2)

Your company wants to reduce how long it takes for employees to log receipts in expense reports. All the receipts are in English.

You need to extract top-level information from the receipts, such as the vendor and the transaction total. The solution must minimize development effort.

Which Azure Cognitive Services service should you use?

- A. Custom Vision
 B. Personalizer
 C. Form Recognizer
 D. Computer Vision

Answer: C

Explanation:

Azure Form Recognizer is a cognitive service that lets you build automated data processing software using machine learning technology. Identify and extract text, key/value pairs, selection marks, tables, and structure from your documents—the service outputs structured data that includes the relationships in the original file, bounding boxes, confidence and more.

Form Recognizer is composed of custom document processing models, prebuilt models for invoices, receipts, IDs and business cards, and the layout model.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/form-recognizer>

NEW QUESTION 23

- (Exam Topic 2)

You have a chatbot that was built by using the Microsoft Bot Framework. You need to debug the chatbot endpoint remotely.

Which two tools should you install on a local computer? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Fiddler
 B. Bot Framework Composer
 C. Bot Framework Emulator
 D. Bot Framework CLI
 E. ngrok
 F. nginx

Answer: CE

Explanation:

Bot Framework Emulator is a desktop application that allows bot developers to test and debug bots, either locally or remotely.

ngrok is a cross-platform application that "allows you to expose a web server running on your local machine to the internet." Essentially, what we'll be doing is using ngrok to forward messages from external channels on the web directly to our local machine to allow debugging, as opposed to the standard messaging endpoint configured in the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-service-debug-emulator>

NEW QUESTION 28

- (Exam Topic 2)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a web app named app1 that runs on an Azure virtual machine named vm1. Vm1 is on an Azure virtual network named vnet1.

You plan to create a new Azure Cognitive Search service named service1.

You need to ensure that app1 can connect directly to service1 without routing traffic over the public internet. Solution: You deploy service1 and a public endpoint, and you configure an IP firewall rule.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/private-link/private-link-overview>

NEW QUESTION 29

- (Exam Topic 2)

You use the Custom Vision service to build a classifier. After training is complete, you need to evaluate the classifier.

Which two metrics are available for review? Each correct answer presents a complete solution. (Choose two.) NOTE: Each correct selection is worth one point.

A. recall

B. F-score

C. weighted accuracy

D. precision

E. area under the curve (AUC)

Answer: AD

Explanation:

Custom Vision provides three metrics regarding the performance of your model: precision, recall, and AP. Reference:

<https://www.tallan.com/blog/2020/05/19/azure-custom-vision/>

NEW QUESTION 33

- (Exam Topic 2)

You plan to perform predictive maintenance.

You collect IoT sensor data from 100 industrial machines for a year. Each machine has 50 different sensors that generate data at one-minute intervals. In total, you have 5,000 time series datasets.

You need to identify unusual values in each time series to help predict machinery failures.

Which Azure Cognitive Services service should you use?

A. Anomaly Detector

B. Cognitive Search

C. Form Recognizer

D. Custom Vision

Answer: A

NEW QUESTION 35

- (Exam Topic 2)

You need to upload speech samples to a Speech Studio project. How should you upload the samples?

A. Combine the speech samples into a single audio file in the .wma format and upload the file.

B. Upload a .zip file that contains a collection of audio files in the .wav format and a corresponding text transcript file.

C. Upload individual audio files in the FLAC format and manually upload a corresponding transcript in Microsoft Word format.

D. Upload individual audio files in the .wma format.

Answer: B

Explanation:

To upload your data, navigate to the Speech Studio . From the portal, click Upload data to launch the wizard and create your first dataset. You'll be asked to select a speech data type for your dataset, before allowing you to upload your data.

The default audio streaming format is WAV

Use this table to ensure that your audio files are formatted correctly for use with Custom Speech:

Property	Value
File format	RIFF (WAV)
Sample rate	8,000 Hz or 16,000 Hz
Channels	1 (mono)
Maximum length per audio	2 hours
Sample format	PCM, 16-bit
Archive format	.zip
Maximum archive size	2 GB

Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/how-to-custom-speech-test-and-train>

NEW QUESTION 40

- (Exam Topic 2)
You are using a Language Understanding service to handle natural language input from the users of a web-based customer agent. The users report that the agent frequently responds with the following generic response: "Sorry, I don't understand that." You need to improve the ability of the agent to respond to requests. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Add prebuilt domain models as required.

Validate the utterances logged for review and modify the model.

Migrate authoring to an Azure resource authoring key.

Enable active learning.

Enable log collection by using Log Analytics.

Train and republish the Language Understanding model.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Step 1: Add prebuilt domain models as required.
Prebuilt models provide domains, intents, utterances, and entities. You can start your app with a prebuilt model or add a relevant model to your app later.
Note: Language Understanding (LUIS) provides prebuilt domains, which are pre-trained models of intents and entities that work together for domains or common categories of client applications.
The prebuilt domains are trained and ready to add to your LUIS app. The intents and entities of a prebuilt domain are fully customizable once you've added them to your app.
Step 2: Enable active learning
To enable active learning, you must log user queries. This is accomplished by calling the endpoint query with the log=true querystring parameter and value.
Step 3: Train and republish the Language Understanding model
The process of reviewing endpoint utterances for correct predictions is called Active learning. Active learning captures endpoint queries and selects user's endpoint utterances that it is unsure of. You review these utterances to select the intent and mark entities for these real-world utterances. Accept these changes into your example utterances then train and publish. LUIS then identifies utterances more accurately.
Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-how-to-review-endpoint-utterances#log-user-> <https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-concept-prebuilt-model>

NEW QUESTION 45

- (Exam Topic 2)
You are developing a method that uses the Computer Vision client library. The method will perform optical character recognition (OCR) in images. The method has the following code.

```
public static async Task ReadFileUrl(ComputerVisionClient client, string urlFile)
{
    const int numberOfCharsInOperationId = 36;

    var txtHeaders = await client.ReadAsync(urlFile, language: "en");

    string opLocation = txtHeaders.OperationLocation;
    string operationId = opLocation.Substring(opLocation.Length -
        numberOfCharsInOperationId);

    ReadOperationResult results;

    results = await client.GetReadResultAsync(Guid.Parse(operationId));

    var textUrlFileResults = results.AnalyzeResult.ReadResults;
    foreach (ReadResult page in textUrlFileResults)
    {
        foreach (Line line in page.Lines)
        {
            Console.WriteLine(line.Text);
        }
    }
}
```

During testing, you discover that the call to the GetReadResultAsync method occurs before the read operation is complete. You need to prevent the GetReadResultAsync method from proceeding until the read operation is complete. Which two actions should you perform? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct selection is worth one point.

- A. Remove the Guid.Parse(operationId) parameter.
- B. Add code to verify the results.Status value.
- C. Add code to verify the status of the txtHeaders.Status value.
- D. Wrap the call to GetReadResultAsync within a loop that contains a delay.

Answer: BD

Explanation:

Example code : do

```
{
    results = await client.GetReadResultAsync(Guid.Parse(operationId));
}
```

while ((results.Status == OperationStatusCodes.Running || results.Status == OperationStatusCodes.NotStarted)); Reference:
<https://github.com/Azure-Samples/cognitive-services-quickstart-code/blob/master/dotnet/ComputerVision/Comp>

NEW QUESTION 49

- (Exam Topic 2)

You plan to provision a QnA Maker service in a new resource group named RG1. In RG1, you create an App Service plan named AP1.

Which two Azure resources are automatically created in RG1 when you provision the QnA Maker service? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Language Understanding
- B. Azure SQL Database
- C. Azure Storage
- D. Azure Cognitive Search
- E. Azure App Service

Answer: DE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/how-to/set-up-qnamaker-service-azure?tabs>

NEW QUESTION 50

- (Exam Topic 2)

You plan to use a Language Understanding application named app1 that is deployed to a container. App1 was developed by using a Language Understanding authoring resource named lu1.

App1 has the versions shown in the following table.

Version	Trained date	Published date
V1.2	None	None
V1.1	2020-10-01	None
V1.0	2020-09-01	2020-09-15

You need to create a container that uses the latest deployable version of app1.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. (Choose three.)

Actions

Answer Area

- Run a container that has version set as an environment variable.
- Export the model by using the Export as JSON option.
- Select v1.1 of app1.
- Run a container and mount the model file.
- Select v1.0 of app1.
- Export the model by using the Export for containers (GZIP) option.
- Select v1.2 of app1.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Step 1: Export the model using the Export for containers (GZIP) option. Export versioned app's package from LUIS portal
The versioned app's package is available from the Versions list page.

- > Sign on to the LUIS portal.
- > Select the app in the list.
- > Select Manage in the app's navigation bar.
- > Select Versions in the left navigation bar.
- > Select the checkbox to the left of the version name in the list.
- > Select the Export item from the contextual toolbar above the list.
- > Select Export for container (GZIP).
- > The package is downloaded from the browser.

Versions ?

Rename

Clone

Export

All ▾

Search for version(s)

<input checked="" type="checkbox"/> Version name		Created	Last modified ▾
<input checked="" type="checkbox"/> 0.1 (Active & Production)	5/3/18	5/3/18	9/6/18

Step 2: Select v1.1 of app1.
A trained or published app packaged as a mounted input to the container with its associated App ID. Step 3: Run a contain and mount the model file.
Run the container, with the required input mount and billing settings. Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/luis-container-howto>

NEW QUESTION 54

- (Exam Topic 2)

You develop a test method to verify the results retrieved from a call to the Computer Vision API. The call is used to analyze the existence of company logos in images. The call returns a collection of brands named brands.
You have the following code segment.

```
foreach (var brand in brands)
{
    if (brand.Confidence >= .75)
        Console.WriteLine($"Logo of {brand.Name} between {brand.Rectangle.X},
{brand.Rectangle.Y} and {brand.Rectangle.W}, {brand.Rectangle.H}");
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-left corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>
The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
Box 2: Yes

If several logs are detected, or the logo image and the stylized brand name are detected as two separate logos, it starts numbering them from the bottom-left corner.

Box 3: No Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/concept-brand-detection>

NEW QUESTION 57

- (Exam Topic 2)

You are building a bot and that will use Language Understanding. You have a LUDown file that contains the following content.

```
## Confirm
- confirm
- ok
- yes

## ExtractName
- call me steve !
- i am anna
- (i'm|i am) {@PersonName.Any}[.]
- my name is {@PersonName.Any}[.]

## Logout
- forget me
- log out

## SelectItem
- choose last
- choose the {@DirectionalReference=bottom left}
- choose {@DirectionalReference=top right}
- i like {@DirectionalReference=left} one

## SelectNone
- none

@m1 DirectionalReference
@prebuilt personName
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

SelectItem is [answer choice]

a domain

an entity

an intent

an utterance

Choose {@DirectionalReference=top right} is [answer choice]

a domain

an entity

an intent

an utterance

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application, email Description automatically generated
Reference:
<https://github.com/solliancenet/tech-immersion-data-ai/blob/master/ai-exp1/README.md>

NEW QUESTION 58

- (Exam Topic 2)
You are building an Azure Cognitive Search custom skill. You have the following custom skill schema definition.

```
{
  "@odata.type": "#Microsoft.Skills.Custom.WebApiSkill",
  "description": "My custom skill description",
  "uri": "https://contoso-webskill.azurewebsites.net/api/process",
  "context": "/document/organizations/*",
  "inputs": [
    {
      "name": "companyName",
      "source": "/document/organizations/*"
    }
  ],
  "outputs": [
    {
      "name": "companyDescription",
    }
  ]
}
```

For each of the following statements, select Yes if the statement. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	CompanyDescription is available for indexing.	<input type="radio"/>	<input type="radio"/>
	The definition calls a web API as part of the enrichment process.	<input type="radio"/>	<input type="radio"/>
	The enrichment step is called only for the first organization under "/document/organizations".	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: Yes
Once you have defined a skillset, you must map the output fields of any skill that directly contributes values to a given field in your search index.

Box 2: Yes
The definition is a custom skill that calls a web API as part of the enrichment process. Box 3: No
For each organization identified by entity recognition, this skill calls a web API to find the description of that organization.
Reference:
<https://docs.microsoft.com/en-us/azure/search/cognitive-search-output-field-mapping>

NEW QUESTION 60

- (Exam Topic 2)

You are developing a text processing solution. You develop the following method.

```
static void GetKeyPhrases(TextAnalyticsClient textAnalyticsClient, string text)
{
    var response = textAnalyticsClient.ExtractKeyPhrases(text);
    Console.WriteLine("Key phrases:");

    foreach (string keyphrase in response.Value)
    {
        Console.WriteLine($"{keyphrase}");
    }
}
```

You call the method by using the following code. GetKeyPhrases(textAnalyticsClient, "the cat sat on the mat");
For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The call will output key phrases from the input string to the console.	<input type="radio"/>	<input type="radio"/>
The output will contain the following words: the, cat, sat, on, and mat.	<input type="radio"/>	<input type="radio"/>
The output will contain the confidence level for key phrases.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes
The Key Phrase Extraction API evaluates unstructured text, and for each JSON document, returns a list of key phrases.
Box 2: No
'the' is not a key phrase.
This capability is useful if you need to quickly identify the main points in a collection of documents. For example, given input text "The food was delicious and there were wonderful staff", the service returns the main talking points: "food" and "wonderful staff".
Box 3: No
Key phrase extraction does not have confidence levels. Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-keyword>

NEW QUESTION 62

- (Exam Topic 2)

You have the following data sources:

- > Finance: On-premises Microsoft SQL Server database
- > Sales: Azure Cosmos DB using the Core (SQL) API
- > Logs: Azure Table storage
- > HR: Azure SQL database

You need to ensure that you can search all the data by using the Azure Cognitive Search REST API. What should you do?

- A. Configure multiple read replicas for the data in Sales.
- B. Mirror Finance to an Azure SQL database.
- C. Migrate the data in Sales to the MongoDB API.
- D. Ingest the data in Logs into Azure Sentinel.

Answer: B

Explanation:

On-premises Microsoft SQL Server database cannot be used as an index data source.
Note: Indexer in Azure Cognitive Search: : Automate aspects of an indexing operation by configuring a data source and an indexer that you can schedule or run on demand. This feature is supported for a limited number of data source types on Azure.
Indexers crawl data stores on Azure.
> Azure Blob Storage
> Azure Data Lake Storage Gen2 (in preview)
> Azure Table Storage

- Azure Cosmos DB
- Azure SQL Database
- SQL Managed Instance
- SQL Server on Azure Virtual Machines Reference:
<https://docs.microsoft.com/en-us/azure/search/search-indexer-overview#supported-data-sources>

NEW QUESTION 65

- (Exam Topic 2)

A customer uses Azure Cognitive Search.

The customer plans to enable a server-side encryption and use customer-managed keys (CMK) stored in Azure.

What are three implications of the planned change? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. The index size will increase.
- B. Query times will increase.
- C. A self-signed X.509 certificate is required.
- D. The index size will decrease.
- E. Query times will decrease.
- F. Azure Key Vault is required.

Answer: ABE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-security-overview>

NEW QUESTION 69

.....

Relate Links

100% Pass Your AI-102 Exam with Examible Prep Materials

<https://www.examible.com/AI-102-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.examible.com/>