

## Exam Questions SC-300

Microsoft Identity and Access Administrator

<https://www.2passeasy.com/dumps/SC-300/>



**NEW QUESTION 1**

- (Exam Topic 1)

You need to configure the MFA settings for users who connect from the Boston office. The solution must meet the authentication requirements and the access requirements.

What should you configure?

- A. named locations that have a private IP address range
- B. named locations that have a public IP address range
- C. trusted IPs that have a public IP address range
- D. trusted IPs that have a private IP address range

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

Location offer your country set, IP ranges MFA trusted IP and corporate network VPN gateway IP address: This is the public IP address of the VPN device for your on-premises network. The VPN device requires an IPv4 public IP address. Specify a valid public IP address for the VPN device to which you want to connect. It must be reachable by Azure Client Address space: List the IP address ranges that you want routed to the local on-premises network through this gateway. You can add multiple address space ranges. Make sure that the ranges you specify here do not overlap with ranges of other networks your virtual network connects to, or with the address ranges of the virtual network itself.


**NEW QUESTION 2**

- (Exam Topic 1)

You need to create the LWGroup1 group to meet the management requirements.

How should you complete the dynamic membership rule? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Null "Member"

**NEW QUESTION 3**

- (Exam Topic 1)

You need to meet the authentication requirements for leaked credentials. What should you do?

- A. Enable federation with PingFederate in Azure AD Connect.
- B. Configure Azure AD Password Protection.
- C. Enable password hash synchronization in Azure AD Connect.
- D. Configure an authentication method policy in Azure AD.

**Answer: C**

**Explanation:**

Reference:



<https://docs.microsoft.com/en-us/azure/security/fundamentals/steps-secure-identity>

**NEW QUESTION 4**

- (Exam Topic 1)

You need to identify which roles to use for managing role assignments. The solution must meet the delegation requirements.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal> <https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

**NEW QUESTION 5**

- (Exam Topic 1)

You need to configure the detection of multi staged attacks to meet the monitoring requirements. What should you do?


- A. Customize the Azure Sentinel rule logic.
- B. Create a workbook.
- C. Add an Azure Sentinel playbook.
- D. Add Azure Sentinel data connectors.

**Answer:** D

**NEW QUESTION 6**

- (Exam Topic 1)

You need to configure the assignment of Azure AD licenses to the Litware users. The solution must meet the licensing requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Litware recently added a custom user attribute named LWLicenses to the litware.com Active Directory forest. Litware wants to manage the assignment of Azure AD licenses by modifying the value of the LWLicenses attribute. Users who have the appropriate value for LWLicenses must be added automatically to a Microsoft 365 group that has the appropriate licenses assigned.

**NEW QUESTION 7**

- (Exam Topic 1)

You need to implement on-premises application and SharePoint Online restrictions to meet the authentication requirements and the access requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

For on-premises applications:

<input type="checkbox"/> Configure Cloud App Security policies. <input type="checkbox"/> Modify the User consent settings for the enterprise applications. <input type="checkbox"/> Publish the applications by using Azure AD Application Proxy.
---

For SharePoint Online:

<input type="checkbox"/> Configure Cloud App Security policies. <input type="checkbox"/> Modify the User consent settings for the enterprise applications. <input type="checkbox"/> Publish an application by using Azure AD Application Proxy.
---

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

For on-premises applications:

<input checked="" type="checkbox"/> Configure Cloud App Security policies. <input type="checkbox"/> Modify the User consent settings for the enterprise applications. <input type="checkbox"/> Publish the applications by using Azure AD Application Proxy.
--

For SharePoint Online:

<input checked="" type="checkbox"/> Configure Cloud App Security policies. <input type="checkbox"/> Modify the User consent settings for the enterprise applications. <input type="checkbox"/> Publish an application by using Azure AD Application Proxy.
--

**NEW QUESTION 8**

- (Exam Topic 2)

You create a Log Analytics workspace.

You need to implement the technical requirements for auditing. What should you configure in Azure AD?

- A. Company branding
- B. Diagnostics settings
- C. External Identities
- D. App registrations

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/overview-monitoring>

**NEW QUESTION 9**

- (Exam Topic 2)

You need to locate licenses to the A. Datum users. The solution must need the technical requirements. Which type of object should you create?

- A. A Dynamo User security group
- B. An OU
- C. A distribution group
- D. An administrative unit

**Answer:** D

**NEW QUESTION 10**

- (Exam Topic 2)

You need to meet the technical requirements for the probability that user identities were compromised. What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The users must first:

- Provide consent for any app to access the data of Contoso.
- Register for multi-factor authentication (MFA).
- Register for self-service password reset (SSPR).

You must configure:

- A sign-in risk policy
- A user risk policy
- An Azure AD Password Protection policy

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-policies>

**NEW QUESTION 10**

- (Exam Topic 2)

You need to meet the planned changes for the User administrator role. What should you do?

- A. Create an access review.
- B. Modify Role settings
- C. Create an administrator unit.
- D. Modify Active Assignments.

**Answer:** B

**Explanation:**

Role Setting details is where you need to be: Role setting details - User Administrator Privileged Identity Management | Azure AD roles  
 Default Setting State  
 Require justification on activation Yes Require ticket information on activation No On activation, require Azure MFA Yes Require approval to activate No  
 Approvers None

**NEW QUESTION 14**

- (Exam Topic 3)

You need to resolve the issue of the sales department users. What should you configure for the Azure AD tenant?

- A. the User settings
- B. the Device settings
- C. the Access reviews settings
- D. Security defaults

**Answer:** B

**NEW QUESTION 17**

- (Exam Topic 3)

You need to implement the planned changes for Package1. Which users can create and manage the access review?

- A. User3 only
- B. User4 only
- C. User5 only
- D. User3 and User4
- E. User3 and User5
- F. User4and User5

**Answer:** E

**NEW QUESTION 21**

- (Exam Topic 3)

You need implement the planned changes for application access to organizational data. What should you configure?

- A. authentication methods
- B. the User consent settings
- C. access packages
- D. an application proxy

**Answer:** B

**NEW QUESTION 25**

- (Exam Topic 3)

You need to resolve the recent security incident issues.

What should you configure for each incident? To answer, drag the appropriate policy types to the correct

issues. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

**NEW QUESTION 29**

- (Exam Topic 3)

You need to modify the settings of the User administrator role to meet the technical requirements. Which two actions should you perform for the role? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Select Require justification on activation
- B. Set all assignments to Active
- C. Set all assignments to Eligible
- D. Modify the Expire eligible assignments after setting.
- E. Select Require ticket information on activation.

Answer: AB

**NEW QUESTION 30**

- (Exam Topic 4)

You have an Azure AD tenant named Contoso that contains a terms of use (ToU) named Terms1 and an access package. Contoso users collaborate with an external organization named Fabrikam. Fabrikam users must accept Terms1 before being allowed to use the access package. You need to identify which users accepted or declined Terms1. What should you use?

- A. provisioning logs
- B. the Usage and Insights report
- C. sign-in logs
- D. audit logs

Answer: D

**NEW QUESTION 31**

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	None
User2	None
Admin1	Application administrator
Admin2	Authentication administrator

The User settings for enterprise applications have the following configuration.

- Users can consent to apps accessing company data on their behalf:
  - Users can consent to apps accessing company data for the groups they
  - Users can request admin consent to apps they are unable to consent to: Yes
  - Who can review admin consent requests: Admin2, User2
- User1 attempts to add an app that requires consent to access company data. Which user can provide consent?

- A. User1
- B. User2
- C. Admin1
- D. Admin2

**Answer: C**

**NEW QUESTION 32**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Active Directory forest that syncs to an Azure Active Directory (Azure AD) tenant.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure Azure AD Password Protection. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**NEW QUESTION 34**

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription and an Azure subscription. You need to meet the following requirements:

- Ensure that users can sign in to Azure virtual machines by using their Microsoft 365 credentials.
- Delegate the ability to create new virtual machines.

What should you use for each requirement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Features	Answer Area
Azure AD built-in roles	Ensure that users can sign in to Azure virtual machines by using their Microsoft 365 credentials:
Azure AD managed identities	Delegate the ability to create new virtual machines:
Azure role-based access control (Azure RBAC)	

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Features	Answer Area
Azure AD built-in roles	Ensure that users can sign in to Azure virtual machines by using their Microsoft 365 credentials: Azure AD built-in roles
Azure AD managed identities	Delegate the ability to create new virtual machines: Azure role-based access control (Azure RBAC)
Azure role-based access control (Azure RBAC)	

**NEW QUESTION 36**

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription.

You purchase the app governance add-on license. You need to enable app governance integration. Which portal should you use?

- A. the Microsoft Defender for Cloud Apps portal
- B. the Microsoft 365 admin center
- C. Microsoft 365 Defender
- D. the Azure Active Directory admin center
- E. the Microsoft Purview compliance portal

Answer: A

**NEW QUESTION 39**

- (Exam Topic 4)

You have an Azure AD tenant.

You perform the tasks shown in the following table.

Date	Task
March 1	Register four enterprise applications named App1, App2, App3, and App4.
March 15	From the tenant, update the following settings for App1: App roles, Users and groups, Client secret, and Self-service.
March 20	From the tenant, update the following settings for App2: App roles, Users and groups, Client secret, and Self-service.
March 25	From the tenant, update the following settings for App3: App roles, Users and groups, Client secret, and Self-service.
March 30	From the tenant, update the following settings for App4: App roles, Users and groups, Client secret, and Self-service.

On April 5, an administrator deletes App1, App2, App3, and App4.

You need to restore the apps and the settings.

Which apps can you restore on April 16, and which settings can you restore for App4 on April 16? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

Apps:

- No apps
- App4 only
- App3 and App4 only**
- App2, App3, and App4 only
- App1, App2, App3, and App4

App4 settings:

- No settings
- Self-service only
- App roles and Client secret only
- Users and groups and Self-service only
- App roles, Users and groups, Client secret, and Self-service**

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

A screenshot of a phone Description automatically generated

**NEW QUESTION 41**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has Security defaults disabled. You are creating a conditional access policy as shown in the following exhibit.

# New

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name \*

### Assignments

- Users and groups ⓘ >  
 Specific users included
- Cloud apps or actions ⓘ >  
 All cloud apps
- Conditions ⓘ >  
 0 conditions selected
- Access controls >
  - Grant ⓘ >  
 0 controls selected
  - Session ⓘ >  
 0 controls selected

Control user access based on users and groups assignment for all users, specific groups of users, directory roles, or external guest users. [Learn more](#)

**Include** Exclude

- None
- All users
- Select users and groups
  - All guest users (preview) ⓘ
  - Directory roles (preview) ⓘ
  - Users and groups

Select ⓘ >  
 1 user

US User1  
 user1@sk200922outlook.onm...

Enable policy

Report-only  On  Off

[Create](#)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the **[answer choice]**.

▼

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the **[answer choice]**.

▼

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

**NEW QUESTION 44**

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in The following table.

Name	Role
User1	User Administrator
User2	Password Administrator
User3	Security Reader
User4	User

You enable self-service password reset (SSPR) for all the users and configure SSPR to require security questions as the only authentication method. Which users must use security questions when resetting their password?

- A. User4 only
- B. User3and User4only
- C. User1 and User4only
- D. User1, User3, and User4 only
- E. User1, User2, User3. and User4

**Answer: B**

**NEW QUESTION 48**

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Member of	Multi-factor authentication (MFA)
User1	Group1	Enabled but never used
User2	Group2	Disabled
User3	Group1, Group2	Enforced and used

In Azure AD Identity Protection, you configure a user risk policy that has the following settings:

- Assignments: o Users: Group1
- o User risk: Low and above
- Controls:
- o Access: Block access
- Enforce policy: On

In Azure AD Identity Protection, you configure a sign-in risk policy that has the following settings:

- Assignments: o Users: Group2
- o Sign-in risk: Low and above
- Controls:
- o Access: Require multi-factor authentication
- Enforce policy. On the following settings: ng settings:

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 can sign in from an anonymous IP address.	<input type="radio"/>	<input checked="" type="radio"/>
User2 can sign in from an anonymous IP address.	<input type="radio"/>	<input checked="" type="radio"/>
User3 can sign in from an anonymous IP address.	<input type="radio"/>	<input checked="" type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Answer Area

Statements	Yes	No
User1 can sign in from an anonymous IP address.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User2 can sign in from an anonymous IP address.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
User3 can sign in from an anonymous IP address.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**NEW QUESTION 51**

- (Exam Topic 4)

You have a Microsoft Exchange organization that uses an SMTP address space of contoso.com. Several users use their contoso.com email address for self-service sign up to Azure Active Directory (Azure AD). You gain global administrator privileges to the Azure AD tenant that contains the self-signed users. You need to prevent the users from creating user accounts in the contoso.com Azure AD tenant for self-service sign-up to Microsoft 365 services. Which PowerShell cmdlet should you run?

- A. Set-MsolCompanySettings
- B. Set-MsolDomainFederationSettings
- C. Update-MsolFederatedDomain
- D. Set-MsolDomain

**Answer:** A

**Explanation:**

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/directory-self-service-signup>

**NEW QUESTION 55**

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
Admin1	User Administrator
Admin2	Password Administrator
Admin3	Application Administrator

You need to compare the role permissions of each user. The solution must minimize administrative effort. What should you use?

- A. the Microsoft 365 Defender portal
- B. the Microsoft 365 admin center
- C. the Microsoft Entra admin center
- D. the Microsoft Purview compliance portal

**Answer:** C

**NEW QUESTION 60**

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription. Users authorize third-party cloud apps to access their data. You need to configure an alert that will be triggered when an app requires high permissions and is authorized by more than 20 users. Which type of policy should you create in the Microsoft Defender for Cloud Apps portal?

- A. anomaly detection policy
- B. OAuth app policy
- C. access policy
- D. activity policy

**Answer:** C

**NEW QUESTION 64**

- (Exam Topic 4)

You have a Microsoft 365 tenant. All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services. Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request. You need to block the users automatically when they report an MFA request that they did not initiate. Solution: From the Azure portal, you configure the Fraud alert

settings for multi-factor authentication (MFA). Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

The fraud alert feature lets users report fraudulent attempts to access their resources. When an unknown and suspicious MFA prompt is received, users can report the fraud attempt using the Microsoft Authenticator app or through their phone.

The following fraud alert configuration options are available:

- > Automatically block users who report fraud.
- > Code to report fraud during initial greeting. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

**NEW QUESTION 67**

- (Exam Topic 4)

You have a Microsoft 365 tenant.

In Azure Active Directory (Azure AD), you configure the terms of use.

You need to ensure that only users who accept the terms of use can access the resources in the tenant. Other users must be denied access.

What should you configure?

- A. an access policy in Microsoft Cloud App Security.
- B. Terms and conditions in Microsoft Endpoint Manager.
- C. a conditional access policy in Azure AD
- D. a compliance policy in Microsoft Endpoint Manager

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use>

**NEW QUESTION 68**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the following objects:

- > A device named Device1
- > Users named User1, User2, User3, User4, and User5
- > Groups named Group1, Group2, Group3, Group4, and Group5 The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group3
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	User4
Group5	Microsoft 365	Dynamic User	User5

To which groups can you assign a Microsoft Office 365 Enterprise E5 license directly?

- A. Group1 and Group4 only
- B. Group1, Group2, Group3, Group4, and Group5
- C. Group1 and Group2 only
- D. Group1 only
- E. Group1, Group2, Group4, and Group5 only

**Answer:** C

**Explanation:**


Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced>


**NEW QUESTION 71**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has multi-factor authentication (MFA) enabled. The account lockout settings are configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
 NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

App code 60

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings#account-lockout>

**NEW QUESTION 72**


- (Exam Topic 4)

You have a Microsoft 365 tenant.

You need to identify users who have leaked credentials. The solution must meet the following requirements.

- Identify sign-ins by users who are suspected of having leaked credentials.
- Tag the sign-ins as a high risk event.
- Immediately enforce a control to mitigate the risk, while still allowing the user to access applications. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

**NEW QUESTION 74**

- (Exam Topic 4)

Your company has a Microsoft 365 tenant.

The company has a call center that contains 300 users. In the call center, the users share desktop computers and might use a different computer every day. The call center computers are NOT configured for biometric identification.

The users are prohibited from having a mobile phone in the call center.

You need to require multi-factor authentication (MFA) for the call center users when they access Microsoft 365 services.

What should you include in the solution?

- A. a named network location
- B. the Microsoft Authenticator app
- C. Windows Hello for Business authentication
- D. FIDO2 tokens

**Answer:** D

**Explanation:**

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-passwordless>

**NEW QUESTION 78**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

You have 100 IT administrators who are organized into 10 departments. You create the access review shown in the exhibit. (Click the Exhibit tab.)

**Create an access review**

Access reviews allow reviewers to attest to whether users still need to be in a role.

Review name \* Admin review ✓

Description ⓘ

Start date \* 12/18/2020

Frequency Monthly

Duration (in days) ⓘ  14

End ⓘ  Never  End by  Occurrences

Number of times 0

End date 01/17/2021

Users Scope  Everyone

Review role membership (permanent and eligible) \*  
Application Administrator and 72 others

Reviewers (Preview) Manager

(Preview) Fallback reviewers ⓘ  
Megan Bowen

✓ Upon completion settings

**Start**

You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.

Solution: You modify the properties of the IT administrator user accounts. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

Reference:

D18912E1457D5D1DDCBD40AB3BF70D5D  
<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

#### NEW QUESTION 79

- (Exam Topic 4)

You configure a new Microsoft 365 tenant to use a default domain name of contoso.com.

You need to ensure that you can control access to Microsoft 365 resources by using conditional access policies.

What should you do first?

- A. Disable the User consent settings.
- B. Disable Security defaults.
- C. Configure a multi-factor authentication (MFA) registration policy.
- D. Configure password protection for Windows Server Active Directory.

**Answer: B**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults>

#### NEW QUESTION 81

- (Exam Topic 4)

Your network contains an Active Directory forest named contoso.com that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com by using Azure AD Connect.

You need to prevent the synchronization of users who have the extensionAttribute15 attribute set to NoSync.

What should you do in Azure AD Connect?

- A. Create an inbound synchronization rule for the Windows Azure Active Directory connector.
- B. Configure a Full Import run profile.
- C. Create an inbound synchronization rule for the Active Directory Domain Services connector.
- D. Configure an Export run profile.

**Answer: C**

#### Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sync-change-the-configuration>

#### NEW QUESTION 83

- (Exam Topic 4)

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you.

Solution: From Azure monitor, you create a data collection rule. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

#### NEW QUESTION 86

- (Exam Topic 4)

You have an Azure subscription that uses Azure AD Privileged Identity Management (PIM). You need to identify users that are eligible for the Cloud Application Administrator role. Which blade in the Privileged Identity Management settings should you use?

- A. Azure resources
- B. Privileged access groups
- C. Review access
- D. Azure AD roles

**Answer: D**

#### NEW QUESTION 89

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure AD, you modify the Diagnostics settings.

Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

#### NEW QUESTION 93

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

You have 100 IT administrators who are organized into 10 departments. You create the access review shown in the exhibit. (Click the Exhibit tab.)

**Create an access review**

Access reviews allow reviewers to attest to whether users still need to be in a role.

Review name \*

Description

Start date \*

Frequency

Duration (in days)

End  Never  End by  Occurrences

Number of times

End date

Users Scope  Everyone

Review role membership (permanent and eligible) \*  
 Application Administrator and 72 others

Reviewers

(Preview) Fallback reviewers

Upon completion settings

**Start**

You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.

Solution: You add each manager as a fallback reviewer. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

**NEW QUESTION 98**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant. You open the risk detections report.

Which risk detection type is classified as a user risk?

- A. impossible travel
- B. anonymous IP address
- C. atypical travel
- D. leaked credentials

**Answer: D**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

**NEW QUESTION 102**

- (Exam Topic 4)

You have a Microsoft 365 subscription. The subscription contains users that use Microsoft Outlook 2016 and Outlook 2013 clients. You need to implement tenant restrictions. The solution must minimize administrative effort. What should you do first?

- A. Upgrade the Outlook 2013 clients to Outlook 2016.
- B. Configure the Outlook 2013 clients to use modern authentication.

- C. Upgrade all the Outlook clients to Outlook 2019.
- D. From the Exchange admin center, configure Organization Sharing.

Answer: A

**NEW QUESTION 107**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Directory synced
User1	Member	Yes
User2	Member	No
User3	Guest	No

For which users can you configure the Job title property and the Usage location property in Azure AD? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Job title property:  User2 only  
 User1 and User2 only  
 User2 and User3 only  
 User1, User2, and User3

Usage location property:  User2 only  
 User1 and User2 only  
 User2 and User3 only  
 User1, User2, and User3

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Answer Area

Job title property:  User2 only  
 User1 and User2 only  
 User2 and User3 only  
 User1, User2, and User3

Usage location property:  User2 only  
 User1 and User2 only  
 User2 and User3 only  
 User1, User2, and User3

**NEW QUESTION 109**

- (Exam Topic 4)

You have an Azure AD tenant that has multi-factor authentication (MFA) enforced and self-service password reset (SSPR) enabled.

You enable combined registration in interrupt mode. You create a new user named User1.

Which two authentication methods can User1 use to complete the combined registration process? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. a FIDO2 security key
- B. a hardware token
- C. a one-time passcode email
- D. Windows Hello for Business
- E. the Microsoft Authenticator app

Answer: AE

**NEW QUESTION 113**

- (Exam Topic 4)

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company has a business partner named Fabrikam, Inc.

Fabrikam uses Azure AD and has two verified domain names of fabrikam.com and litwareinc.com. Both domain names are used for Fabrikam email addresses.

You plan to create an access package named package1 that will be accessible only to the users at Fabrikam. You create a connected organization for Fabrikam.

You need to ensure that the package1 will be accessible only to users who have fabrikam.com email addresses. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To allow access for users who have fabrikam.com email addresses, configure:

- An access package assignment in Identity Governance
- An access package policy in Identity Governance
- A conditional access policy in Azure AD
- The External collaboration settings in Azure AD

To block access for users who have litwareinc.com email addresses, configure:

- An access package assignment in Identity Governance
- An access package policy in Identity Governance
- A conditional access policy in Azure AD
- The External collaboration settings in Azure AD

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-re> <https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-cr>

**NEW QUESTION 114**

- (Exam Topic 4)

You create a conditional access policy that blocks access when a user triggers a high-severity sign-in alert. You need to test the policy under the following conditions;

- A user signs in from another country.
- A user triggers a sign-in risk.

What should you use to complete the test?

- A. the Conditional Access What If tool
- B. sign-ins logs in Azure AD
- C. access reviews in Azure AD
- D. the activity logs in Microsoft Defender for Cloud Apps

**Answer:** A

**NEW QUESTION 117**

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1 and the users shown in the following table.

The users have the devices shown in the following table. You create the following two Conditional Access policies:

- Name: CAPolicy1
- Assignments
  - o Users or workload identities: Group 1
  - o Cloud apps or actions: Office 365 SharePoint Online
  - o Conditions
    - Filter for devices: Exclude filtered devices from the policy
    - Rule syntax: device.displayName -starts With "Device\*"
  - o Access controls Grant: Block access
  - Session: 0 controls selected
- Name: CAPolicy2
- Assignments
  - o Users or workload identities: Group2
  - o Cloud apps or actions: Office 365 SharePoint Online
  - o Conditions: 0 conditions selected
  - Access controls
    - o Grant: Grant access
    - Require multifactor authentication
    - o Session: 0 controls selected
  - Enable policy: On

All users confirm that they can successfully authenticate using MFA.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 can access Site1 from Device1.	<input type="radio"/>	<input type="radio"/>
User2 can access Site1 from Device2.	<input type="radio"/>	<input type="radio"/>
User3 can access Site1 from Device3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

A screenshot of a computer Description automatically generated

**NEW QUESTION 121**

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription. You need to perform the following tasks:

- Identify the locations and IP addresses used by Azure AD users to sign in
- Review the Azure AD security settings and identify improvement recommendations.
- Identify changes to Azure AD users or service principle.

What should you use for each task? To answer, drag the appropriate resources to the correct requirements. Each resource may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Resources	Answer Area
Audit logs	Identify the locations and IP addresses used by Azure AD users to sign in: <input style="width: 150px; height: 20px;" type="text"/>
Identity secure score	Identify changes to Azure AD users or service principals: <input style="width: 150px; height: 20px;" type="text"/>
Provisioning logs	Review the Azure AD security settings and identify improvement recommendations: <input style="width: 150px; height: 20px;" type="text"/>
Sign-in logs	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Resources	Answer Area
Audit logs	Identify the locations and IP addresses used by Azure AD users to sign in: <input style="width: 150px; height: 20px; border: 1px dashed red;" type="text" value="Sign-in logs"/>
Identity secure score	Identify changes to Azure AD users or service principals: <input style="width: 150px; height: 20px; border: 1px dashed red;" type="text" value="Audit logs"/>
Provisioning logs	Review the Azure AD security settings and identify improvement recommendations: <input style="width: 150px; height: 20px; border: 1px dashed red;" type="text" value="Identity secure score"/>
Sign-in logs	

**NEW QUESTION 125**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Role
User1	Conditional Access administrator
User2	Authentication administrator
User3	Security administrator
User4	Security operator

You plan to implement Azure AD Identity Protection.

Which users can configure the user risk policy, and which users can view the risky users report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Configure the user risk policy:

- User3 only
- User3 and User4 only
- User1, User2, and User3 only
- User1, User3, and User4 only
- User1, User2, User3, and User4

View the risky users report:

- User3 only
- User3 and User4 only
- User1, User2, and User3 only
- User1, User3, and User4 only
- User1, User2, User3, and User4

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Graphical user interface, text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/overview-identity-protection>

**NEW QUESTION 130**

- (Exam Topic 4)

Your company recently implemented Azure Active Directory (Azure AD) Privileged Identity Management (PIM).

While you review the roles in PIM, you discover that all 15 users in the IT department at the company have permanent security administrator rights.

You need to ensure that the IT department users only have access to the Security administrator role when required.

What should you configure for the Security administrator role assignment?

- A. Expire eligible assignments after from the Role settings details
- B. Expire active assignments after from the Role settings details
- C. Assignment type to Active
- D. Assignment type to Eligible

Answer: D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

**NEW QUESTION 131**

- (Exam Topic 4)

You have an Azure subscription that contains an Azure SQL database named db1.

You deploy an Azure App Service web app named App1 that provide product information to users that connect to App1 anonymously.

You need to provide App1 with Access to db1. The solution must meet the following requirements:

\* Credentials must only be available to App1.

\* Administrative effort must be minimized. Which type of credentials should you use?

- A. a user-assigned managed identity
- B. an Azure AD user account
- C. A SQL Server account
- D. a system-assigned managed identity

Answer: D

**NEW QUESTION 136**

- (Exam Topic 4)

You have an Azure AD tenant contains the users shown in the following table.

Name	Role
User1	None
User2	Privileged Authentication Administrator
User3	Global Administrator

In Azure AD Privileged Identity Management (PIM), you configure the Global Administrator role as shown in the following exhibit.

Edit

Setting	State
Activation maximum duration (hours)	1 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
On activation, require Azure MFA	Yes
Require approval to activate	No
Approvers	None

**Assignment**

Setting	State
Allow permanent eligible assignment	Yes
Expire eligible assignments after	-
Allow permanent active assignment	Yes
Expire active assignments after	-
Require Azure Multi-Factor Authentication on active assignment	No
Require justification on active assignment	Yes

User 1 is eligible for the Global Administrator role.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 requires Azure Multi-Factor Authentication (MFA) to activate the Global Administrator role.	<input type="radio"/>	<input type="radio"/>
User2 can approve all activation requests for the Global Administrator role.	<input type="radio"/>	<input type="radio"/>
User2 and User3 can edit the Global Administrator role assignment.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Statements	Yes	No
User1 requires Azure Multi-Factor Authentication (MFA) to activate the Global Administrator role.	<input checked="" type="radio"/>	<input type="radio"/>
User2 can approve all activation requests for the Global Administrator role.	<input type="radio"/>	<input checked="" type="radio"/>
User2 and User3 can edit the Global Administrator role assignment.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 140**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.

You deploy an Azure subscription and enable Microsoft 365 Defender

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.  
 Solution: From the Microsoft 365 Defender portal, you add the Microsoft Azure app connector. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 142**

- (Exam Topic 4)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2019	Domain controller
Server2	Windows Server 2019	Domain controller
Server3	Windows Server 2019	Azure AD Connect

The domain controllers are prevented from communicating to the internet. You implement Azure AD Password Protection on Server1 and Server2. You deploy a new server named Server4 that runs Windows Server 2019.

You need to ensure that Azure AD Password Protection will continue to work if a single server fails. What should you implement on Server4?

- A. Azure AD Connect
- B. Azure AD Application Proxy
- C. Password Change Notification Service (PCNS)
- D. the Azure AD Password Protection proxy service

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdep>

**NEW QUESTION 146**

- (Exam Topic 4)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain.

You plan to create an emergency-access administrative account named Emergency1. Emergency1 will be assigned the Global administrator role in Azure AD.

Emergency1 will be used in the event of Azure AD functionality failures and on-premises infrastructure failures.

You need to reduce the likelihood that Emergency1 will be prevented from signing in during an emergency. What should you do?

- A. Configure Azure Monitor to generate an alert if Emergency1 is modified or signs in.
- B. Require Azure AD Privileged Identity Management (PIM) activation of the Global administrator role for Emergency1.
- C. Configure a conditional access policy to restrict sign-in locations for Emergency1 to only the corporate network.
- D. Configure a conditional access policy to require multi-factor authentication (MFA) for Emergency1.

**Answer:** A

**NEW QUESTION 147**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the objects shown in the following table.

Name	Type	Directly assigned license
User1	User	None
User2	User	Microsoft Office 365 Enterprise E5
Group1	Security group	Microsoft Office 365 Enterprise E5
Group2	Microsoft 365 group	None
Group3	Mail-enabled security group	None

Which objects can you add as members to Group3?

- A. User2 and Group2 only
- B. User2, Group1, and Group2 only
- C. User1, User2, Group1 and Group2
- D. User1 and User2 only
- E. User2 only

**Answer:** E

**Explanation:**

Reference:

<https://bitsizedbytes.wordpress.com/2018/12/10/distribution-security-and-office-365-groups-nesting/>

**NEW QUESTION 151**

- (Exam Topic 4)

You have a Microsoft 365 tenant named contoso.com.

Guest user access is enabled.

Users are invited to collaborate with contoso.com as shown in the following table.

User email	User type	Invitation accepted	Shared resource
User1@outlook.com	Guest	No	Enterprise application
User2@fabrikam.com	Guest	Yes	Enterprise application

From the External collaboration settings in the Azure Active Directory admin center, you configure the Collaboration restrictions settings as shown in the following exhibit.

### Collaboration restrictions

- Allow invitations to be sent to any domain (most inclusive)
- Deny invitations to the specified domains
- Allow invitations only to the specified domains (most restrictive)

Delete

TARGET DOMAINS

Outlook.com

From a Microsoft SharePoint Online site, a user invites user3@adatum.com to the site.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can accept the invitation and gain access to the enterprise application.	<input type="radio"/>	<input type="radio"/>
User2 can access the enterprise application.	<input type="radio"/>	<input type="radio"/>
User3 can accept the invitation and gain access to the SharePoint site.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Invitations can only be sent to outlook.com. Therefore, User1 can accept the invitation and access the application.

Box 2: Yes

Invitations can only be sent to outlook.com. However, User2 has already received and accepted an invitation so User2 can access the application.

Box 3: No

Invitations can only be sent to outlook.com. Therefore, User3 will not receive an invitation.

**NEW QUESTION 156**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

You have 100 IT administrators who are organized into 10 departments. You create the access review shown in the exhibit. (Click the Exhibit tab.)

### Create an access review

Access reviews allow reviewers to attest to whether users still need to be in a role.

Review name \*

Description

Start date \*

Frequency

Duration (in days)

End  Never  End by  Occurrences

Number of times

End date

Users Scope  Everyone

Review role membership (permanent and eligible) \*  
[Application Administrator and 72 others](#)

Reviewers

(Preview) Fallback reviewers

Upon completion settings

**Start**

You discover that all access review requests are received by Megan Bowen. You need to ensure that the manager of each department receives the access reviews of their respective department. Solution: You create a separate access review for each role. Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

**NEW QUESTION 159**

- (Exam Topic 4)

You have a new Microsoft 365 tenant that uses a domain name of contoso.onmicrosoft.com. You register the name contoso.com with a domain registrar. You need to use contoso.com as the default domain name for new Microsoft 365 users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

- Delete the contoso.onmicrosoft.com domain.
- Register a custom domain name of contoso.com.
- Set the domain to primary.
- Create a new TXT record in DNS.
- Verify the domain name.

**Answer Area**

← ↑

→ ↓

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Table Description automatically generated with medium confidence

Reference:

<https://practical365.com/configure-a-custom-domain-in-office-365/>

**NEW QUESTION 162**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the following group:

- > Name: Group1
- > Members: User1, User2
- > Owner: User3

On January 15, 2021, you create an access review as shown in the exhibit. (Click the Exhibit tab.)

**Create an access review**

Review name \*

Description

Start date \*

Frequency

Duration (in days)

End  Never  End by  Occurrences

Number of times

End date \*

Users  
 Users to review

Scope  Guest users only  Everyone

Group \*  
 Group1

Reviewers  
 Reviewers

Programs  
 Link to program  
 Default Business Flow

Upon completion settings

Advanced settings

**Start**

Users answer the Review1 question as shown in the following table.

User	Date	Do you still need access to Group1?
User1	January 17, 2021	Yes
User2	January 20, 2021	No

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
On February 5, 2021, User1 can answer the Review1 question again.	<input type="radio"/>	<input type="radio"/>
On January 25, 2021, User2 can answer the Review1 question again.	<input type="radio"/>	<input type="radio"/>
On January 22, 2021, User3 can answer the Review1 question.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

A screenshot of a computer Description automatically generated with low confidence

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/review-your-access>

**NEW QUESTION 166**

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You currently allow email clients that use Basic authentication to connect to Microsoft Exchange Online.

You need to ensure that users can connect to Exchange only run email clients that use Modern authentication protocols.

What should you implement?

You need to ensure that use Modern authentication

- A. a compliance policy in Microsoft Endpoint Manager
- B. a conditional access policy in Azure Active Directory (Azure AD)
- C. an application control profile in Microsoft Endpoint Manager
- D. an OAuth policy in Microsoft Cloud App Security

**Answer:** C

**NEW QUESTION 169**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named conto.so.com that has Azure AD Identity Protection enabled. You need to implement a sign-in risk remediation policy without blocking access.

What should you do first?

- A. Configure access reviews in Azure AD.
- B. Enforce Azure AD Password Protection.
- C. implement multi-factor authentication (MFA) for all users.
- D. Configure self-service password reset (SSPR) for all users.

**Answer:** C

**Explanation:**

MFA and SSPR are both required. However, MFA is required first. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-remediate-> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment>

**NEW QUESTION 171**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription. You create a user named User1.

You need to ensure that User1 can update the status of identity Secure Score improvement actions. Solution: You assign the User Administrator role to User1.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 175**

- (Exam Topic 4)

You have an Azure subscription that contains the custom roles shown in the following table.

Name	Type
Role1	Azure Active Directory (Azure AD) role
Role2	Azure subscription role

You need to create a custom Azure subscription role named Role3 by using the Azure portal. Role3 will use the baseline permissions of an existing role. Which roles can you clone to create Role3?

- A. Role2 only
- B. built-in Azure subscription roles only
- C. built-in Azure subscription roles and Role2 only
- D. built-in Azure subscription roles and built-in Azure AD roles only
- E. Role1, Role2 built-in Azure subscription roles, and built-in Azure AD roles

**Answer: C**

**NEW QUESTION 179**

- (Exam Topic 4)

You have a Microsoft 365 tenant that uses the domain named fabrikam.com. The Guest invite settings for Azure Active Directory (Azure AD) are configured as shown in the exhibit. (Click the Exhibit tab.)

Guest user access

Guest user access restrictions (Preview) ⓘ

[Learn more](#)

- Guest users have the same access as members (most inclusive)
- Guest users have limited access to properties and memberships of directory objects
- Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Guest invite settings

Admins and users in the guest inviter role can invite ⓘ

Yes  No

Members can invite ⓘ

Yes  No

Guests can invite ⓘ

Yes  No

Email One-Time Passcode for guests ⓘ

[Learn more](#)

Yes  No

Enable guest self-service sign up via user flows (Preview) ⓘ

[Learn more](#)

Yes  No

Collaboration restrictions

- Allow invitations to be sent to any domain (most inclusive)
- Deny invitations to the specified domains
- Allow invitations only to the specified domains (most restrictive)

A user named bsmith@fabrikam.com shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	A guest user in fabrikam.com
User2	User2@outlook.com	A user who has never accessed resources in fabrikam.com
User3	User3@fabrkam.com	A user in fabrikam.com

Which users will be emailed a passcode?

- A. User2 only
- B. User1 only
- C. User1 and User2 only
- D. User1, User2, and User3

**Answer: A**

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode>

**NEW QUESTION 181**

- (Exam Topic 4)

Your company has a Microsoft 365 tenant.

All users have computers that run Windows 10 and are joined to the Azure Active Directory (Azure AD) tenant.

The company subscribes to a third-party cloud service named Service1. Service1 supports Azure AD authentication and authorization based on OAuth. Service1 is published to the Azure AD gallery.

You need to recommend a solution to ensure that the users can connect to Service1 without being prompted for authentication. The solution must ensure that the users can access Service1 only from Azure AD-joined computers. The solution must minimize administrative effort.

What should you recommend for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Ensure that the users can connect to Service1 without being prompted for authentication:

- An app registration in Azure AD
- Azure AD Application Proxy
- An enterprise application in Azure AD
- A managed identity in Azure AD

Ensure that the users can access Service1 only from the Azure AD-joined computers:

- Azure AD Application Proxy
- A compliance policy
- A conditional access policy
- An OAuth policy

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/require-managed-devices>

**NEW QUESTION 183**

- (Exam Topic 4)

You have a Microsoft 365 E5 tenant. You purchase a cloud app named App1.

You need to enable real-time session-level monitoring of App1 by using Microsoft Cloud app Security.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

**Answer Area**

- From Microsoft Cloud App Security, create a session policy.
- Publish App1 in Azure Active Directory (Azure AD).
- Create a conditional access policy that has session controls configured.
- From Microsoft Cloud App Security, modify the Connected apps settings for App1.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

A picture containing application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/proxy-deployment-any-app> <https://docs.microsoft.com/en-us/cloud-app-security/session-policy-aad>

**NEW QUESTION 184**

- (Exam Topic 4)

You have an Azure AD tenant that contains two users named User1 and User2. You plan to perform the following actions:

- Create a group named Group 1.
- Add User1 and User 2 to Group1.
- Assign Azure AD roles to Group1. You need to create Group1.

Which two settings can you use? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point

- A. Group type: Microsoft 365 Membership type: Dynamic User
- B. Group type: Security Membership type: Dynamic Device
- C. Group type Security Membership type: Dynamic User
- D. Group type Security Membership type: Assigned
- E. Group type: Microsoft 365 Membership type: Assigned

**Answer:** DE

**NEW QUESTION 187**

- (Exam Topic 4)

You have an Azure subscription.

Azure AD logs are sent to a Log Analytics workspace.

You need to query the logs and graphically display the number of sign-ins per user.

How should you complete the query? To answer, select the appropriate options in the answer area.

```
SigninLogs
| where ResultType == 0
| [ ] login_count = count() by Identity
```

extend  
 print  
 project  
 render  
 summarize

```
[ ] columnchart
```

extend  
 print  
 project  
 render  
 summarize

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Box 1 = SigninLogs

| where ResultType == 0

| summarize login\_count = count() by identity

| render piechart

This query retrieves the sign-in logs, filters the successful sign-ins, summarizes the count of sign-ins per user, and renders the result as a pie chart.

Box 2 = Render

**NEW QUESTION 192**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.

You deploy an Azure subscription and enable Microsoft 365 Defender.

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.

Solution: From the Microsoft 365 Defender portal, you add the Google Workspace app connector. Does this meet the goal?

- A. Yes
- B. No

Answer: B

**NEW QUESTION 193**

- (Exam Topic 4)

Your company has an Azure Active Directory (Azure AD) tenant named contosri.com. The company has the business partners shown in the following table.

Name	Description
Fabrikam, Inc.	An Azure AD tenant that has two verified domains: named fabrikam.com and adatum.com
Litware, Inc.	A third-party identity provider that uses the domain names of litwareinc.com and contoso.com

users can request access by using package 1.

Users at Fabrikam and Litware use all then respective domain names for email addresses.

You plan to create an access package named package1 that will be accessible only to the Fabrikam and Litware users.

You need to configure connected organizations for Fabrikam and litware so that any of their users can request access by using package1.

What is the minimum of connected organization that you should create.

- A. 1
- B. 2
- C. 3
- D. 4


Answer: C

**NEW QUESTION 196**


- (Exam Topic 4)

You have a Microsoft 365 tenant.


You configure a conditional access policy as shown in the Conditional Access policy exhibit. (Click the Conditional Access policy tab.)



You view the User administrator role settings as shown in the Role setting details exhibit. (Click the Role setting details tab.)



You view the User administrator role assignments as shown in the Role assignments exhibit. (Click the Role assignments tab.)



For each of the following statement, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
Before Admin1 can perform a task that requires the User administrator role, an approver must approve the activation request.	<input type="radio"/>	<input type="radio"/>
Admin2 can request activation of the User administrator role for a period of two hours.	<input type="radio"/>	<input type="radio"/>
If Admin3 connects to the Azure Active Directory admin center, and then activates the User administrator role, Admin3 will be prompted to authenticate by using multi-factor authentication (MFA) twice.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
 Yes Yes Yes

**NEW QUESTION 199**

- (Exam Topic 4)

You have an Azure AD tenant named contoso.com that has Email one-time passcode for guests set to Yes. You invite the guest users shown in the following table.

Name	Email domain	Account type
Guest1	adatum.com	Azure AD account
Guest2	outlook.com	Microsoft account
Guest3	gmail.com	Personal Google account

Which users will receive a one-time passcode, and how long will the passcode be valid? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

Users:

- Guest1 only
- Guest2 only
- Guest3 only
- Guest1 and Guest2 only
- Guest2 and Guest3 only
- Guest1, Guest2, and Guest3

Valid for:

- 30 minutes
- 60 minutes
- 24 hours
- 48 hours

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Users:

- Guest1 only
- Guest2 only
- Guest3 only
- Guest1 and Guest2 only
- Guest2 and Guest3 only
- Guest1, Guest2, and Guest3

Valid for:

- 30 minutes
- 60 minutes
- 24 hours
- 48 hours


**NEW QUESTION 202**

- (Exam Topic 4)


Your network contains an on-premises Active Directory Domain Services (AD DS) domain that syncs with Azure AD and contains the users shown in the following table.

Name	Organizational unit (OU)
User1	OU1
User2	OU2

In Azure AD Connect, Domain/OU Filtering is configured as shown in the following exhibit.



Azure AD Connect is configured as shown in the following exhibit.



For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
User1 can use self-service password reset (SSPR) to reset his password.	<input type="radio"/>	<input type="radio"/>
If User1 accesses Microsoft Exchange Online, he will be authenticated by an on-premises domain controller.	<input type="radio"/>	<input type="radio"/>
User2 can be added to a Microsoft SharePoint Online site as a member.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

**Statements**

User1 can use self-service password reset (SSPR) to reset his password.

**Yes**

**No**

If User1 accesses Microsoft Exchange Online, he will be authenticated by an on-premises domain controller.



User2 can be added to a Microsoft SharePoint Online site as a member.



**NEW QUESTION 205**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains cloud-based enterprise apps. You need to group related apps into categories in the My Apps portal.

What should you create?

- A. tags
- B. collections
- C. naming policies
- D. dynamic groups

**Answer:** B

**Explanation:**

Reference:

<https://support.microsoft.com/en-us/account-billing/customize-app-collections-in-the-my-apps-portal-2dae6b8a>

**NEW QUESTION 207**

- (Exam Topic 4)

You plan to deploy a new Azure AD tenant.

Which multifactor authentication (MFA) method will be enabled by default for the tenant?

- A. Microsoft Authenticator
- B. SMS
- C. voice call
- D. email OTP

**Answer:** B

**NEW QUESTION 211**

- (Exam Topic 4)

You have an Azure AD tenant

You open the risk detections report.

Which risk detection type is classified as a user risk?

- A. password spray
- B. anonymous IP address
- C. unfamiliar sign-in properties
- D. Azure AD threat intelligence

**Answer:** A

**NEW QUESTION 216**

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains a web app named App1. Guest users are regularly granted access to App1.

You need to ensure that the guest users that have NOT accessed App1 during the past 30 days have their access removed the solution must minimize administrative effort.

What should you configure?

- A. a compliance policy
- B. an access review for application access
- C. a guest access review
- D. a Conditional Access policy

**Answer:** C

**NEW QUESTION 221**

- (Exam Topic 4)

Your company has an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Application administrator
User2	None
User3	Exchange administrator
User4	Cloud application administrator

You have the app registrations shown in the following table.

App name	Used by	Microsoft Graph permission
App1	User1	Calendars.Read of type Delegated
App2	User2	Calendars.Read of type Delegated Calendars.ReadWrite of type Application
App3	User3, User4	Calendars.Read of type Application

A company policy prevents changes to user permissions.

Which user can create appointments in the calendar of each user at the company?

- A. User1
- B. User2
- C. User3
- D. User4

**Answer: B**

**NEW QUESTION 226**

- (Exam Topic 4)

You have an on-premises datacenter that contains the hosts shown in the following table.

Name	Description
Server1	Domain controller that runs Windows Server 2019
Server2	Server that runs Windows Server 2019 and has Azure AD Connect deployed
Server3	Server that runs Windows Server 2019 and has a Microsoft ASP.NET application named App1 installed
Server4	Unassigned server that runs Windows Server 2019
Firewall1	Hardware firewall connected to the internet that blocks all traffic unless explicitly allowed

You have an Azure Active Directory (Azure AD) tenant that syncs to the Active Directory forest. Multi-factor authentication (MFA) is enforced for Azure AD.

You need to ensure that you can publish App1 to Azure AD users.

What should you configure on Server and Firewall1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Service to install on Server4:

<input type="checkbox"/> Azure AD Application Proxy
<input type="checkbox"/> The Azure AD Password Protection DC agent
<input type="checkbox"/> The Azure AD Password Protection proxy service
<input type="checkbox"/> Web Application Proxy in Windows Server

Rule to configure on Firewall1:

<input type="checkbox"/> Allow incoming HTTPS connections from Azure AD to Server4.
<input type="checkbox"/> Allow incoming IPsec connections from Azure AD to Server4.
<input type="checkbox"/> Allow outbound HTTPS connections from Server4 to Azure AD.
<input type="checkbox"/> Allow outbound IPsec connections from Server4 to Azure AD.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy>

**NEW QUESTION 228**

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Security administrator
User2	Privileged authentication administrator
User3	Service support administrator

User2 reports that he can only configure multi-factor authenticating (MFA) to use the Microsoft Authenticator app. You need to ensure that User2 can configure alternate MFA methods.

Which configuration is required, and which user should perform the configuration? To answer, select the appropriate options in the answer area.

**Answer Area**

Configuration: ▼

Enable access reviews.
Enable Azure AD Privileged Identity Management (PIM).
Modify security defaults.

User: ▼

User1 only
User2 only
User3 only
User1 and User2 only
User1 and User3 only
User2 and User3 only

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

Configuration: ▼

Enable access reviews.
Enable Azure AD Privileged Identity Management (PIM).
Modify security defaults.

User: ▼

User1 only
User2 only
User3 only
User1 and User2 only
User1 and User3 only
User2 and User3 only

**NEW QUESTION 229**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has an Azure Active Directory Premium Plan 2 license. The tenant contains the users shown in the following table.

Name	Role
Admin1	Cloud device administrator
Admin2	Device administrator
User1	<b>None</b>

You have the Device Settings shown in the following exhibit.

**Devices | Device settings**  
 Default Directory - Azure Active Directory

Save Discard Got feedback?

All devices

- Device settings
- Enterprise State Roaming
- BitLocker keys (Preview)
- Diagnose and solve problems

Activity

- Audit logs
- Bulk operation results (Preview)

Troubleshooting + Support

- New support request

Users may join devices to Azure AD  
 All Selected None

Selected  
 No member selected

Users may register their devices with Azure AD  
 All None

Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication  
 Yes No

**⚠ We recommend that you require Multi-Factor Authentication to register or join devices using Conditional Access. Set this device setting to No if you require Multi-Factor Authentication using Conditional Access.**

Maximum number of devices per user  
 5

Additional local administrators on all Azure AD joined devices  
[Manage Additional local administrators on All Azure AD joined devices](#)

User1 has the devices shown in the following table.

Name	Operating system	Device identity
Device1	Windows 10	Azure AD joined
Device2	iOS	Azure AD registered
Device3	Windows 10	Azure AD registered
Device4	Android	Azure AD registered

For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
 NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can join four additional Windows 10 devices to Azure AD.	<input type="radio"/>	<input type="radio"/>
Admin1 can set Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication to <b>Yes</b> .	<input type="radio"/>	<input type="radio"/>
Admin2 is a local administrator on Device3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Box 1: Yes  
 Users may join 5 devices to Azure AD. Box 2: Yes  
 Box 3: No  
 An additional local device administrator has not been applied Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal>

**NEW QUESTION 234**

- (Exam Topic 4)  
 You have a Microsoft 365 tenant.  
 You create a named location named HighRiskCountries that contains a list of high-risk countries.  
 You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country. What should you configure in a conditional access policy? To answer, select the appropriate options in the answer area.  
 NOTE: Each correct selection is worth one point.

**Answer Area**

Configure HighRiskCountries by using:

- A cloud app or action
- A condition
- A grant control
- A session control

Configure Sign-in frequency by using:

- A cloud app or action
- A condition
- A grant control
- A session control

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session>

**NEW QUESTION 236**

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of administrative unit
User1	AU1
User2	AU1
User3	AU1
User4	AU2
User5	Not a member of an administrative unit

The users are assigned the roles shown in the following table.

User	Role	Role scope
User1	Password Administrator	Organization
User2	Global Reader	Organization
User3	None	Not applicable
User4	Password Administrator	AU1
User5	None	Not applicable

For which users can User1 and User4 reset passwords? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

User1:  

- User3 only
- User2 and User3 only
- User3 and User5 only
- User2, User3, and User5 only
- User3, User4 and User5 only
- User2, User3, User4, and User5

User4:  

- User3 only
- User2 and User3 only
- User3 and User5 only
- User1, User2, and User3 only

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**Answer Area**

User1:  

- User3 only
- User2 and User3 only
- User3 and User5 only
- User2, User3, and User5 only
- User3, User4 and User5 only
- User2, User3, User4, and User5

User4:  

- User3 only
- User2 and User3 only
- User3 and User5 only
- User1, User2, and User3 only

**NEW QUESTION 237**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Member of
User1	Member	Group1
User2	Member	Group1
User3	Guest	Group1

User1 is the owner of Group1.

You create an access review that has the following settings:

- > Users to review: Members of a group
- > Scope: Everyone
- > Group: Group1
- > Reviewers: Members (self)

Which users can perform access reviews for User3?

- A. User1, User2, and User3
- B. User3 only
- C. User1 only
- D. User1 and User2 only

**Answer:** B

**NEW QUESTION 239**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure conditional access policies. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

**NEW QUESTION 240**

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that sync to an Azure Active Directory (Azure AD) tenant. The tenant contains the shown in the following table.

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.

Azure AD Connect is configured in Azure as shown in the following exhibit.

**PROVISION FROM ACTIVE DIRECTORY**



**Azure AD Connect cloud provisioning**

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

**Azure AD Connect sync**

Sync Status Enabled  
 Last Sync Less than 1 hour ago  
 Password Hash Sync Enabled

**USER SIGN IN**



Federation Disabled 0 domains  
 Seamless single sign-on Disabled 0 domains  
 Pass-through authentication Enabled 2 agents

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only
- B. User1 and User 3 only
- C. User1, and User2 only
- D. User1, User2, and User3

**Answer: B**

#### NEW QUESTION 245

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to bulk invite Azure AD business-to-business (B2B) collaboration users.

Which two parameters must you include when you create the bulk invite? Each correct answer presents part of the solution

NOTE: Each correct selection is worth one point.

- A. email address
- B. redirection URL
- C. username
- D. shared key
- E. password

**Answer: AB**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite>

#### NEW QUESTION 250

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that syncs to an Azure Active Directory (Azure AD) tenant

Users sign in to computers that run Windows 10 and are joined to the domain.

You plan to implement Azure AD Seamless Single Sign-On (Azure AD Seamless SSO). You need to configure the computers for Azure AD Seamless SSO.

What should you do?

- A. Enable Enterprise State Roaming.
- B. Configure Sign-in options.
- C. Install the Azure AD Connect Authentication Agent.
- D. Modify the Intranet Zone settings.

**Answer: D**

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-sso-quick-start>

#### NEW QUESTION 253

- (Exam Topic 4)

You have a Microsoft 365 ES subscription that contains a user named User1. User1 is eligible for the Application administrator role.

User1 needs to configure a new connector group for an application proxy. What should you do to activate the role for User1?

- A. the Microsoft Defender for Cloud Apps portal
- B. the Microsoft 365 admin center
- C. the Azure Active Directory admin center
- D. the Microsoft 365 Defender portal

**Answer: C**

#### NEW QUESTION 257

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You need to identify users who have leaked credentials. The solution must meet the following requirements:

- Identify sign-ins by users who are suspected of having leaked credentials.
- Flag the sign-ins as a high-risk event.
- Immediately enforce a control to mitigate the risk, while still allowing the user to access applications. What should you use? To answer, select the appropriate options in the answer area.

To classify leaked credentials as high-risk, use:

- Azure Active Directory (Azure AD) Identity Protection
- Azure Active Directory (Azure AD) Privileged Identity Management (PIM)
- Identity Governance
- Self-service password reset (SSPR)

To trigger remediation, use:

- Client apps not using Modern authentication
- Device state
- Sign-in risk
- User location
- User risk

To mitigate the risk, select:

- Apply app enforced restrictions
- Block access
- Grant access but require app protection policy
- Grant access but require password change

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

To classify leaked credentials as high-risk, use:

- Azure Active Directory (Azure AD) Identity Protection
- Azure Active Directory (Azure AD) Privileged Identity Management (PIM)
- Identity Governance
- Self-service password reset (SSPR)

To trigger remediation, use:

- Client apps not using Modern authentication
- Device state
- Sign-in risk
- User location
- User risk

To mitigate the risk, select:

- Apply app enforced restrictions
- Block access
- Grant access but require app protection policy
- Grant access but require password change

**NEW QUESTION 260**

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com. You need to ensure that Azure AD External Identities pricing is based on monthly active users (MAU). What should you configure?

- A. an access review
- B. the terms or use
- C. a linked subscription
- D. a user flow

Answer: C

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/external-identities-pricing>

**NEW QUESTION 264**

- (Exam Topic 4)

You have an Azure AD tenant named contoso.com that contains the resources shown in the following table. You create a user named Admin 1.

Name	Description
Au1	Administrative unit
CAPolicy1	Conditional Access policy
Package1	Access package

You need to ensure that Admin can enable Security defaults for contoso.com. What should you do first?

- A. Configure Identity Governance.
- B. Delete Package1.
- C. Delete CAPolicy1.
- D. Assign Admin1 the Authentication administrator role for Au1

Answer: D

**Explanation:**

To enable Security defaults for contoso.com, you should first sign in to the Azure portal as a security administrator, Conditional Access administrator, or global administrator. Then, browse to Azure Active Directory > Properties and select Manage security defaults. Set the Enable security defaults toggle to Y select Save. After that, you can assign Admin1 the Identity Administrator role for Au1 to enable them to manage security defaults for the tenant.  
<https://practical365.com/what-are-azure-ad-security-defaults-and-should-you-use-them/>

**NEW QUESTION 266**

- (Exam Topic 4)

You have an Azure AD tenant and an Azure web app named App1.

You need to provide guest users with self-service sign-up for App1. The solution must meet the following requirements:

- Guest users must be able to sign up by using a one-time password.
- The users must provide their first name, last name, city, and email address during the sign-up process. What should you configure in the Azure Active Directory admin center for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

One-time password:  ▼

A linked subscription
An identity provider
Azure AD Privileged Identity Management (PIM)
The External collaboration settings

User details:  ▼

A user flow
Access reviews
An access package
The tenant properties

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

**Answer Area**

One-time password:  ▼

A linked subscription
An identity provider
Azure AD Privileged Identity Management (PIM)
The External collaboration settings

User details:  ▼

A user flow
Access reviews
An access package
The tenant properties

**NEW QUESTION 269**

- (Exam Topic 4)

You have an Azure subscription.

From Entitlement management, you plan to create a catalog named Catalog1 that will contain a custom extension.

What should you create first and what should you use to distribute Catalog1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

First create:

Distribute Catalog1 by using:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:  
 Answer Area

First create:

Distribute Catalog1 by using:

NEW QUESTION 274

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure pass-through authentication. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>


NEW QUESTION 277

- (Exam Topic 4)


Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the objects shown in the following table.

Name	Type	In organizational unit (OU)	Description
User1	User	OU1	User1 is a member of Group1.
User2	User	OU1	User2 is not a member of any groups.
Group1	Security group	OU2	User1 and Group2 are members of Group1.
Group2	Security group	OU1	Group2 is a member of Group1.

You install Azure AD Connect. You configure the Domain and OU filtering settings as shown in the Domain and OU Filtering exhibit. (Click the Domain and OU Filtering tab.)



You configure the Filter users and devices settings as shown in the Filter Users and Devices exhibit. (Click the Filter Users and Devices tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
User1 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>
User2 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>
Group2 syncs to Azure AD.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, application Description automatically generated  
 Only direct members of Group1 are synced. Group2 will sync as it is a direct member of Group1 but the members of Group2 will not sync.  
 Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-install-custom>

**NEW QUESTION 281**

- (Exam Topic 4)

You have a Microsoft 365 tenant and an Active Directory domain named adatum.com. You deploy Azure AD Connect by using the Express Settings.

You need to configure self-service password reset (SSPR) to meet the following requirements:

- > When users reset their password, they must be prompted to respond to a mobile app notification or answer three predefined security questions.
- > Passwords must be synced between the tenant and the domain regardless of where the password was reset.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

From the Password reset blade in the Azure Active Directory admin center, configure:

From Azure AD Connect, enable:

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-security-questions>

**NEW QUESTION 283**

- (Exam Topic 4)

You configure Azure Active Directory (Azure AD) Password Protection as shown in the exhibit. (Click the Exhibit tab.)

Custom smart lockout

Lockout threshold ⓘ  ✓

Lockout duration in seconds ⓘ  ✓

Custom banned passwords

Enforce custom list ⓘ  Yes  No

Custom banned password list ⓘ  Contoso ✓  
 Litware  
 Tailwind  
 project  
 Zettabyte  
 MainStreet

Password protection for Windows Server Active Directory

Enable password protection on Windows Server Active Directory ⓘ  Yes  No

Mode ⓘ  Enforced  Audit

You are evaluating the following passwords:

- > Pr0jectlitw@re
- > T@ilw1nd
- > C0nt0s0

Which passwords will be blocked?

- A. Pr0jectlitw@re and T@ilw1nd only
- B. C0nt0s0 only
- C. C0nt0s0, Pr0jectlitw@re, and T@ilw1nd
- D. C0nt0s0 and T@ilw1nd only

E. C0nt0s0 and Pr0jectlitw@re only

**Answer:** C

**Explanation:**

Reference:  
<https://blog.enablingtechcorp.com/azure-ad-password-protection-password-evaluation>

**NEW QUESTION 288**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account a Google Workspace subscription, and a GitHub account You deploy an Azure subscription and enable Microsoft 365 Defender.

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.

Solution: From the Microsoft 365 Defender portal, you add the GitHub app connector Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**NEW QUESTION 291**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.

Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.

You need to block the users automatically when they report an MFA request that they did not initiate. Solution: From the Azure portal, you configure the

Notifications settings for multi-factor authentication

(MFA).

Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

You need to configure the fraud alert settings. Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

**NEW QUESTION 292**

- (Exam Topic 4)

You have an Azure subscription that contains the following virtual machine Name: VM1

Azure region: East US

System-assigned managed identity: Disabled

You create the managed identities shown in the following table.

Name	Location
Managed1	East US
Managed2	East US
Managed3	West US

You perform the following actions:

- Assign Managed1 to VM1.
- Create a resource group named RG1 in the West US region.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

**Answer Area**

Statements	Yes	No
You can assign Managed2 to V1.	<input type="radio"/>	<input type="radio"/>
You can assign Managed3 to V1.	<input type="radio"/>	<input type="radio"/>
You can assign VM1 the Owner role for RG1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
You can assign Managed2 to V1.	<input checked="" type="radio"/>	<input type="radio"/>
You can assign Managed3 to V1.	<input checked="" type="radio"/>	<input type="radio"/>
You can assign VM1 the Owner role for RG1.	<input type="radio"/>	<input checked="" type="radio"/>

**NEW QUESTION 297**

- (Exam Topic 4)

You configure a new Microsoft 365 tenant to use a default domain name of contoso.com.

You need to ensure that you can control access to Microsoft 365 resource-, by using conditional access policy. What should you do first?

- A. Disable the User consent settings.
- B. Disable Security defaults.
- C. Configure a multi-factor authentication (MFA) registration policy1.
- D. Configure password protection for Windows Server Active Directory.

Answer: B

**NEW QUESTION 298**

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it as a result, these questions will not appear in the review screen.

You have an Amazon Web Services (AWS) account, a Google Workspace subscription, and a GitHub account.

You deploy an Azure subscription and enable Microsoft 365 Defender.

You need to ensure that you can monitor OAuth authentication requests by using Microsoft Defender for Cloud Apps.

Solution: From the Microsoft 365 Defender portal, you add the Amazon Web Services app connector. Does this meet the goal?

- A. Yes
- B. No

Answer: B

**NEW QUESTION 302**

- (Exam Topic 4)

You have a Microsoft 365 tenant.

All users have mobile phones and laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

- A. a notification through the Microsoft Authenticator app
- B. email
- C. security questions
- D. a verification code from the Microsoft Authenticator app

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-authenticator-app>

**NEW QUESTION 305**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual SC-300 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the SC-300 Product From:

<https://www.2passeasy.com/dumps/SC-300/>

### Money Back Guarantee

#### **SC-300 Practice Exam Features:**

- \* SC-300 Questions and Answers Updated Frequently
- \* SC-300 Practice Questions Verified by Expert Senior Certified Staff
- \* SC-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* SC-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year