

Exam Questions MS-203

Microsoft 365 Messaging

<https://www.2passeasy.com/dumps/MS-203/>



NEW QUESTION 1

- (Topic 5)

You have an Exchange Online tenant.

You need to ensure that the users in your company's finance department can select email messages that will be deleted automatically one year later. The solution must apply only to the finance department users.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish a label to the finance department.
- B. Create a data loss prevention (DLP) policy that uses the sensitive information type.
- C. For each mailbox in the finance department, configure the retention policy settings.
- D. Create a label that has a retention setting of one year.
- E. For each mailbox in the finance department, configure Message Delivery Restrictions.

Answer: AD

Explanation:

Create a retention label and publish it to the finance department users.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/retention?view=o365-worldwide>

NEW QUESTION 2

- (Topic 5)

You have a Microsoft 365 tenant that contains a user named User1.

User1 reports that she cannot configure a mail profile in Microsoft Outlook for Windows. User1 receives the following error message: "Encrypted connection to your mail server is not available."

You verify that User1 is assigned a Microsoft Office 365 Enterprise F3 license and can send email messages from her account by using Outlook on the web.

You need to ensure that User1 can connect to Outlook successfully. What should you do?

- A. Run the Microsoft Support and Recovery Assistant for Office 365.
- B. Activate the installation of Office 365 ProPlus.
- C. Modify the license assigned to User1.
- D. Install a new certificate on the computer of User1.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/outlook-issues/encrypted-connection-unavailable>

NEW QUESTION 3

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You need to import an Edge Subscription on a Mailbox server. Which cmdlet should you run?

- A. New-EdgeSubscription
- B. Start-EdgeSynchronization
- C. Set-EdgeSubscription
- D. Set-TransportAgent

Answer: A

NEW QUESTION 4

- (Topic 5)

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even though the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam. What should you do?

- A. Enable the Zero-hour auto purge (ZAP) email protection feature.
- B. Enable the safe list on a connection filter.
- C. Edit the default mail flow rule to bypass the spam filter.
- D. Modify the IP Allow list of a connection filter policy.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-the-connection-filter-policy?view=o365-worldwide>

NEW QUESTION 5

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. You are informed that some sales department users send email messages that are identified as spam. You need to automatically block the sales department users from repeatedly sending spam. Solution: You modify the outbound spam filter policy in Exchange Online. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups. Therefore, the Exchange Online outbound spam filter will not scan the emails sent from the on-premises mailboxes.

NEW QUESTION 6

- (Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers in a database availability group (DAG).

You plan to implement a hybrid deployment by using the Exchange Modern Hybrid connection option.

Which three configurations will be transferred automatically from the on-premises organization to Exchange Online? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the device access rules
- B. the address book policies (ABPs)
- C. the Messaging Records Management (MRM) settings
- D. the mail flow rules
- E. the address lists

Answer: ACE

Explanation:

Reference:

<https://practical365.com/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 7

DRAG DROP - (Topic 5)

Your company has three departments name Dept1, Dept2. and Dept3 and a Microsoft Exchange Online tenant.

You need to increase security for the email messages sent from the departments. The solution must meet the following requirements:

- « Users in Dept1 must be able to digitally sign and encrypt email messages as required.
- + Email messages sent from Dept2 to an external email domain must be encrypted automatically during transit only.
- « Email messages sent from Dept3 to an external email domain must be encrypted until the recipient opens the message.
- « Implementation costs must be minimized.

'Which type of encryption should you use for each department? To answer, drag the appropriate encryption types to the correct departments. Each encryption type may be used

Encryption types	Answer Area
IPsec	Dept1: Encryption type
Microsoft Purview Message Encryption	Dept2: Encryption type
S/MIME	Dept3: Encryption type
TLS	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? Users in Dept1 should use S/MIME encryption1. S/MIME is a standard for public key encryption and signing of email messages1. It allows users to digitally sign and encrypt email messages as required using certificates1. S/MIME provides end-to-end encryption and ensures message integrity and sender authentication1.

? Email messages sent from Dept2 to an external email domain should

use TLS encryption1. TLS is a protocol that encrypts the connection or session between two servers1. It protects email messages during transit only and does not require any action from the sender or recipient1. TLS provides opportunistic encryption and ensures message confidentiality and server authentication1.

? Email messages sent from Dept3 to an external email domain should use Microsoft Purview Message Encryption². Microsoft Purview Message Encryption is an online service that encrypts email messages and attachments using rights management policies². It allows users to send encrypted email messages to anyone inside or outside the organization using various email services². Microsoft Purview Message Encryption provides persistent encryption and ensures message confidentiality and authorization policies².

NEW QUESTION 8

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of the sales@contoso.com group.

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 9

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accessed unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You modify the Global Settings Safe Links policy.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/configure-global-settings-for-safe-links?view=o365-worldwide>

NEW QUESTION 10

- (Topic 5)

Your company has a partnership with another company named contoso.com.

You need to ensure that all email messages containing the word sensitive and sent to the users at contoso.com are encrypted automatically. You enable Azure Information Protection.

What should you do next?

- A. Create a data loss prevention (DLP) policy.
- B. Create a mail flow rule.
- C. Configure a remote domain.
- D. Configure an Outbound connector.

Answer: B

Explanation:

Reference:

<https://thevaliantway.com/2019/01/encrypting-email-office-365-azure-information- protection/>

NEW QUESTION 10

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses Microsoft Defender for Office 365.

You need to create a new Safe Attachments policy named Policy1 that meets the following requirements:

? Immediately delivers email messages that contain attachments and replaces the attachments with placeholders

? Reattaches the attachments after scanning is complete

? Quarantines malicious attachments

Which action should you select for Policy1?

- A. Monitor
- B. Block
- C. Dynamic Delivery
- D. Replace

Answer: C

NEW QUESTION 11

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that the email messages in mailboxes and the documents in Microsoft OneDrive folders of all the users in your organization are retained for only five years.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? From the Microsoft 365 compliance center, select Policies > Retention.

? Select New retention policy to start the Create retention policy configuration, and name your new retention policy.

? For the Choose the type of retention policy to create page, select Static. Adaptive policies don't support the locations for Exchange public folders or Skype for Business.

? Depending on your selected scope:

- On the Choose locations page, toggle on or off any of the locations except the locations for Teams and Yammer. For each location, you can leave it at the default to apply the policy to the entire location.

? Information specific to locations:

- Exchange email and Exchange public folders
- SharePoint sites and OneDrive accounts
- Microsoft 365 Groups
- Skype for Business

? For Decide if you want to retain content, delete it, or both page, specify the configuration options for retaining and deleting content.

You can create a retention policy that just retains content without deleting, retains and then deletes after a specified period of time, or just deletes content after a specified period of time.

? Complete the configuration and save your settings.

NEW QUESTION 14

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the

stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization. A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email. You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a supervision policy. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:
You should create a Data Loss Prevention (DLP) policy.

NEW QUESTION 16

DRAG DROP - (Topic 5)
You have a Microsoft Exchange Server 2019 organization.
You plan to implement a hybrid deployment between Exchange Online and Exchange Server.
You need to install the Exchange Online Hybrid Agent. The solution must use the principle of least privilege.
To which roles should you be assigned to perform the installation? To answer, drag the appropriate roles to the correct products. Each role may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Answer Area

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Global Admin

Exchange Administrator

Service Administrator

Organization Management

Server Management

Microsoft Office 365

Exchange Server 2019

Global Admin

Organization Management

NEW QUESTION 18

DRAG DROP - (Topic 5)
Your company has a Microsoft 365 subscription for a domain named contoso.com.
The company acquires a company named Litware, Inc. that uses an IMAP-based messaging system. The SMTP domain of Litware is named litwareinc.com.
You need to migrate the mailboxes of Litware to Microsoft Office 365. The solution must ensure that users from Litware can receive email by using their current email address.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Answer Area

Add an accepted domain to Office 365.

Create a migration endpoint and a migration batch.

Create an Office 365 connector.

Start the migration batch.

Provision a mailbox in Office 365 for each Litware user.

Add an accepted domain to Office 365.

Provision a mailbox in Office 365 for each Litware user.

Create a migration endpoint and a migration batch.

Start the migration batch.

NEW QUESTION 23

- (Topic 5)

You have a Microsoft Exchange Online tenant that has anti-spam policies configured.

You need to identify any anti-spam policy settings that were changed during the last three months and review recommendations for increase Microsoft Standard or Stria configurations for Exchange Online anti-spam policies.

What should you use?

- A. Configuration analyzer in Microsoft 365 Defender
- B. Compliance Manager
- C. Microsoft Defender for Cloud Apps
- D. the Insights dashboard in the Exchange admin center

Answer: A

NEW QUESTION 26

DRAG DROP - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a new public folder. The solution must ensure that users can create new posts by sending emails to the folder.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order

Actions	Answer Area
Create a mail flow rule.	
Edit the properties of the public folder mailbox.	
Create a Microsoft 365 group.	
Create a public folder mailbox.	
Create a public folder.	
Edit the properties of the public folder.	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Create a mail flow rule.	
Edit the properties of the public folder mailbox.	
Create a Microsoft 365 group.	
Create a public folder mailbox.	
Create a public folder.	
Edit the properties of the public folder.	

NEW QUESTION 27

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement.

Solution: From the Exchange organization, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
 B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 31

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an

Exchange Server 2019 organization. You need to enable journaling for outbound email. Where can you store the journal reports?

- A. a mail-enabled public folder
 B. an Exchange Server 2019 mailbox
 C. a Microsoft SharePoint Online document library
 D. an Exchange Online mailbox

Answer: A

NEW QUESTION 32

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains three users named User1, User2, and User3.

Mobile device mailbox policies are configured as shown in the following exhibit.

mobile device access mobile device mailbox policies

+ ✎ 🗑️ ↺	
NAME	MODIFIED
Default (default)	9/28/2020 8:06 AM
Executive policy	9/28/2020 8:07 AM
Managers policy	9/28/2020 8:07 AM

The users are configured as shown in the following table.

Name	Assigned policy
User1	Executive policy
User2	Managers policy
User3	Default

You create a new mobile device mailbox policy as shown in the following exhibit.
new mobile device mailbox policy

*Required fields

*Name:

Mobile Tablet Policy

☒ This is the default policy

☒ Allow mobile devices that don't fully support these policies to synchronize

Policies for Exchange ActiveSync and OWA for Devices

Select the policies that you want to enable for Exchange ActiveSync and OWA for Devices. [Learn more](#)

☒ Require a password

☐ Allow simple passwords

☒ Require an alphanumeric password

Password must include this many character sets:

2

☐ Require encryption on device

☒ Minimum password length:

6

☐ Number of sign-in failures before device is wiped:

5

☐ Require sign-in after the device has been inactive for (minutes):

minutes

☒ Enforce password lifetime (days):

30 days

Password recycle count:

10

Save

Cancel

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements

Yes

No

Mobile Tablet Policy will be assigned to User3 automatically.

☐
☐

A new user can use a password of 135753.

☐
☐

Mobile Tablet Policy will be assigned to new users.

☐
☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Mobile Tablet Policy will be assigned to User3 automatically.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
A new user can use a password of 135753.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Mobile Tablet Policy will be assigned to new users.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

NEW QUESTION 35

- (Topic 5)

You manage a hybrid deployment between Microsoft Exchange Online and on-premises Exchange Server 2019. The deployment contains a primary SMTP domain named contoso.com.

Users have email addresses that use a syntax of firstname.lastname@contoso.com.

A user named Ben Smith receives a new client computer. You configure the computer1 to access Ben Smith's mailbox. Ben Smith reports that he cannot connect to his mailbox from the new computer.

You verify that other users can connect successfully to their mailbox and that new users can discover their mailboxes by using Autodiscover.

You need to ensure that Ben Smith can connect to his mailbox from the new computer. What should you do?

- A. Modify the primarySmtpAddress property for the mailbox of Ben Smith.
- B. Modify the email address of Ben Smith to use a syntax of firstname.lastname@contoso.onmicrosoft.com
- C. Modify the RemoteRoutingAddress parameter for the mailbox of Ben Smith.
- D. Modify the email address of Ben Smith to use a syntax of lastname.firstname@contoso.com

Answer: C

NEW QUESTION 40

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a group named Tier1ServiceDesk.

You have an Azure AD administrative unit named US that contains only users in the United States.

You need to ensure that Tier1ServiceDesk can manage recipient email addresses for only the users in US. The solution must use the principle of least privilege.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

New-ManagementRoleAssignment	-Role	-Role	"Recipient Management"	-SecurityGroup
Add-ManagementRoleEntry			"Organization Management"	
New-ManagementRoleAssignment	ActiveUnitiveUnits		"Recipient Management"	
Set-ManagementScope			"Security Administrator"	
Set-RoleGroup				

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

New-ManagementRoleAssignment	-Role	-Role	"Recipient Management"	-SecurityGroup
Add-ManagementRoleEntry			"Organization Management"	
New-ManagementRoleAssignment	ActiveUnitiveUnits		"Recipient Management"	
Set-ManagementScope			"Security Administrator"	
Set-RoleGroup				

NEW QUESTION 42

- (Topic 5)

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment.

What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users
- B. eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online
- C. preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online
- D. uses Organization Configuration Transfer to configure Exchange Online
- E. allows federated sharing between the on-premises organization and Exchange Online

Answer: BD

Explanation:

Reference:

<https://practical365.com/exchange-online/hybrid-exchange-making-it-easier-and-faster-to-move-to-the-cloud/>

NEW QUESTION 43

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to place a hold on all email messages stored in the mailbox of a user named User1.

What should you create first?

- A. an eDiscovery case
- B. sensitive info type
- C. a data loss prevention (DLP) policy
- D. an information barrier segment

Answer: A

Explanation:

You can use an eDiscovery case to create and manage eDiscovery holds that can be applied to user mailboxes and other content locations in Microsoft Purview1. You can also use an eDiscovery case to search for and export content from mailboxes and other locations1.

An eDiscovery case is different from a Litigation Hold, which is a hold that is applied to user mailboxes in Exchange Online1. A Litigation Hold isn't identified by a GUID1.

A sensitive info type is a predefined or custom entity that can be used to identify and protect sensitive data in Microsoft Purview2. It is not related to placing a hold on email messages.

A data loss prevention (DLP) policy is a policy that helps prevent the accidental or intentional sharing of sensitive information outside your organization2. It is not related to placing a hold on email messages.

An information barrier segment is a group of users who are allowed or blocked from communicating with each other in Microsoft Teams or SharePoint Online2. It is not related to placing a hold on email messages.

NEW QUESTION 44

- (Topic 5)

You have a Microsoft Exchange Online tenant.

You plan to implement an on-premises alarm system that will send email alerts by using SMTP. The alarm system will NOT support TLS.

You need to ensure that the alarm system can send the alerts to both internal and external recipients by using Exchange Online.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Configure SMTP AUTH client submission.
- B. Configure the alarm system settings to use a TXT record of the tenant.
- C. Create a connector.
- D. Configure the alarm system settings to use an MX record of the tenant.
- E. Configure direct send.

Answer: CE

Explanation:

? C. Create a connector1. A connector is a configuration setting that controls how email messages are delivered to or received from your own email servers or a partner organization1. You need to create a connector to route mail between Exchange Online and your on-premises alarm system that uses SMTP1. You can specify the IP address of your alarm system as a trusted sender and configure the connector to use certificate-based authentication or IP address-based authentication1.

? E. Configure direct send2. Direct send is an option that allows you to send mail directly from your printer or application to Microsoft 365 or Office 365 without using a local email server2. You need to configure direct send on your alarm system settings to use an MX record of the tenant as the SMTP server address2. For example, contoso-com.mail.protection.outlook.com2. Direct send does not require TLS encryption or SMTP authentication2.

NEW QUESTION 47

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization that contains 200 mailboxes.

You need to add a second email address to each mailbox. The address must have a syntax that uses the first letter of each user's last name, followed by the user's first name, and then @fabrikam.com.

Solution: You convert all the mailboxes to shared mailboxes, and then you run the Set-Mailbox cmdlet and specify the -EmailAddressPolicyEnabled \$false parameter.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/email-addresses-and-address-books/email-address-policies/email-address-policies?view=exchserver-2019>

Email address policies define the rules that create email addresses for recipients in your Exchange organization.

The basic components of an email address policy are:

Email address templates: Define the email address format for the recipients (for example

<firstname>@contoso.com or <lastname>.<firstname>@contoso.com).

Recipient filter: Specifies the recipients whose email addresses are configured by the policy.

Priority: Specifies the order to apply the email address policies (important if a recipient is identified by more than one policy).

The EmailAddressPolicyEnabled parameter specifies whether to apply email address policies to this recipient. Valid values are:

\$true: Email address policies are applied to this recipient. This is the default value.

\$false: Email address policies aren't applied to this recipient.

NEW QUESTION 52

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the Internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You run the Install-AntispamAgents.ps1 PowerShell script on the MBX1 Mailbox server.

Does this meet the goal?

A. yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/antispam-and-antimalware/antispam-protection/antispam-on-mailbox-servers?view=exchserver-2019>

NEW QUESTION 54

- (Topic 5)

You deploy a Microsoft Exchange Server 2019 organization.

You need to ensure that users of all new mailboxes are prevented from editing their personal information.

What should you do?

A. From the Exchange admin center, create a new role assignment policy.

B. From PowerShell, run the New-Ro1eAssignmentPolicy cmdlet and specify the-isDefault parameter.

C. From the Exchange admin center, create a new role group and assign the role group to Domain Users.

D. From PowerShell, run the New-RoleGroup cmdlet and specify the-CustomRecipientWriteScope parameter.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/role-based-access-control/newroleassignmentpolicy?view=exchange-ps>

NEW QUESTION 58

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an Edge Server.

You plan to implement a hybrid deployment between Exchange Online and Exchange Server.

You need to ensure that all the email between Exchange Online and Exchange Server 2019 is sent by using the Edge Server.

Which two hybrid configuration topologies could you deploy to meet the requirements? Each correct answer presents a complete solution.

A. Modern Minimal

B. Classic Minimal

C. Classic Full

D. Classic Express

E. Modern Full

Answer: CE

Explanation:

Reference:

<https://www.enowsoftware.com/solutions-engine/what-are-your-exchange-hybrid-options>

NEW QUESTION 62

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mail-enabled public folder named CustomerSupport

You need to create a group for the customer support team at your company. The solution must ensure that email sent to the group is also posted to the

CustomerSupport public folder

How should you configure the group? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Group type:

▼
Distribution list
Microsoft 365
Security

Configuration:

▼
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Group type:

▼
Distribution list
Microsoft 365
Security

Configuration:

▼
Add CustomerSupport as a member of the group.
Assign the group the Contributor role for CustomerSupport.
Configure the Send As settings.
Configure the Send on Behalf settings.

NEW QUESTION 64

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 organization that uses an email domain named contoso.com.

You plan to move several mailboxes to Microsoft 365.

You need to configure hybrid mail flow to meet the following requirements:

? All email messages received from the internet must be filtered for spam by Microsoft 365.

? Your company's on-premises firewall must allow email messages between the on-premises Exchange servers and Microsoft 365.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Mail exchanger (MX) record to configure:

▼
Mail.contoso.com
Contoso-com.mail.protection.outlook.com
Outlook.office365.com

Firewall port to allow:

▼
TCP 25
TCP 2525
TCP 587
TCP 993

NEW QUESTION 69

DRAG DROP - (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2013 organization. The deployment contains the public folders shown in following table.

Name	Location
PF1	Exchange Server 2013
PF2	Exchange Online

You need to configure the deployment to meet the following requirements:

? Exchange Server 2013 mailboxes must be able to access PF2.

? Exchange Online mailboxes must be able to access PF1.

Which PowerShell script should you run from an Exchange Server 2013 server to meet each requirement? To answer, drag the appropriate scripts to the correct requirements. Each script may be used once, more than once, or at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

PowerShell Scripts	Answer Area
Import-PublicFolderMailboxes.ps1	Enable Exchange Server 2013 mailboxes to access PF2:
Sync-MailPublicFolders.ps1	
Sync-MailPublicFoldersCloudToOnprem.ps1	Enable Exchange Online mailboxes to access PF1:
Sync-ModernMailPublicFolders.ps1	

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

PowerShell Scripts

Import-PublicFolderMailboxes.ps1

Sync-MailPublicFolders.ps1

Sync-MailPublicFoldersCloudToOnprem.ps1

Sync-ModernMailPublicFolders.ps1

Answer Area

Enable Exchange Server 2013 mailboxes to access PF2:

Sync-MailPublicFoldersCloudToOnprem.ps1

Import-PublicFolderMailboxes.ps1

Enable Exchange Online mailboxes to access PF1:

Sync-ModernMailPublicFolders.ps1

NEW QUESTION 72

HOTSPOT - (Topic 5)

You are evaluating the email hygiene configuration of a Microsoft Exchange Server 2019 organization. You run the command shown in the following exhibit.

```
[PS] C:\>Get-ContentFilterConfig | fl *SCL*

SCLRejectThreshold      : 7
SCLRejectEnabled        : True
SCLDeleteThreshold     : 9
SCLDeleteEnabled       : False
SCLQuarantineThreshold  : 9
SCLQuarantineEnabled    : False
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

deleted silently

rejected with a response

sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

deleted silently

rejected with a response

sent to the spam quarantine mailbox

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Email messages that have a spam confidence level (SCL) of 8 will be [answer choice].

deleted silently

rejected with a response

sent to the spam quarantine mailbox

Email messages that have a spam confidence level (SCL) of 7 will be [answer choice].

deleted silently

rejected with a response

sent to the spam quarantine mailbox

NEW QUESTION 74

- (Topic 5)

You have a Microsoft Exchange Online tenant that has an email domain named contoso.com. You collaborate with a partner company that has an email domain named adatum.com. You need to ensure that all the email messages sent to and received from adatum.com are encrypted in transit. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct answer is worth one point.

- A. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to use SMTP relay.
- B. Create a connector from adatum.com to Microsoft Office 365 and configure the connector to require TLS.
- C. Create a connector from Microsoft Office 365 to adatum.com and configure the connector to require TLS.
- D. Issue S/MIME certificates to all the users in contoso.com.
- E. Configure Exchange Online to use direct send to adatum.com.

Answer: BC

NEW QUESTION 79

HOTSPOT - (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has four departments that have the mailboxes shown in the following table.

Department	Number of mailboxes	Location
Finance	500	On-premises
Manufacturing	1,000	Exchange Online
Sales	5,000	On-premises
Marketing	2,000	Exchange Online

The mailboxes are configured as shown in the following table.

Department	Archive	Single item recovery
Finance	Enabled	Enabled
Manufacturing	Disabled	Disabled
Sales	Disabled	Disabled
Marketing	Enabled	Enabled

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

Administrator	Management role group	Organization	Management role
Admin1	Organization Management, Discovery Management	Exchange Online, on-premises	None
Admin2	Organization Management, Discovery Management	Exchange Online, on-premises	Mailbox Import Export

For each of the following statement, select yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Admin1 can search for email messages in every mailbox in the organization by running the <code>New-ComplianceSearch</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the <code>Search-mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>
Admin1 can delete email message from every mailbox of the marketing department by running the <code>Search-Mailbox</code> cmdlet.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/discovery-management-exchange-2013-help>

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailboxes/search-mailbox?view=exchange-ps>

NEW QUESTION 83

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a public folder named CustomerSupport. You need to access CustomerSupport by using Outlook on the web. Which section in Outlook on the web should you add CustomerSupport?

- A. Favorites
- B. Folders
- C. Groups

Answer: C

NEW QUESTION 87

- (Topic 5)

You have a Microsoft Exchange Online tenant.

Remote users report that they receive an error message when they attempt to add their email account to Microsoft Outlook.

You need to confirm that the DNS records resolve correctly for the users.

Which two DNS records should you test? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. autodiscover.outlook.com
- B. smtp.office365.com
- C. outlook.office365.com
- D. security.microsoft365.com
- E. portal.office.com

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/troubleshoot/administration/incorrect-settings>

NEW QUESTION 91

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses an email domain named contoso.com.

Your company has a partnership with another company named fabrikam.com. You need to ensure that all email messages sent to and received by the users at fabrikam.com are encrypted by using TLS.

What should you create in the Exchange admin center?

- A. one connector and one remote domain
- B. one remote domain and one accepted domain
- C. one connector and one accepted domain
- D. two connectors

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/setup-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 94

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains a user named User1.

You need to ensure that User1 receives an email notification and can take corrective action when the Fix possible mail loop insight is generated

What should you use, and to which role group should you add User1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Use: Mail flow rules
 Alert policies
 Mail flow reports
 Mail flow rules
 Message trace

Role group: Records Management
 Compliance Management
 Organization Management
 Records Management
 Security Operator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Use: Mail flow rules
 Alert policies
 Mail flow reports
 Mail flow rules
 Message trace

Role group: Records Management
 Compliance Management
 Organization Management
 Records Management
 Security Operator

NEW QUESTION 95

HOTSPOT - (Topic 5)

You need to configure a hybrid deployment between a Microsoft Exchange Online tenant and an on-premises Exchange Server 2019 organization that contains a server named Server1. The solution must meet the following requirements:

- Support remote move migrations of mailboxes from Server1 to Exchange Online.
- Enable free/busy lookups between Server1 and Exchange Online.

What should you do for each requirement? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Support remote move migrations:

Enable the MRS Proxy endpoint.

Enable the MRS Proxy endpoint.

Run Azure AD Connect sync.

Run the Hybrid Configuration wizard.

Enable free/busy lookups:

Run the Hybrid Configuration wizard.

Enable the MRS Proxy endpoint.

Run Azure AD Connect sync.

Run the Hybrid Configuration wizard.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Support remote move migrations:

Enable the MRS Proxy endpoint.

Enable the MRS Proxy endpoint.

Run Azure AD Connect sync.

Run the Hybrid Configuration wizard.

Enable free/busy lookups:

Run the Hybrid Configuration wizard.

Enable the MRS Proxy endpoint.

Run Azure AD Connect sync.

Run the Hybrid Configuration wizard.

NEW QUESTION 99

HOTSPOT - (Topic 4)

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
The Safe Attachments 1 policy applies to Alex Wilber	<input type="radio"/>	<input type="radio"/>
If an email message that contains detected malware is sent to Megan Bowen, the attachment will be removed, and the message will be delivered	<input type="radio"/>	<input type="radio"/>
For Lynne Robbins, to block both email messages and attachments that have detected malware, the priority of Safe Attachments 2 must be increased	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, letter, email Description automatically generated

Box 1: Yes

The Safe Attachments 1 policy applies to Group1. Alex Wilber is in Group1.

Box 2: No

Megan Bowen is in Group2. The Safe Attachments 2 policy applies to Group2. The Safe Attachments 2 policy will block the email rather than remove the attachment and deliver the email.

Box 3: No

Lynne Robbins is in the Sales department which means she is a member of Group3. She is also a member of Group2 and Group4.

The Safe Attachments 2 policy blocks emails and applies to Group2. There are no other Safe Attachments policies that apply to Group3 or Group4. Therefore, Safe Attachments 2 is the only policy that applies to Lynne Robbins so you do not need to increase the priority of the policy to block the emails.

NEW QUESTION 100

- (Topic 4)

Which contacts can sign in to and access resources in the adatum.com tenant?

- A. Contact1 only
- B. Contact2 only
- C. Contact1 and Contact3 only
- D. Contact2 and Contact3 only
- E. Contact1, Contact2. and Contact3

Answer: D

NEW QUESTION 104

- (Topic 4)

You need to email a list of configuration changes to the Exchange Online environment that were recently performed by Allan Deyoung. What should you do?

- A. Run the admin audit log report
- B. Run the external admin audit log report
- C. Export the admin audit log
- D. Run an administrator role group report
- E. Export the mailbox audit logs

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/exchange-auditing-reports/exchange-auditing-reports>

NEW QUESTION 108

- (Topic 4)

Joni Sherman reports that the Microsoft Outlook client on her Windows 10 device fails to start.

You need to troubleshoot the issue.

From the device, you start the Microsoft Remote Connectivity Analyzer. What should you run next?

- A. the Exchange ActiveSync test
- B. the Outlook Connectivity test
- C. the Service Account Access test
- D. the Microsoft Support and Recovery Assistant for Office 365 client

Answer: D

Explanation:

Reference:

<https://www.sherweb.com/blog/office-365/microsoft-support-and-recovery-assistant/>

NEW QUESTION 110

- (Topic 4)

You discover that email messages sent to contoso.com are NOT delivered through Contoso Connector.

You need to ensure that all email sent to contoso.com is delivered through Contoso Connector.

Which connector setting should you modify?

- A. Routing
- B. Security restrictions
- C. Use of connector
- D. Status

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 112

HOTSPOT - (Topic 3)

You need to modify FilesPolicy to prevent users from downloading ASPX files. The solution must meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

<div>▼</div> <div>Set-SafeLinksPolicy</div> <div>Set-OwaMailboxPolicy</div> <div>Set-ActiveSyncMailboxPolicy</div> <div>Set-HostedContentFilterPolicy</div>	-id FilesPolicy -BlockedFileTypes	<div>▼</div> <div>.aspx</div> <div>*.aspx</div> <div>@{Add = ".aspx"}</div> <div>@{Remove = ".aspx"}</div>
---	-----------------------------------	--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<div>▼</div> <div>Set-SafeLinksPolicy</div> <div>Set-OwaMailboxPolicy</div> <div>Set-ActiveSyncMailboxPolicy</div> <div>Set-HostedContentFilterPolicy</div>	-id FilesPolicy -BlockedFileTypes	<div>▼</div> <div>.aspx</div> <div>*.aspx</div> <div>@{Add = ".aspx"}</div> <div>@{Remove = ".aspx"}</div>
---	-----------------------------------	--

NEW QUESTION 114

- (Topic 3)

You need to encrypt email between Fabrikam and Litware to support the planned changes. What should you configure in the Exchange admin center?

- A. a connector
- B. an organization relationship
- C. a sharing policy
- D. a remote domain

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 118

HOTSPOT - (Topic 3)

You need to ensure that In-Place Archiving is enabled for the marketing department users.

Which user should perform the change, and which tool should the user use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

User:

▼
Admin2 only
Admin3 only
Admin1 and Admin3 only
Admin2 and Admin4 only

Tool:

▼
Microsoft 365 admin center
Microsoft 365 security center
Microsoft 365 compliance center

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

NEW QUESTION 122

- (Topic 3)

User3 leaves the company.

You need to ensure that Admin1 and Admin2 can access the mailbox of User3. The solution must meet the technical requirements.

What should you do?

- A. Migrate the mailbox of User3 to a distribution group.
- B. Migrate the mailbox of User3 to a Microsoft 365 group.
- C. Convert the mailbox of User3 into a resource mailbox.
- D. Convert the mailbox of User3 into a shared mailbox.

Answer: D

Explanation:

Fabrikam identifies the following technical requirements:

? When users leave the company, remove their licenses and ensure that their mailbox is accessible to Admin1 and Admin2.

If you remove the license from User3, the mailbox will be deleted after 30 days. Converting the mailbox to a shared mailbox will ensure that the mailbox is not deleted. You would still need to give Admin1 and Admin2 permissions to access the mailbox.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/email/convert-user-mailbox-to-shared-mailbox?view=o365-worldwide>

NEW QUESTION 125

- (Topic 2)

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Move the public folder mailbox that contains TransportPF to a server in the main office.
- B. Move TransportPF to a public folder mailbox hosted in the main office.
- C. Modify the default public folder mailbox for all the transport department users.
- D. Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/recipients/mailbox-moves?view=exchserver-2019>

NEW QUESTION 129

HOTSPOT - (Topic 3)

You need to configure the new smartboard to support the planned changes.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Booking options

Assign settings for the booking policy that defines when this resource can be scheduled

☐ Allow repeating meetings

☐ Allow scheduling only during work hours

☐ Auto-accepts meeting request

Set to "Off" if you want to specify users who want to accept meetings manually

Booking delegates

Search a mail or email

☐ Automatically decline meetings outside of limits below

Booking window (days)

Maximum duration (hours)

If the organizer needs a reply enter message below

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 131

- (Topic 2)

You need to implement a solution to support the planned changes for the helpdesk users. What should you do?

- A. Assign the Recipient Policies role to the helpdesk users and a default management scope
- B. Assign the Mail Recipients role to the helpdesk users and use a default management scope
- C. Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- D. Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Answer: C

NEW QUESTION 135

- (Topic 2)

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes.

What should you recommend?

- A. Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.
- B. Place an In-Place Hold on all the mailboxes of the public folders.
- C. Increase the frequency of the backups.
- D. Modify the public folder permissions.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/security-and-compliance/in-place-and-litigation-holds#placingpublic-folders-on-hold>

NEW QUESTION 139

- (Topic 5)

You have hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization. The deployment uses Azure AD Connect. All incoming email is delivered to Exchange Online. You have 10 mail-enabled public folders hosted on an on-premises Mailbox server.

Customers receive an error when an email message is sent to a public folder.

You need to ensure that all the mail-enabled public folders can receive email messages from the internet. The solution must ensure that messages can be delivered only to valid recipients.

Solution: From Azure AD Connect, select Exchange Mail Public Folders. Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

From Azure AD Connect, selecting Exchange Mail Public Folders will ensure that all the mail-enabled public folders can receive email messages from the internet and that messages can be delivered only to valid recipients. This is according to the Microsoft 365 Messaging documentation (<https://docs.microsoft.com/en-us/exchange/hybrid-deployment/hybrid-mail-flow>).

NEW QUESTION 140

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant named adatum.com that contains a user named User1.

You plan to perform a new message trace for User1. The message trace must generate an Enhanced summary report.

Which three Delivery status options can be included in the report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

New message trace

Senders ⓘ

U User1@adatum.com ×

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ

[Custom time range](#)

Last 2 day(s)

90 30 15 10 7 2 1 day 12 hr 6 hr 0

Detailed search options ^

Delivery status ⓘ

All	▼
All	
Delivered	✓
Expanded	
Failed	✓
Pending	✓
Quarantined	
Filtered as spam	
Getting status	

A. Mastered

B. Not Mastered

Answer: A

Explanation:
Answer Area

New message trace

Senders ⓘ

U

User1@adatum.com

×

Recipients ⓘ

All

Time range (UTC-06:00) ⓘ

Custom time range

Last 2 day(s)

90301510721 day12 hr6 hr0

Detailed search options

^

Delivery status ⓘ

All

All

Delivered

Expanded

Failed

Pending

Quarantined

Filtered as spam

Getting status

NEW QUESTION 142
HOTSPOT - (Topic 5)
You have a Microsoft Exchange Online tenant.
You need to create a new policy to retain mailbox items for five years before the items are deleted. The policy must be assigned to any user that has a job title attribute of Manager.
Which type of policy should you create, and what should you create first? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Policy type:

Retention policy

Auto-labeling policy

Retention label policy

Retention policy

Sensitivity label policy

First create:

A label

A data connector

A label

A messaging records management (MRM) retention tag

An adaptive scope

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 147

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment. You plan to implement Hybrid Modern Authentication (HMA). You retrieve the Exchange virtual directory settings, and you discover the following output.

```
InternalUrl           : https://mail.contoso.com
ExternalUrl           : https://mail.contoso.com
IISAuthenticationMethods : {Ntlm, Negotiate}
InternalAuthenticationMethods : {Ntlm, Negotiate}
ExternalAuthenticationMethods : {Ntlm, Negotiate}
```

You need to prepare the virtual directories for the planned implementation of HMA. What should you do?

- A. Add OAuth as an authentication method.
- B. Remove NTLM as an authentication method.
- C. Delete https://mail.contoso.com from the ExternalUrl value.
- D. Modify the InternalUrl value to http://mail.contoso.com.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modernauthentication?view=o365-worldwide>

NEW QUESTION 150

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that all emails sent from the users in your company to recipients who use a suffix of @fabnkam.com are encrypted by using Microsoft Office 365 Message Encryption (OME).

To complete this task, sign in to the Exchange admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 admin center, choose Admin centers > Exchange.

? In the EAC, go to Mail flow > Rules and select New + > Create a new rule.

? In Name, type a name for the rule, such as Encrypt mail for DrToniRamos@hotmail.com.

? In Apply this rule if, select a condition, and enter a value if necessary. For example, to encrypt messages going to DrToniRamos@hotmail.com:

_ In Apply this rule if, select the recipient is.

_ Select an existing name from the contact list or type a new email address in the check names box.

- To select an existing name, select it from the list and then click OK.

- To enter a new name, type an email address in the check names box and then select check names >OK.

? To add more conditions, choose More options and then choose add condition and select from the list.

For example, to apply the rule only if the recipient is outside your organization, select add condition and then select the recipient is external/internal >Outside the organization >OK.

? To enable encryption using the new OME capabilities, from Do the following, select Modify the message security and then choose Apply Office 365 Message Encryption and rights protection. Select an RMS template from the list, choose Save, and then choose OK.

NEW QUESTION 152

HOTSPOT - (Topic 5)

Your network contains an Active Directory Domain Services (AD DS) domain.

You have a Microsoft 365 subscription. All mailboxes are hosted in Microsoft Exchange Online.

You have the DNS domains shown in the following table.

Name	Description
corp.contoso.com	AD DS domain
contoso.com	Verified custom domain for Azure AD
contoso.onmicrosoft.com	Default Azure AD tenant

You need to ensure that the Autodiscover service can be used to configure Microsoft Outlook settings for devices connecting from the internet. How should you configure the DNS record for Autodiscover? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Type of DNS record: CNAME

In DNS domains: contoso.com only

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Type of DNS record: CNAME

In DNS domains: contoso.com only

NEW QUESTION 155

- (Topic 5)

You plan to use the Microsoft Office 365 Import service to import PST files.

You need to create a new user account to perform the import. The solution must use the principle of least privilege.

Which two roles should you assign to the user account? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. the Recipient Management role in Office 365
 B. the Organization Management role in Office 365
 C. the Mailbox Import Export role in Office 365
 D. the Global reader role in Azure Active Directory (Azure AD)
 E. the Global administrator role in Office 365

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/use-network-upload-to-import-pst-files?view=o365-worldwide>

NEW QUESTION 156

HOTSPOT - (Topic 5)

HOTSPOT

Your company has the offices shown in the following table.

Location	Public NAT IP address
New York	131.107.122.22
Portland	131.107.123.120
Seattle	131.107.123.10

The company has a Microsoft Exchange Online tenant that contains the users shown in the following table.

Name	Department	Office
User1	IT	Seattle
User2	IT	New York
User3	Helpdesk	Portland

You have the following Exchange Online client access rules.

```
PS C:\> Get-ClientAccessRule|fl Name, Priority, AnyOfProtocols,UserRecipientFilter,Action
```

```
Name           : Rule1
Priority        : 1
AnyOfProtocols : {RemotePowerShell}
UserRecipientFilter :
Action         : AllowAccess

Name           : Rule2
Priority        : 2
AnyOfProtocols : {ExchangeAdminCenter}
UserRecipientFilter : Department -ne 'IT'
Action         : DenyAccess
```

You create a new client access rule by using the following command.

```
New-ClientAccessRule -Name "Rule3" -Action DenyAccess
-AnyOfProtocols ExchangeAdminCenter
-ExceptAnyOfClientIPAddressOrRanges 131.107.123.0/24 -Priority 2
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>
User3 can access the Exchange admin center	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Rule2 will be evaluated before Rule3	<input type="radio"/>	<input checked="" type="radio"/>
User2 can access the Exchange admin center	<input type="radio"/>	<input checked="" type="radio"/>
User3 can access the Exchange admin center	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 159

- (Topic 5)

You have a hybrid deployment between a Microsoft Exchange Online tenant and an on- premises Exchange Server 2019 organization.

Several users hosted in Microsoft 365 report that when they send email messages to mailboxes hosted in Exchange Server 2019, the messages fail to be delivered.

You need to examine the non-delivery reports (NDRs) sent to the Microsoft 365 mailboxes.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From an on-premises Exchange server, use the transport logs.
- B. From an on-premises Exchange server, use the SMTP logs.
- C. From the on-premises Exchange admin center, use a message trace.
- D. From the Exchange admin center, use a message trace.
- E. From the Exchange Management Shell, run the Get-Queue cmdlet.

Answer: CD

Explanation:

Explanation/Reference: Reference:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/message-trace-faq>

NEW QUESTION 162

- (Topic 5)

You have a Microsoft Exchange Online tenant that uses a third-party email hygiene system named Service1. Service1 blocks all encrypted email.

All external email is routed through Service1 by using a connector.

Users classify email by using sensitivity labels. Emails classified as Secret are encrypted automatically.

You need to ensure that the users can send emails classified as Secret to external recipients.

Which two items should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a remote domain
- B. a connector
- C. a data loss prevention (DLP) policy
- D. a mail flow rule
- E. a label policy

Answer: BD

Explanation:

Use an additional Connector and a Mail Flow Rule to bypass the third-party email hygiene system for emails that have the Secret sensitivity label.

Emails with the sensitivity label will use the new connector. All other emails will use the existing connector.

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/conditional-mail-routing>

NEW QUESTION 164

- (Topic 5)

You have a hybrid deployment of Microsoft Exchange Server 2019.

Users in your company's sales department have on-premises mailboxes and PST files. You need to migrate the PST files to archive mailboxes. The archive mailboxes must reside in Exchange Online. What should you do first?

- A. From Exchange Management Shell, run the Enable-Mailbox cmdlet and specify the-Archive parameter.
- B. From Exchange Management Shell, run the New-MoveRequest cmdlet.
- C. From Exchange Online PowerShell, run the Set-Mailbox cmdlet and specify the-ArchiveStatus parameter.
- D. From Exchange Online PowerShell, run the New-Mailbox cmdlet and specify the-Archive parameter.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/enable-mailbox?view=exchange-ps>

NEW QUESTION 167

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to create a report to display messages that have a delivery status of Quarantined.

From the modern Exchange admin center, you create a new message trace.

How should you configure the message trace? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Time range:

	▼
Last 7 days	
Last 15 days	
Last 30 days	
Last 90 days	

Report type:

	▼
Extended report	
Summary report	
Enhanced summary report	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Time range:

▼
Last 7 days
Last 15 days
Last 30 days
Last 90 days

Report type:

▼
Extended report
Summary report
Enhanced summary report

NEW QUESTION 168

- (Topic 5)

You have a Microsoft 365 subscription that uses Microsoft Exchange Online Protection (EOP) with the default settings.

You need to ensure that email messages sent from the unauthorized IP addresses of any sending domain are marked as High confidence spam. The solution must minimize administrative effort.

What should you do?

- A. For the default anti-spam inbound policy, set SPF record: hard fail to On
- B. For the default connection filter policy, add an entry to the IP Block List.
- C. For the default anti-spam inbound policy, set Conditional Sender ID filtering: hard fail to On
- D. Create a mail flow rule.

Answer: A

NEW QUESTION 170

- (Topic 5)

You have a Microsoft Exchange Server hybrid deployment that contains Exchange 2013, Exchange 2016, and Exchange 2019 servers. All the servers have the latest Cumulative Updates (CUs) applied.

You need to implement Hybrid Modern Authentication (HMA). The solution must minimize costs.

What should you do first?

- A. Upgrade the Exchange 2013 servers to Exchange 2016 CU7.
- B. Add the on-premises web service URLs as Azure Active Directory (Azure AD) service principal names (SPNs).
- C. Upgrade all the servers to Exchange 2019.
- D. Create an Azure Active Directory (Azure AD) conditional access policy for Exchange Online.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/configure-exchange-server-for-hybrid-modern-authentication?view=o365-worldwide#make-sure-you-meet-all-the-prerequisites>

<https://docs.microsoft.com/en-us/microsoft-365/enterprise/hybrid-modern-auth-overview?view=o365-worldwide#do-you-meet-modern-authentication-prerequisites>

NEW QUESTION 173

HOTSPOT - (Topic 5)

You run several PowerShell commands as shown in the following exhibit.


```
PS C:\> Get-AddressListPolicy | Format-Table

Name                GlobalAddressList      AddressLists              OfflineAddressBook      RoomList
-----                -
Fabrikam-ABP        \Fabrikam               \Fabrikam                 \Fabrikam-OAB           \All Rooms
Contoso-ABP         \Contoso                \Contoso-IT, \Contoso-Marketing \Contoso-OAB           \All Rooms

PS C:\> Get-GlobalAddressList | Format-Table

Name                RecipientFilter
-----                -
Contoso              ((Company -eq 'Contoso'))
Fabrikam             ((Company -eq 'Fabrikam'))

PS C:\> Get-AddressList | Format-Table

Name                DisplayName              RecipientFilter
-----                -
Contoso-Marketing   Contoso-Marketing        ((Company -eq 'Contoso') -and (Department -eq 'Marketing'))
Fabrikam            Fabrikam                  ((Company -eq 'Fabrikam'))

PS C:\> Get-ADUser | Where Name -eq "James Smith" | Select Name, UserPrincipalName, Company, Department

Name                UserPrincipalName      Company      Department
-----                -
James Smith         jsmith@contoso.com     Contoso      Marketing

PS C:\> Get-Mailbox | Where Name -eq "Executive Conference Room" | Select Name, Alias, Office, Database

Name                Alias                  Office      Database
-----                -
Executive Conference Room executiveconferenceroom Contoso      DB1
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT

Contoso-Marketing

Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only

Fabrikam-ABP only

Contoso-ABP and Fabrikam-ABP

none of the policies

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

James Smith will appear on the [answer choice] address list.

▼

Contoso-IT

Contoso-Marketing

Fabrikam

The Executive Conference Room will appear in [answer choice].

▼

Contoso-ABP only

Fabrikam-ABP only

Contoso-ABP and Fabrikam-ABP

none of the policies

NEW QUESTION 176

- (Topic 5)

Your company has an Exchange Server 2019 organization that has servers deployed in two Active Directory forests named adatum.com and contoso.com. The organization contains five Mailbox servers and two Edge Transport servers. You deploy Microsoft 365 and configure Exchange Online.

You plan to configure hybrid mail transport.

You need to identify the number of third-party CA certificates that must be used in the deployment.

What is the minimum number of certificates?

- A. 1
- B. 2
- C. 4

D. 5

Answer: A

NEW QUESTION 177

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Microsoft 365 admin center, you set fabrikam.com as the default domain.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/setup/domains-faq?view=o365-worldwide#how-do-i-set-or-change-the-default-domain-in-microsoft-365>

NEW QUESTION 181

HOTSPOT - (Topic 5)

You need to create an address list that contains all the users who have a title of Director.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	▼
New-AddressList	
New-AddressBookPolicy	
New-DistributionList	
New-GlobalAddressList	

-Name "Directors"

	▼
-RecipientFilter	
-SearchBase	
-SearchScope	
-Where-Object	

```
{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}
```

A. Mastered

B. Not Mastered

Answer: A

Explanation:

	▼
New-AddressList	
New-AddressBookPolicy	
New-DistributionList	
New-GlobalAddressList	

-Name "Directors"

	▼
-RecipientFilter	
-SearchBase	
-SearchScope	
-Where-Object	

```
{{(RecipientType -eq 'UserMailbox') -and (Title -eq 'Director')}}}
```

NEW QUESTION 185

SIMULATION - (Topic 5)

SIMULATION


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a notification email is sent to compliance@constoso.com when a user marks an email message as Not Junk in Microsoft Outlook.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Go to the Microsoft 365 Defender portal and under Email & collaboration select Policies & rules > Alert policy.

? An alert policy consists of the following settings and conditions.

- Activity the alert is tracking. You create a policy to track an activity or in some cases a few related activities, such as sharing a file with an external user by sharing it, assigning access permissions, or creating an anonymous link. When a user performs the activity defined by the policy, an alert is triggered based on the alert threshold settings.

- Activity conditions. For most activities, you can define additional conditions that must be met to trigger an alert. Common conditions include IP addresses (so that an alert is triggered when the user performs the activity on a computer with a specific IP address or within an IP address range), whether an alert is triggered if a specific user or users perform that activity, and whether the activity is performed on a specific file name or URL. You can also configure a condition that triggers an alert when the activity is performed by any user in your organization. The available conditions are dependent on the selected activity.

? You can also define user tags as a condition of an alert policy. This results in the alerts triggered by the policy to include the context of the impacted user. You can use system user tags or custom user tags.

- When the alert is triggered. You can configure a setting that defines how often an activity can occur before an alert is triggered. This allows you to set up a policy to generate an alert every time an activity matches the policy conditions, when a certain threshold is exceeded, or when the occurrence of the activity the alert is tracking becomes unusual for your organization.

? If you select the setting based on unusual activity, Microsoft establishes a baseline value that defines the normal frequency for the selected activity. It takes up to seven days to establish this baseline, during which alerts won't be generated. After the baseline is established, an alert is triggered when the frequency of the activity tracked by the alert policy greatly exceeds the baseline value. For auditing-related activities (such as file and folder activities), you can establish a baseline based on a single user or based on all users in your organization; for malware-related activities, you can establish a baseline based on a single malware family, a single recipient, or all messages in your organization.

- Alert category. To help with tracking and managing the alerts generated by a policy, you can assign one of the following categories to a policy.

- Data loss prevention
- Information governance
- Mail flow
- Permissions
- Threat management
- Others

? When an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the category defined in this setting. This allows you to track and manage alerts that have the same category setting on the Alerts page in the compliance center because you can sort and filter alerts based on category.

- Alert severity. Similar to the alert category, you assign a severity attribute (Low, Medium, High, or Informational) to alert policies. Like the alert category, when an activity occurs that matches the conditions of the alert policy, the alert that's generated is tagged with the same severity level that's set for the alert policy. Again, this allows you to track and manage alerts that have the same severity setting on the Alerts page. For example, you can filter the list of alerts so that only alerts with a High severity are displayed.

- Email notifications. You can set up the policy so that email notifications are sent (or not sent) to a list of users when an alert is triggered. You can also set a daily notification limit so that once the maximum number of notifications has been reached, no more notifications are sent for the alert during that day. In addition to

email notifications, you or other administrators can view the alerts that are triggered by a policy on the Alerts page. Consider enabling email notifications for alert policies of a specific category or that have a higher severity setting.

NEW QUESTION 188

- (Topic 5)

You discover that Policy1 failed to apply to the Executives group.

You need to ensure that Policy1 is applied to all the members of the Executives group. What should you do?

- A. Increase the priority of Policy1.
- B. Decrease the priority of Strict Preset Security Policy.
- C. Remove the Executives group from the Strict protection preset security policy.
- D. Modify the Strict protection preset security policy to match Policy? and assign the Strict protection preset security policy to contoso.com.

Answer: C

Explanation:

Preset security policies are policies that provide a centralized location for applying all of the recommended spam, malware, and phishing policies to users at once1

. The policy settings are not configurable and are set by Microsoft based on best practice1s

. There are two types of preset security policies: Standard protection and Strict protection1

. Standard protection is a baseline protection profile that's suitable for most user1s. Strict protection is a more aggressive protection profile for selected users who are high value targets or priority users1.

If you want to apply Policy1 to the Executives group, you need to remove them from the Strict protection preset security policy first. Otherwise, the preset security policy will take precedence over Policy1 and prevent it from being applied2.

To remove the Executives group from the Strict protection preset security policy, you can follow these steps2:

? Login to the Microsoft Security portal at <https://security.microsoft.com>.

? On the left nav, under Email & collaboration, select Policies & rules.

? Select Threat policies.

? Select Preset Security Policies underneath the Templated policies heading

? Select Manage underneath the Strict protection preset.

? Select Specific recipients and remove the Executives group from the list of recipients.

? Select Save.

NEW QUESTION 191

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You have an on-premises scanner that emails scanned documents by using SMTP.

You need to create a Microsoft Office 365 SMTP relay to route email from the scanner to the internet. The solution must ensure that the connector accepts only email sent by the scanner.

How should you configure the connector? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

▼

Internet

Office 365

Partner organization

Your organization's email server

To:

▼

Internet

Office 365

Partner organization

Your organization's email server

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select your mail flow scenario

Specify your mail flow scenario, and we'll let you know if you need to set up a connector.

[Learn more](#)

From:

Internet
Office 365
Partner organization
Your organization's email server

To:

Internet
Office 365
Partner organization
Your organization's email server

NEW QUESTION 195

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment named contoso.com. You are preparing to migrate several user mailboxes to Microsoft 365. You have an on-premises Mailbox server named server1.contoso.com. You need to create a migration endpoint.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

New-MigrationEndpoint -Name MEP1

-Autodiscover
-ExchangeRemoteMove
-SkipVerification
-TestMailbox

-DomainController
-RemoteServer
-RPCProxyServer
-SourceMailboxLegacyDN

server1.contoso.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

New-MigrationEndpoint -Name MEP1

-Autodiscover
-ExchangeRemoteMove
-SkipVerification
-TestMailbox

-DomainController
-RemoteServer
-RPCProxyServer
-SourceMailboxLegacyDN

server1.contoso.com

NEW QUESTION 196

- (Topic 5)

You have 1,000 user accounts that are each licensed for Microsoft 365. Each user account has a Microsoft Exchange Online mailbox.

Ten of the user accounts are configured as service accounts for applications. The applications send event notifications to the mailboxes of the service accounts by using SMTP. The developers of each application have delegated access to the mailbox of their respective application.

You need to ensure that all the event notifications sent by the applications are retained in the service account mailboxes so that new developers can review older notifications. The developers must be able to view only the notifications for their respective application.

What should you do?

- A. Replace the service account mailboxes with a single user mailbox that contains a folder for each application.
- B. Replace the service account mailboxes with a single user mailbox that contains Power Automate rules.
- C. Convert the service account mailboxes into shared mailboxes.
- D. Convert the service account mailboxes into mail-enabled users.

Answer: C

NEW QUESTION 199

- (Topic 5)

You have a Microsoft 365 environment that contains 1,000 mobile devices.

You need to recommend a solution to prevent all the mobile devices that use the Exchange ActiveSync protocol from authenticating by using Basic authentication.

Which two solutions should you recommend? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Configure the CAS mailbox settings for each mailbox.
- B. Implement Azure Multi-Factor Authentication (MFA).
- C. Create an authentication policy.
- D. Create a conditional access policy.
- E. Create a device access rule.

Answer: CD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/disable-basicauthentication-in-exchange-online>

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 201

DRAG DROP - (Topic 5)

Your company has two departments named Dept1 and Dept2. You have a Microsoft Exchange Online tenant.

You need to deploy custom offline address books (OABs) that contain address lists for each department. The solution must meet the following requirements:

- Dept1 and Dept2 must each have its own OAB.
- The users in Dept1 must NOT list the users in Dept2 in its OAB.
- The Dept2 users must NOT list the Dept1 users in its OAB.
- All users must be able to use the global address list (GAL) to search for users in both departments.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run the new-globalAddressList cmdlet to create a custom address list.	
Run the new-addressList cmdlet to create a custom address list for each department.	
Run the new-offlineAddressbook cmdlet to create a new OAB for each department.	
Run the new-mailAddressPolicy cmdlet to create a new address book policy for each department.	
Run the update-mailAddressPolicy cmdlet to assign an address book policy to each department.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Run the new-globalAddressList cmdlet to create a custom address list.	
Run the new-addressList cmdlet to create a custom address list for each department.	
Run the new-offlineAddressbook cmdlet to create a new OAB for each department.	
Run the new-mailAddressPolicy cmdlet to create a new address book policy for each department.	
Run the update-mailAddressPolicy cmdlet to assign an address book policy to each department.	

NEW QUESTION 204

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

You need to add a custom domain named contoso.com that meets the following requirements:

- « All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online.
- « Recipient email systems must validate the messaging server for contoso.com)

Which type of DNS record should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

All email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online:



Recipient email systems must validate the messaging server for contoso.com:



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? For the requirement that all email messages from the internet must first be filtered by a third-party cloud service before being delivered to Exchange Online, you should use an MX record¹. An MX record specifies the mail server that is responsible for accepting email messages on behalf of your domain¹. You need to configure your MX record to point to the third-party cloud service's mail server, and then configure the third-party cloud service to forward email messages to Exchange Online¹.

? For the requirement that recipient email systems must validate the messaging server for contoso.com, you should use an SPF TXT record². An SPF TXT record is a type of DNS record that identifies which mail servers are authorized to send email on behalf of your domain². It helps prevent spoofing and phishing by verifying the sender's IP address against the list of authorized IP addresses in your SPF TXT record². You need to configure your SPF TXT record to include both the third-party cloud service and Exchange Online as authorized senders for your domain².

NEW QUESTION 206

- (Topic 5)

You have a Microsoft Exchange Online tenant. All users have Exchange Online mailboxes.

Your company has 10 projectors that are used by 30 managers.

You need to recommend a solution to manage the availability and scheduling of the projectors. The solution must NOT require additional Microsoft 365 licenses.

What Exchange Online object should you recommend creating for each projector?

- A. a public folder
- B. a distribution list
- C. a user mailbox
- D. a resource mailbox

Answer: D

Explanation:

Resource mailboxes are for the scheduling of resources such as projectors. They do not require a license.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/admin/manage/room-and-equipment-mailboxes?view=o365-worldwide>

NEW QUESTION 211

HOTSPOT - (Topic 5)

HOTSPOT

You have a Microsoft Exchange Online tenant.

The Exchange organization has the following configurations.


```
PS C:\> Get-OrganizationConfig | Format-list Name,Oauth*,Activity*,Basic*,Is*

Name: M365x643293.onmicrosoft.com
OAuth2ClientProfileEnabled           : False
ActivityBasedAuthenticationTimeoutEnabled : True
ActivityBasedAuthenticationTimeoutInterval : 06:00:00
ActivityBasedAuthenticationTimeoutWithSingleSignInEnabled : True
BasicAuthBlockedApps                 : None
IsProcessEhaMigratedMessagesEnabled  : False
IsAgendaMailEnabled                  : True
IsMixedMode                          : True
IsAddressListPagingEnabled           : True
IsLicensingEnforced                  : True
IsTenantAccessBlocked                : False
IsDualWriteEnabled                   : True
IsTenantInGracePeriod                : False
IsDehydrated                         : True
IsValid                             : True
```

The Azure Active Directory (Azure AD) Sign-ins report is shown in the following table.

User	Application	Status	Client app	Conditional access	Authentication requirement
User1	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User1	Office 365 Exchange Online	Success	MAPI Over Http	Not Applied	Single-factor authentication
User3	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Offline Address Book	Not Applied	Single-factor authentication
User3	Office 365 Exchange Online	Success	Autodiscover	Not Applied	Single-factor authentication
User2	Microsoft Office	Success	Mobile Apps and Desktop clients	Not Applied	Single-factor authentication

The Outlook Connection Status for User1 is shown in the following exhibit.

SMTP Address	Display Name	Server name	Status	Protocol	Authn	Encrypt
User1@M365x643293.onmicrosoft.com	User1@M365x643293.onmicrosoft.com	https://outlook.office365.com/...	Established	HTTP	Clear*	SSL
User1@M365x643293.onmicrosoft.com	User1@M365x643293.onmicrosoft.com	https://outlook.office365.com/...	Established	HTTP	Clear*	SSL

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft Outlook connection of User1 uses Basic authentication	<input type="radio"/>	<input type="radio"/>
Modern Authentication is enabled	<input type="radio"/>	<input type="radio"/>
User3 uses the Microsoft Authenticator App to authenticate the Exchange Online	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The authentication in the Outlook Connection Status exhibit is “Clear”. This means that Basic authentication is being used.

Box 2: No

In the first exhibit, the OAuth2ClientProfileEnabled parameter is False. This means that Modern Authentication is not enabled. A value of True means that Modern Authentication is enabled.

Box 3: No

The Authentication Requirement for User3 in the second exhibit is Single-factor authentication. This means that the Microsoft Authenticator App is not being used.

NEW QUESTION 216

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Mailbox1.

You need to ensure that Mailbox1 rejects all external email messages and responds with the following non-delivery report (NDR): "Mailbox1 is an automated system mailbox and does not accept incoming mail.

What should you do?

- A. Set a message delivery restriction for Mailbox1.
B. From Mailbox1, create an inbox rule.
C. Create a mail flow rule.

D. Modify the permissions for Mailbox1.

Answer: C

NEW QUESTION 219

DRAG DROP - (Topic 5)

Your company has a Microsoft Exchange Online subscription for an email domain named contoso.com.

The company works with a partner company that uses an email domain named tailspintoys.com.

You need to configure the environment only to accept email from tailspintoys.com if the email is sent from an IP address of 131.107.12.85.

How should you configure the connector from the Exchange admin center? To answer, drag the appropriate options to the correct message settings. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area
Office 365	
Your organization's email server	To: <div style="border: 1px solid black; width: 250px; height: 20px;"></div>
Partner organization	From: <div style="border: 1px solid black; width: 250px; height: 20px;"></div>
Internet	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/use-connectors-to-configure-mail-flow/set-up-connectors-for-secure-mail-flow-with-a-partner>

NEW QUESTION 220

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

- ? Adatum.com
- ? Contoso.com
- ? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: You modify the properties of the fabrikam.com accepted domain.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow/accepted-domains/accepted-domains?view=exchserver-2019>

NEW QUESTION 221

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:
To enter your username, place your cursor in the Sign in box and click on the username below.
To enter your password, place your cursor in the Enter password box and click on the password below.
Microsoft 365 Username: admin@abc.com
Microsoft 365 Password: xxxxxx
If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.
The following information is for technical support purposes only.
Lab Instance: XXXXXX
You need to ensure that a user named Miriam Graham has the required rights to create new recipients by using the Exchange Online admin center. Miriam must be prevented from managing recipients. The solution must use the principle of least privilege.
To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
? From the Microsoft 365 admin center dashboard, go to Admin > Exchange.
? In the Exchange admin center, go to Roles > Admin roles, select the Recipient Management role group.
? In Assigned section, add Miriam Graham to the role group.
? When you're finished, click Save.

NEW QUESTION 225

DRAG DROP - (Topic 5)
You have a Microsoft Exchange Online tenant that uses Exchange Online Protection (EOP) with the default settings. You plan to configure quarantine settings to meet the following requirements:
• Specify the language of notifications.
• Specify the notification interval.
• Enable notifications.
What should you configure for each requirement? To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Configurations		Answer Area
Custom quarantine policy		Specify the language of notifications: <input type="text"/>
Default anti-spam policy		Specify the notification interval: <input type="text"/>
Global quarantine policy settings		Enable notifications: <input type="text"/>
Mail flow rule		

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Configurations	Answer Area
Custom quarantine policy	Specify the language of notifications: Global quarantine policy settings
Default anti-spam policy	Specify the notification interval: Default anti-spam policy
Global quarantine policy settings	Enable notifications: Custom quarantine policy
IMail flow rule	

NEW QUESTION 229

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains a mailbox named Sales.

You need to create a copy of all the external email sent from the Sales mailbox to an alternate location.

What should you create?

- A. a data loss prevention (DLP) policy
- B. a records management file plan
- C. a journaling rule
- D. a retention policy

Answer: C

NEW QUESTION 230

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 hybrid deployment. All user mailboxes are hosted in Microsoft 365. All outbound SMTP email is routed through the on-premises Exchange organization.

A corporate security policy requires that you must prevent credit card numbers from being sent to internet recipients by using email.

You need to configure the deployment to meet the security policy requirement. Solution: From Microsoft 365, you create a data loss prevention (DLP) policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/compliance/data-loss-prevention-policies?view=o365-worldwide>

NEW QUESTION 234

- (Topic 5)

You have a Microsoft Exchange Online tenant named contoso.com.

The Exchange configuration contains the following public folder hierarchy:

- Support
- Messages
- Calendar

You create a distribution list named HelpDesk@contoso.com.

You need to add the Messages public folder to the HelpDesk distribution list. What should you do first?

- A. Mail-enable the Support public folder
- B. Create a new public folder mailbox
- C. Mail-enable the Messages public folder
- D. Upgrade HelpDesk to a Microsoft 365 group

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/mail-enable-or-disable?view=exchserver-2019>

NEW QUESTION 238

SIMULATION - (Topic 5)

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.


When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you

as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to ensure that a user named Lee Gu can view all the Exchange Online configurations of your organization. The solution must use the principle of least privilege.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1. Open the Microsoft 365 administration centre This can be done at: <https://admin.microsoft.com>

* 2. Create a new user Please enter a first name Last name

Display name Username

* 3. Add the necessary licence

For admin roles you sometimes need a licence. Especially in the security stack within Microsoft 365.

* 4. Add the Global Reader role via Roles

You can give multiple roles to the person you want.

NEW QUESTION 239

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that a user named User1 can prevent mailbox content from being deleted if the content contains the words Fabrikam and Confidential. What should you do?

- A. Add User1 to the Organization Management management role group.
- B. Add User1 to the Records Management management role group.
- C. Assign the mailbox Search and Mailbox Import Export
- D. Assign the Mailbox Search and Legal Hold management roles to User1.

Answer: D

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/holds/holds?view=exchserver-2019>

NEW QUESTION 243

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant as shown in the following exhibit.

All email recipients have an email address that uses an SMTP suffix of @contoso.com.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

131.107.100.200 will route

all email messages from Exchange Online to any contoso.com recipients.
all email from Exchange Online to any external recipients
all email messages from Exchange Online to recipients hosted on Server1 only

The Exchange Online tenant

cannot receive email messages from the internet
can receive email messages from server1.contoso.com only
can receive email messages from any email host on the internet

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1:

Under “When to use this connector”, it says “Use only for email sent to these domains: *” The asterisk means all domains so any external email will use the connector.

Box 2:

With Exchange Online, you don’t need to configure a receive connector as you would with on-premises Exchange. Therefore, the server by default will be able to receive emails from any email host.

NEW QUESTION 244

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 user mailboxes and 10 main enabled users. The mail-enabled users have email addresses in two SMTP domains named fabrikam.com and contoso.com.

You need to convert the mail-enabled users into user mailboxes. What should you do first?

- A. Add the users to an Office 365 group.
- B. Assign a license to each user.
- C. Remove the remote domains of fabrikam.com and contoso.com
- D. Modify the email forwarding settings of each user.

Answer: C

Explanation:

You need to remove the remote domains first then assign a license to the user account.

NEW QUESTION 246

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant. From a computer named Client1, you run the

Network connectivity test results for your location

Please open this website on a Windows PC and use a modern browser to run the advanced tests.

Summary Details

Here are the detailed connectivity test results for your location. [Learn about the tests we run](#)

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

from the user to Microsoft 365
from Microsoft 365 to the user
from the user to Microsoft 365
on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

round by the web browser

Network egress location (the location where your network connects to your ISP)	Copenhagen, Capital Region, Denmark
▲ Your distance from the network egress location	4,618 miles (7,431 kilometers)
▲ Customers in your metropolitan area with better performance	58% of people in your area have a better network
▲ Exchange service front door location	Staffanstorp, Sweden (119 ms). Potential 108
Best Exchange service front door(s) for your location	Boydton, VA, United States Chicago, IL, United States Des Moines, IA, United States Manassas, VA, United States Phoenix, AZ, United States San Antonio, TX, United States Toronto, ON, Canada

Microsoft Remote Connectivity Analyzer, perform a network test, and receive the results shown in the following exhibit.

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

from the user to Microsoft 365
from Microsoft 365 to the user
from the user to Microsoft 365
on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

check the network routing configuration
check the network routing configuration
edit the Location services
validate the default gateway

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The Microsoft Remote Connectivity Analyzer reports an issue with traffic [answer choice].

from the user to Microsoft 365
from Microsoft 365 to the user
from the user to Microsoft 365
on the internal Microsoft network

To correct the network connectivity issues, you must [answer choice] on Client1.

check the network routing configuration
check the network routing configuration
edit the Location services
validate the default gateway

NEW QUESTION 248

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has an Exchange Online tenant that contains 2,000 mailboxes.

A partner company named Fabrikam, Inc. uses a third-party messaging solution. The outbound SMTP server for Fabrikam uses an IP address of 131.107.2.22.

You discover that several email messages from the fabrikam.com domain are erroneously marked as spam.

You need to ensure that all the email messages sent from the fabrikam.com domain are delivered successfully to the user mailboxes of your company.

Solution: You create a spam filter policy. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Add Fabrikam.com to the 'Domain allow list' in a spam filter policy.

NEW QUESTION 250

HOTSPOT - (Topic 5)

Your network contains an Active Directory forest named contoso.com.

You plan to implement Microsoft 365 and use Microsoft Exchange Online services.

You need to ensure that all client computers can use Autodiscover to connect to Microsoft 365.

Which record should you create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Record Type:

Target:

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Record Type:

Target:

NEW QUESTION 253

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment that contains the public folders shown in the following table.

Name	Structure	Mail-enabled
PF1	Hierarchical	Yes
PF2	Flat	No
PF3	Flat	Yes

You plan to migrate the public folders to Exchange Online to improve the collaboration options available to users.

Which public folders can be migrated to Office 365 groups without losing the folders' existing functionality?

A. PF2 and PF3 only

B. PF2 only

C. PF1 and PF2 only

D. PF1 only

E. PF3 only

Answer: A

Explanation:

Not PF1. Office 365 groups are 'flat' so you would lose the folder hierarchy.

Reference:

<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-microsoft-365-groups?view=exchserver-2019>

NEW QUESTION 257

- (Topic 5)

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You instruct User1 to reduce the size of the email message.

Does this meet the goal?

- A. No
- B. Yes

Answer: B

NEW QUESTION 259

HOTSPOT - (Topic 5)

You run the following PowerShell command in a Microsoft 365 environment.

```
PS C:\WINDOWS\system32> Get-OrganizationConfig | fl *group*
```

```
DistributionGroupDefaultOU          :
DistributionGroupNameBlockedWordsList : {}
DistributionGroupNamingPolicy       :
MailTipsGroupMetricsEnabled         : True
DirectReportsGroupAutoCreationEnabled : False
GroupsCreationEnabled               : False
HiddenMembershipGroupsCreationEnabled : False
GroupsUsageGuidelinesLink           :
DefaultGroupAccessType               : Private
IsMIPLabelForGroupsEnabled          : False
OcmGroupId                          :
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the command.

NOTE: Each correct selection is worth one point.

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

[Answer choice] can view the list of members in a group

	▼
Only administrators	
Only administrators and group owners	
All users	

[Answer choice] can view the contents of a group mailbox

	▼
Only administrators	
Only administrators and group owners	
All users	

NEW QUESTION 264

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant.

Users report that they cannot view attachments from Outlook on the web from their home computer.

The Outlook Web App policy has the following settings.

```
ClassicAttachmentsEnabled           : True
ReferenceAttachmentsEnabled         : True
SaveAttachmentsToCloudEnabled       : True
MessagePreviewDisabled              : False
ForceWebReadyDocumentViewingFirstOnPublicComputers : False
ForceWebReadyDocumentViewingFirstOnPrivateComputers : False
ActionForUnknownFileAndMIMETypes    : Block
OWALightEnabled                     : False
ForceSaveAttachmentFilteringEnabled  : False
ConditionalAccessPolicy              : ReadOnlyPlusAttachmentsBlocked
```

You need to ensure that the users can view attachments when they access Outlook on the web from their home computer. How should you complete the command? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Set-OWAMailboxPolicy -identity OwaMailboxPolicy-Default

-ActionForUnknownFileAndMIMETypes	Allow
-ConditionalAccessPolicy	False
-ForceWebReadyDocumentViewingFirstOnPublicComputers	ForceSave
-MessagePreviewsDisabled	ReadOnly
-OWALightEnabled	True

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Table Description automatically generated with medium confidence

NEW QUESTION 265

- (Topic 5)
You have a Microsoft Exchange Online tenant that contains a public folder named PF1. You need to ensure that email sent to pf1@contoso.com is posted to PF1. What should you do?

- A. Create a shared mailbox.
- B. Mail-enable the public folder.
- C. Create a public folder mailbox.
- D. Create a mail flow rule.

Answer: B

NEW QUESTION 266

- (Topic 5)
You have a Microsoft Exchange Server 2019 hybrid deployment. You migrate public folders from on-premises to Exchange Online by using the batch migration process. After the batch migration completes, additional public folders are created on-premises. You need to migrate the new on-premises public folders to Exchange Online. What should you do?

- A. Export the contents of the folders to a PST file, and then import the PST files by using Outlook PST export.
- B. Create a new public folder migration batch that contains only the new folders.
- C. Repeat the original batch migration process and add the new folders to the migration batch.

Answer: A

Explanation:
Reference:
<https://docs.microsoft.com/en-us/exchange/collaboration/public-folders/migrate-to-exchange-online?view=exchserver-2019>

NEW QUESTION 268

- (Topic 5)
You have a Microsoft Exchange Server 2019 organization. You need to ensure that all email is retained for one year, and then moved to an archive mailbox. What should you use?

- A. a default policy tag
- B. a data loss prevention (DLP) policy
- C. a personal tag
- D. a retention policy tag

Answer: A

Explanation:
<https://docs.microsoft.com/en-us/exchange/policy-and-compliance/mrm/retention-tags-and-retention-policies?view=exchserver-2019>

NEW QUESTION 271

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains the following email domains:

? Adatum.com

? Contoso.com

? Fabrikam.com

When external recipients receive email messages from the users in the tenant, all the messages are delivered by using the @contoso.com email domain.

You need to ensure that the users send email by using the @fabrikam.com email domain. Solution: From the Exchange Management Shell, you run Set-Mailbox cmdlet.

Does this meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Set-Mailbox -PrimarySmtpAddress <SmtpAddress>

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/set-mailbox?view=exchange-ps>

NEW QUESTION 276

HOTSPOT - (Topic 5)

You have a Microsoft 365 ES subscription that contains a Microsoft Exchange Online tenant.

You plan to use a mailbox named Mailbox1 to store user-reported malicious email messages.






You need to configure Microsoft Defender for Office 365 to meet the following requirements:

+ Configure Mailbox1 as a SecOps mailbox.

+ Create a policy that has zero-hour auto purge (ZAP) for infected email disabled for Mailbox1.

Which two settings should you configure? To answer, select the appropriate settings in the answer area.



Policies

	Anti-phishing
	Anti-spam
	Anti-malware
	Safe Attachments
	Safe Links

Rules

	Tenant Allow/Block Lists
	DKIM
	Advanced delivery
	Enhanced filtering
	Quarantine policies

Others

	User reported message settings
	Evaluation mode


A. Mastered

B. Not Mastered

Answer: A

Explanation:


Policies



Rules



Others



NEW QUESTION 281

HOTSPOT - (Topic 5)

You have a Microsoft Exchange Online tenant that contains three Azure Active Directory (Azure AD) security groups named Administrators, Managers, and Marketing. The tenant contains the users shown in the following table.

Name	Group membership
User1	Managers
User2	Marketing
User3	Administrators
User4	None

The tenant contains the resources shown in the following table.

Name	Type
ConferenceRoom1	Room
ConferenceRoom2	Room
Projector1	Equipment

ConferenceRoom1 has the following policy.

```
PS C:\> get-calendarprocessing "ConferenceRoom1"|fl Allb*,allr*,booking*,req*,res*
AllBookInPolicy      : False
AllRequestOutOfPolicy : False
AllRequestInPolicy   : False
BookInPolicy          : (/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=7fddfd211974ea68d22dae2c891db02-Managers)
RequestOutOfPolicy    : {}
RequestInPolicy       : (/o=ExchangeLabs/ou=Exchange Administrative Group
                        (FYDIBOHF23SPDLT)/cn=Recipients/cn=03a5a93a90ad4296907830a3ecla8f94-User2)
ResourceDelegates     : {User4}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User2 can book ConferenceRoom1 automatically without the approval of User4.	<input type="radio"/>	<input type="radio"/>
User4 can book ConferenceRoom1 pending approval from User3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

The BookInPolicy allows the Managers group. User1 is in the Managers group so User 1 can book ConferenceRoom1 automatically without the approval of User4.

Box 2: No

The BookInPolicy allows the Managers group. User2 is not in the Managers group so User 2 cannot book ConferenceRoom1 automatically without the approval of User4.

Box 3: No

The RequestInPolicy does not include User4. Therefore, User3 is not allowed to request to book the meeting room either with or without approval.

NEW QUESTION 283

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You create a retention policy. You need to ensure that all email older than one year is moved to an archive mailbox. What should you use?

- A. a data loss prevention (DLP) policy
- B. a retention policy tag
- C. a default policy tag
- D. a personal tag

Answer: C

NEW QUESTION 286

- (Topic 5)

You have a Microsoft Exchange Server 2019 organization. You purchase a Microsoft Office 365 E5 subscription.

You plan to implement Exchange Modern Hybrid and free/busy sharing.

Which two components should you configure for the planned implementations? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a sharing policy
- B. a federation trust
- C. a relying party trust
- D. Active Directory Lightweight Directory Services (AD LDS)
- E. an organization relationship

Answer: BE

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 287

- (Topic 5)

You have a Microsoft 365 environment that contains 1,000 mailboxes.

You need to ensure that only an administrator named Admin1 can use the Exchange Management Shell to manage

What should you do?

- A. Create a conditional access policy and apply the policy to all users.
- B. For all users, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.
- C. Create a conditional access policy and apply the policy to Admin1.
- D. For Admin1, run the set-user cmdlet and specify the -RemotePowerShellEnabled parameter.

Answer: A

NEW QUESTION 288

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 E5 subscription.

You need to ensure that a user named User1 can review audit reports from the Microsoft 365 security center. User1 must be prevented from tracing messages from the Security admin center.

Solution: You assign the Security Reader role to User1. Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Security Administrator can view the audit reports but cannot create a message trace.

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/office-365-security/message-trace-scc>

NEW QUESTION 289

- (Topic 5)

You have a Microsoft Exchange Online subscription for an email domain named contoso.com.

A partner company has an Exchange Online subscription for an email domain named fabrikam.com.

You need to prevent out-of-office messages sent by users in contoso.com from being sent to users in fabrikam.com.

What is the best way to achieve the goal from the Exchange admin center? More than one answer choice may achieve the goal. (Choose the best answer.)

- A. Create a connector
- B. Create a mail flow rule
- C. Create a remote domain
- D. Create an accepted domain

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/remote-domains/remote-domains>

NEW QUESTION 292

- (Topic 5)

You have a Microsoft 365 E3 subscription that uses Microsoft Exchange Online and contains a global administrator named Admin1.

Admin1 plans to use Attack simulation training to simulate a Malware Attachment attack. However, when a simulation is launched, only the Credential Harvest technique is available.

You need to ensure that Admin1 can run the Malware Attachment simulation. What should you do?

- A. Assign the Attack simulation administrator role to Admin1.
- B. Create an anti-phishing policy.
- C. Create an anti-malware policy.
- D. Assign a Microsoft 365 E5 license to Admin1.

Answer: D

NEW QUESTION 293

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating mailboxes to Exchange Online by using remote mailbox move requests. A recent security breach at the company required that the passwords of all privileged accounts be changed.

Since the password change, mailbox move requests are failing. You need to ensure that the mailbox migration can resume. What should you do first?

- A. From Exchange on-premises, run Set-MigrationEndpoint.
- B. From Exchange on-premises, run Set-MigrationConfig.
- C. From Exchange Online, run Set-MigrationConfig.
- D. From Exchange Online, run Set-MigrationEndpoint.
- E. Run iisreset /noforce on all the Exchange servers that have MRSPProxy enabled.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/move-and-migration/set-migrationendpoint?view=exchange-ps>

NEW QUESTION 298

HOTSPOT - (Topic 5)

You have a Microsoft 365 subscription that contains the mail-enabled groups shown in the following table.

Name	Members
Managers	User1, User2, User3
Finance	User4, User5, User6

All users have an email address with a suffix of @contoso.com.

You plan to create an anti-phishing policy named Policy1 to meet the following requirements:

- Apply to all email messages sent to current and future users in the Finance group.
- Prevent email messages from impersonating users in the Managers group.

How should you configure Policy1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Users, groups, and domains:

Phishing threshold & protection:

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Users, groups, and domains:

Phishing threshold & protection:

NEW QUESTION 300

- (Topic 5)

Your company has a Microsoft Exchange Server 2019 organization.

You are auditing the Litigation Hold on the mailboxes of the company's research and development department.

You discover that the mailbox of a user named User1 has a Litigation Hold enabled.

You need to discover who placed the Litigation Hold on the mailbox of User1, and when the Litigation Hold was enabled.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Exchange admin center, run an In-place eDiscovery and Hold report.
 B. From PowerShell, run the Get-Mailbox cmdlet.
 C. From the Exchange admin center, run a per-mailbox Litigation Hold report.
 D. run a per-mailbox Litigation Hold report.
 E. From PowerShell, run the Get-MailboxStatistics cmdlet.

Answer: BC

Explanation:

<https://docs.microsoft.com/en-us/powershell/module/exchange/get-mailboxstatistics?view=exchange-ps>

NEW QUESTION 302

- (Topic 5)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Online tenant that contains 1,000 users.

A user named User1 receives a non-delivery report (NDR) when attempting to send an email message to an internal group named sales@contoso.com. The NDR contains the

following text: "5.7.1 Delivery not authorized."

You need to ensure that User1 can send email to sales@contoso.com successfully. Solution: You modify the properties of a mail flow rule

A. Yes

B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/mail-flow-best-practices/non-delivery-reports-in-exchange-online/fix-error-code-550-5-7-1-in-exchange-online>

NEW QUESTION 307

- (Topic 5)

You have a Microsoft 365 subscription that contains two users named User1 and User2.

User1 reports to have received a suspicious email message that appears to have come from User2.

You identify that the message was sent by an external user impersonating User2. You need to block email that contains the email address of an impersonated sender. What should you configure?

A. an anti-phishing policy

B. a Tenant Allow/Block Lists rule

C. an anti-spam policy

D. an Enhanced filtering rule

Answer: B

NEW QUESTION 312

- (Topic 5)

You have a Microsoft Exchange Server 2019 hybrid deployment.

You need to change the free/busy data access sharing level between the on-premises organization and Exchange Online.

What should you do?

A. Run the Hybrid Configuration wizard.

B. Modify the organization relationship.

C. Create an organization sharing policy.

D. Create an individual sharing policy.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/shared-free-busy>

NEW QUESTION 315

SIMULATION - (Topic 5)


Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g., copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.



Use the following login credentials as needed:

To enter your username, place your cursor in the Sign in box and click on the username below.

To enter your password, place your cursor in the Enter password box and click on the password below.

Microsoft 365 Username: admin@abc.com

Microsoft 365 Password: xxxxxx

If the Microsoft 365 portal does not load successfully in the browser, press CTRL-K to reload the portal in a new browser tab.

The following information is for technical support purposes only.

Lab Instance: XXXXXX

You need to prevent email messages from a domain named fabrikam.com from being delivered to the mailboxes of your organization.

To complete this task, sign in to the Microsoft 365 admin center.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

? In the Microsoft 365 Defender portal at <https://security.microsoft.com>, go to Email & Collaboration > Policies & Rules > Threat policies > Anti-spam in the Policies section. To go directly to the Anti-spam policies page, use <https://security.microsoft.com/antispam>.

? On the Anti-spam policies page, click Create policy and then select Inbound from the drop down list.

? The policy wizard opens. On the Name your policy page, configure these settings:

- Name: Enter a unique, descriptive name for the policy.
- Description: Enter an optional description for the policy. When you're finished, click Next.

? On the Users, groups, and domains page that appears, identify the internal recipients that the policy applies to (recipient conditions):

- Users: The specified mailboxes, mail users, or mail contacts in your organization.
- Groups: The specified distribution groups, mail-enabled security groups, or Microsoft 365 Groups in your organization.
- Domains: All recipients in the specified accepted domains in your organization.

Click in the appropriate box, start typing a value, and select the value that you want from the results. Repeat this process as many times as necessary. To remove an existing value, click remove x next to the value.

For users or groups, you can use most identifiers (name, display name, alias, email address, account name, etc.), but the corresponding display name is shown in the results. For users, enter an asterisk (*) by itself to see all available values.

Multiple values in the same condition use OR logic (for example, <recipient1> or <recipient2>). Different conditions use AND logic (for example, <recipient1> and <member of group 1>).

- Exclude these users, groups, and domains: To add exceptions for the internal recipients that the policy applies to (recipient exceptions), select this option and configure the exceptions. The settings and behavior are exactly like the conditions.

When you're finished, click Next.

? On the Bulk email threshold & spam properties page that appears, configure the following settings:

- Bulk email threshold: Specifies the bulk complaint level (BCL) of a message that triggers the specified action for the Bulk spam filtering verdict that you configure on the next page (greater than the specified value, not greater than or equal to). A higher value indicates the message is less desirable (more likely to resemble spam). The default value is 7. For more information, see Bulk complaint level (BCL) in EOP and What's the difference between junk email and bulk email?.
- By default, the PowerShell only setting MarkAsSpamBulkMail is On in anti-spam policies. This setting dramatically affects the results of a Bulk filtering verdict:
 - _ MarkAsSpamBulkMail is On: A BCL that's greater than the threshold is converted to an SCL 6 that corresponds to a filtering verdict of Spam, and the action for the Bulk filtering verdict is taken on the message.
 - _ MarkAsSpamBulkMail is Off: The message is stamped with the BCL, but no action is taken for a Bulk filtering verdict. In effect, the BCL threshold and Bulk filtering verdict action are irrelevant.
- Increase spam score, Mark as spam* and Test mode: Advanced Spam Filter (ASF) settings that are turned off by default.

The Contains specific languages and from these countries settings are not part of ASF.

- Contains specific languages: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a language in the box. A filtered list of supported languages will appear. When you find the language that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x next to the value.

- From these countries*: Click the box and select On or Off from the drop down list. If you turn it on, a box appears. Start typing the name of a country in the box. A filtered list of supported countries will appear. When you find the country that you're looking for, select it. Repeat this step as many times as necessary. To remove an existing value, click remove x

next to the value.

When you're finished, click Next.

? On the Actions page that appears, configure the following settings:

- Message actions: Select or review the action to take on messages based on the following spam filtering verdicts:

- _ Spam
- _ High confidence spam Phishing
- _ High confidence phishing Bulk

- Retain spam in quarantine for this many days: Specifies how long to keep the message in quarantine if you selected Quarantine message as the action for a spam filtering verdict. After the time period expires, the message is deleted, and is not recoverable. A valid value is from 1 to 30 days.

- Add this X-header text: This box is required and available only if you selected Add X- header as the action for a spam filtering verdict. The value you specify is the header field name that's added to the message header. The header fieldvalue is always This message appears to be spam.

- Prepend subject line with this text: This box is required and available only if you selected Prepend subject line with text as the action for a spam filtering verdict. Enter the text to add to the beginning of the message's subject line.

- Redirect to this email address: This box is required and available only if you selected the Redirect message to email address as the action for a spam filtering verdict. Enter the email address where you want to deliver the message. You can enter multiple values separated by semicolons (;).

- Enable safety Tips: By default, Safety Tips are enabled, but you can disable them by clearing the checkbox.

- Enable zero-hour auto purge (ZAP): ZAP detects and takes action on messages that have already been delivered to Exchange Online mailboxes.

ZAP is turned on by default. When ZAP is turned on, the following settings are available:

- _ Enable ZAP for phishing messages: By default, ZAP is enabled for phishing detections, but you can disable it by clearing the checkbox.
- _ Enable ZAP for spam messages: By default, ZAP is enabled for spam detections, but you can disable it by clearing the checkbox.

When you're finished, click Next.

? On the Allow & block list flyout that appears, you are able to configure message senders by email address or email domain that are allowed to skip spam filtering.

In the Allowed section, you can configure allowed senders and allowed domains. In the

Blocked section, you can add blocked senders and blocked domains. The steps to add entries to any of the lists are the same:

- _ Click the link for the list that you want to configure: Allowed >Senders: Click Manage (nn) sender(s). Allowed >Domains: Click Allow domains. Blocked >Senders: Click Manage (nn) sender(s). Blocked >Domains: Click Block domains.

- _ In the flyout that appears, do the following steps: Click + Add senders oAr dd domains.

_ In the Add senders oAr dd domains flyout that appears, enter the sender's email address in the Sender box or the domain in theDomain box. As you're typing, the value appears below the box. When you're finished typing the email address or domain, select the value below the box.

- _ Repeat the previous step as many times as necessary. To remove an existing value, click remove x next to the value.

When you're finished, click Add senders oAr dd domains.

- Back on the main flyout, the senders or domains that you added are listed on the page. To remove an entry from this page, do the following steps:

- _ Select one or more entries from the list. You can also use the Search box to find values in the list.
- _ After you select at least one entry, the delete icon appears Click the delete icon to remove the selected entries

When you're finished, click Done.

Back on the Allow & block list page, clickNext when you're read to continue.

? On the Review page that appears, review your settings. You can select Edit in each section to modify the settings within the section. Or you can click Back or select the specific page in the wizard.

When you're finished, click Create.

? On the confirmation page that appears, click Done.

NEW QUESTION 316

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual MS-203 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the MS-203 Product From:

<https://www.2passeasy.com/dumps/MS-203/>

Money Back Guarantee

MS-203 Practice Exam Features:

- * MS-203 Questions and Answers Updated Frequently
- * MS-203 Practice Questions Verified by Expert Senior Certified Staff
- * MS-203 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-203 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year