

# Oracle

## Exam Questions 1z0-931-25

Oracle Autonomous Database Cloud 2025 Professional



#### NEW QUESTION 1

What is the correct way to list all files in the default data pump directory?

- A. By executing `SELECT * FROM DBMS_CLOUD.LIST_FILES('DATA_PUMP_DIR');`
- B. You cannot list files in the default data pump directory from Autonomous Data Warehouse (ADW)
- C. By executing `SELECT * FROM UTL_FILE.LIST('DATA_PUMP_DIR');`
- D. Log onto ADW server and issue `ls -al` on the command line

**Answer: A**

#### NEW QUESTION 2

You want to enable automatic indexing in a database, but any new auto indexes should be created as invisible indexes, so that they cannot be used in SQL statements. Which command will you use?

- A. `EXEC DBMS_AUTO_INDEX.CONFIGURE('AUTO_INDEX_MODE','IMPLEMENT')`
- B. `EXEC DBMS_AUTO_INDEX.CONFIGURE('AUTO_INDEX_MODE','OFF')`
- C. `EXEC DBMS_AUTO_INDEX.CONFIGURE('AUTO_INDEX_MODE','REPORT ONLY')`
- D. `EXEC DBMS_AUTO_INDEX.CONFIGURE('AUTO_INDEX_MODE','INVISIBLE')`

**Answer: C**

#### NEW QUESTION 3

Which method does NOT permit you to change the database ADMIN user's password of an Oracle Autonomous Database on Shared Infrastructure?

- A. Admin page of the Cloud Service Console
- B. OCI CLI
- C. OS command line from the database server
- D. SQL Developer

**Answer: C**

#### NEW QUESTION 4

DBSRV1 is an Autonomous Database with the display name PRODDB. You plan to take manual backups of this database periodically. What must be the name of the bucket that will be used to store manual backups?

- A. backup\_proddb
- B. BACKUP\_PRODDB
- C. backup\_dbsrv1
- D. BACKUP\_DBSRV1

**Answer: D**

#### NEW QUESTION 5

While creating an Autonomous Container Database on dedicated infrastructure through the Oracle Cloud Infrastructure (OCI) console, which patch type is offered to be applied during maintenance?

- A. Quarterly Bundle Patch (QBP)
- B. Prior Release Update Revision (PRUR)
- C. Prior Release Update (PRU)
- D. Release Update (RU)

**Answer: D**

#### NEW QUESTION 6

You have been tasked with analyzing a year's worth of sales data stored in an Autonomous Data Warehouse instance. Which tool would you use to automate data exploration and create pivot tables?

- A. APEX
- B. SQL Developer Web
- C. Business Models
- D. Data Load

**Answer: C**

#### NEW QUESTION 7

Which three operations are available for a quarterly maintenance update on Autonomous Container Database? (Choose three.)

- A. Patch immediately
- B. Reschedule and patch immediately
- C. Reschedule patching
- D. Skip patching
- E. Apply a partial patch

**Answer: BCD**

#### NEW QUESTION 8

Which three event types are supported for Autonomous Database?

- A. Maintenance Begin
- B. Change Autoscaling Configuration Compartment
- C. Change Compartment Begin
- D. Update IORM Begin
- E. Terminate End

**Answer:** ACE

#### NEW QUESTION 9

While provisioning a dedicated Autonomous Container Database, which backup retention period CANNOT be implemented?

- A. 120 days
- B. 7 days
- C. 60 days
- D. 15 days

**Answer:** A

#### NEW QUESTION 10

Given the steps:

- ? Create Oracle Machine Learning User
  - ? Create Projects
  - ? Create Workspaces
  - ? Create Notebooks
  - ? Run SQL Scripts
- Which two steps are out of order when working with Oracle Machine Learning?

- A. Create Oracle Machine Learning User
- B. Run SQL Scripts
- C. Create Workspaces
- D. Create Projects
- E. Create Notebooks

**Answer:** CD

#### NEW QUESTION 10

What is a best practice when planning and instituting access controls for your Autonomous Dedicated environment regarding subnets, compartments, and user groups?

- A. Only 1 subnet and 1 compartment are allowed, multiple groups highly advised.
- B. Only 1 of each is allowed to be allocated per environment.
- C. Create a separate VCN that contains only public subnets.
- D. Create at least 2 of each resource.

**Answer:** D

#### NEW QUESTION 12

Which two options are available for restoring an Autonomous Database? (Choose two.)

- A. Selecting the backup from which restore needs to be done.
- B. Selecting the snapshot of the backup.
- C. Specifying the archived custom image.
- D. Specifying the point in time (timestamp) to restore.

**Answer:** AD

#### NEW QUESTION 17

Which Autonomous Database Service is NOT used to connect to an Autonomous TransactionProcessing instance?

- A. TPPERFORMANT
- B. TPURGENT
- C. MEDIUM
- D. HIGH
- E. LOW

**Answer:** A

#### NEW QUESTION 19

Which predefined role that exists in Autonomous Database includes common privileges that are used by a Data Warehouse developer? (Choose the best answer.)

- A. ADBDEV
- B. DWROLE
- C. ADMIN
- D. ADWC

**Answer: B**

**NEW QUESTION 22**

Which Oracle package is used to load data to an Autonomous Database from object storage?

- A. DBMS\_RPC
- B. DBMS\_LOAD
- C. DBMS\_MIGRATE
- D. DBMS\_CLOUD

**Answer: D**

**NEW QUESTION 25**

Which of the following is not required for connecting to Autonomous Database (ADB) via SQL Developer?

- A. Password
- B. Service
- C. Username
- D. Database name
- E. Connection Name

**Answer: E**

**NEW QUESTION 26**

How can you keep Autonomous Database tables in sync with an on-premises data source?

- A. Use the ORDS package on the Data Load page
- B. Use the Cloud Locations card on the Data Load page
- C. Use the Link Data option on the Data Load page
- D. Use the FEED DATA option on the Data Load page

**Answer: B**

**NEW QUESTION 29**

When working with an Autonomous Exadata Infrastructure supporting Autonomous Databases, where do you go to view the maintenance history of the Exadata?

- A. Under Core Infrastructure then Compute then Autonomous Exadata
- B. Under Database then Autonomous Transaction Processing then Autonomous Exadata
- C. Under Solutions and Platforms then Platform Services then Autonomous Exadata
- D. Under Core Infrastructure then Autonomous Exadata

**Answer: C**

**NEW QUESTION 33**

Which set of options can be specified when defining the preferred maintenance schedule of the Exadata Infrastructure for Autonomous Database Dedicated?

- A. Quarter of the Year, Month of the Quarter, Date of the Month, Start Hour
- B. Month of the Quarter, Week of the Month, Day of the Week, Start Hour
- C. Month of the Year, Week of the Month, Day of the Week, Start Hour
- D. Week of the Quarter, Day of the Week, Start Hour

**Answer: B**

**NEW QUESTION 36**

Which statement is true about OCPUs and storage when you choose to scale your AutonomousDatabase?

- A. OCPUs and storage can be scaled independently
- B. Use auto scaling to increase storage
- C. Increasing OCPUs will automatically increase storage
- D. OCPUs and storage must remain in sync

**Answer: A**

**NEW QUESTION 41**

You have an Autonomous Transaction Processing Database with three OCPUs and auto- scaling turned on, and your application is using the TPURGENT service. The load on the database increases from three OCPUs to nine OCPUs. What is the total number of concurrent statements that the TPURGENT service can support?

- A. 1500
- B. 1800
- C. 900
- D. 2700

**Answer: D**

**NEW QUESTION 44**

Which of the following two statements are correct? (Choose two.)

- A. ODI Web Edition is available only on Oracle Linux.
- B. ODI Web Edition can be installed from Oracle Cloud Infrastructure (OCI) Marketplace.
- C. Data Transforms Card provides access to Oracle Data Integrator (ODI) Web Edition.
- D. All capabilities of ODI Classic are available with ODI Web Edition.

**Answer:** BD

**NEW QUESTION 49**

Which option describes the connection types that third-party software can use to connect to an Autonomous Database (ADB)?

- A. New ADB-specific protocols
- B. Any protocol supported by Oracle Net Services
- C. SQL\*NET only
- D. JDBC only

**Answer:** B

**NEW QUESTION 52**

Which two statements apply to the Autonomous Database service on Dedicated Infrastructure? (Choose two.)

- A. You, as the customer, are responsible for all patching operations
- B. You can set maintenance windows for an Autonomous Exadata Infrastructure
- C. You can set maintenance windows for each individual Autonomous Container Database
- D. Patching occurs on the first Sunday of each quarter

**Answer:** AC

**NEW QUESTION 54**

What predefined user is created when provisioning an Autonomous Database (ADB) instance to which you connect to create other users and grant roles?

- A. SYS
- B. ADMIN
- C. DWDEV
- D. SCOTT

**Answer:** B

**NEW QUESTION 55**

Which three options do NOT change when enabling auto scaling? (Choose three.)

- A. Amount of storage
- B. Parallelism settings
- C. I/O resources
- D. Number of OCPUs displayed in the console
- E. Level of concurrency

**Answer:** ABE

**NEW QUESTION 59**

Which of the following two statements regarding Data Transforms are correct? (Choose two.)

- A. Data Transforms provides access to Oracle Data Integrator (ODI) Web Edition
- B. Data Transforms allows you to design data transformations in the form of data loads, data flows, and workflows
- C. Workflows for Data Transforms are only available on the ODI Web Edition
- D. All capabilities to transform data in ODI Classic are available with ODI Web Edition

**Answer:** BD

**NEW QUESTION 62**

Which workload is particularly suited to Oracle Autonomous JSON Database?

- A. Data Marts
- B. Transactions
- C. Data Lakes
- D. Schema-less, document-centric

**Answer:** D

**NEW QUESTION 67**

Which command should you issue to enable application continuity on Oracle Autonomous Database on Shared Infrastructure?

- A. ALTER SESSION SET APPLICATION\_CONTINUITY=TRUE

- B. EXEC DBMS\_CLOUD\_ADMIN.ENABLE\_APP\_CONT('<service\_name>');
- C. ALTER DATABASE SET APPLICATION\_CONTINUITY=TRUE
- D. ALTER SYSTEM SET APPLICATION\_CONTINUITY=TRUE

**Answer:** B

#### NEW QUESTION 68

You are the admin of an Autonomous Database (ADB) instance, and a new developer has requested a new workspace in APEX. What statement describes the step to provide the developer a new workspace in APEX?

- A. Access the APEX Administrator Services and create the workspace for the developer.
- B. Create an IDCS user with the APEX role.
- C. Create a database user with the APEX role.
- D. Create a new developer account

**Answer:** A

#### NEW QUESTION 69

Which four levels of access can be defined in policies? (Choose four.)

- A. Create
- B. Read
- C. Manage
- D. Inspect
- E. Use

**Answer:** BCDE

#### NEW QUESTION 74

Which can be used to ensure that your Autonomous Database is accessible only from a given set of IPs?

- A. Security List
- B. IP Vault
- C. Access Control List
- D. IPSec List

**Answer:** C

#### NEW QUESTION 77

In which four ways can Oracle Database optimally access data in Object Storage? (Choose four.)

- A. Scan avoidance using partitioned external tables
- B. Scan avoidance using columnar pruning for .csv files
- C. Scan avoidance using block skipping when reading parquet and orc files
- D. Scan avoidance using columnar pruning for columnar stores like parquet and orc
- E. Optimized data archive using hybrid partitioned tables
- F. Optimized data archive using partitioned external tables

**Answer:** ADEF

#### NEW QUESTION 82

Autonomous Database's auto scaling feature allows your database to use up to three times the current base number of OCPU cores at any time. As demand increases, auto scaling automatically increases the number of cores in use. Likewise, as demand drops, auto scaling automatically decreases the number of cores in use. Which statement is FALSE regarding the auto scaling feature?

- A. For databases on dedicated Exadata infrastructure, the maximum number of cores is limited by the number of free cores that are not being used by other auto scaling databases to meet high-load demands.
- B. For databases on dedicated Exadata infrastructure, the maximum number of cores available to a database depends on the total number of cores available in the Exadata infrastructure instance.
- C. The base number of OCPU cores allocated to a database is not guaranteed.
- D. Auto Scaling is enabled by default and can be enabled or disabled at any time.

**Answer:** C

#### NEW QUESTION 85

Which two license types does the customer need to benefit from BYOL when leveraging on-premise Enterprise Database licenses in Oracle Autonomous Database?

- A. Exadata
- B. Active Data Guard
- C. Real Application Clusters (RAC), but only when scaling beyond 16 OCPUs
- D. Multitenant
- E. Transparent Data Encryption (TDE)

**Answer:** CD

#### NEW QUESTION 87

You created an Autonomous Database without auto scaling. Which two ways can you enable auto scaling? (Choose two.)

- A. Click Scale Up/Down and select the Auto Scaling checkbox.
- B. Shut down the instance, click Scale Up/Down and select the Auto Scaling checkbox, then restart the instance.
- C. Use a REST call to enable Auto Scaling.
- D. Use a REST call to shut down the instance, then a second REST call to enable Auto Scaling, and a REST call to restart the instance.

**Answer:** AC

#### NEW QUESTION 89

Which two methods can you use to create database users and grant roles in Autonomous Database services?

- A. Oracle Cloud Infrastructure (OCI) service console
- B. SQL Developer
- C. DBMS\_CLOUDADMIN package
- D. SQL\*Plus

**Answer:** BD

#### NEW QUESTION 91

Which can be scaled independently of the number of CPUs in an Autonomous Database?

- A. Sessions
- B. Storage
- C. Memory
- D. Concurrency
- E. Parallelism

**Answer:** B

#### NEW QUESTION 92

Who, and in which order, provisions dedicated Exadata Infrastructure resources?

- A. The Fleet Administrator provisions the Autonomous Exadata Infrastructure and then the Autonomous Container DB and then, the Database Administrator provisions the Autonomous DB
- B. The Database Administrator provisions the Autonomous Container DB and the Autonomous D
- C. Then, the Fleet Administrator provisions the Autonomous Exadata Infrastructure
- D. The Database Administrator provisions the Autonomous Exadata Infrastructure
- E. Then, the Fleet Administrator provisions the Autonomous Container DB and then the Autonomous DB
- F. The Fleet Administrator provisions the Autonomous Exadata Infrastructure
- G. Then, the Database Administrator provisions the Autonomous Container DB and then the Autonomous DB

**Answer:** A

#### NEW QUESTION 94

You need to set up a notification for a scheduled shutdown of an Autonomous Database instance. What should you do?

- A. Create a rule for the Oracle Cloud Infrastructure Event for 'Autonomous Database STOP END'
- B. Create an Oracle Cloud Infrastructure Alarm for Shutdown metric
- C. Add a 'BEFORE SHUTDOWN ON DATABASE' trigger within the database
- D. Create a notification alert using DBMS\_SNMP package

**Answer:** A

#### NEW QUESTION 98

Which statement is FALSE about Autonomous Database maintenance on Dedicated Infrastructure?

- A. You can change your container database maintenance window or reschedule a single container database maintenance run to ensure that your container database maintenance runs follow.
- B. Autonomous Exadata Infrastructure maintenance runs are for infrastructure patching(including patching of the Exadata grid infrastructure code and operating systems updates) and includes container database patching.
- C. If a scheduled container database maintenance run cannot take place, Oracle automatically reschedules the container database maintenance for the following quarter.
- D. Autonomous Exadata Infrastructure maintenance takes place at least once each quarter.

**Answer:** B

#### NEW QUESTION 103

Your company has a .NET application and wants to deploy it on Autonomous Database (ADB). What software is used to connect to ADB from the .NET application?

- A. SQL\*Plus
- B. You cannot use .NET with ADB
- C. Java
- D. Oracle Data Access Components for Windows

**Answer:** D

**NEW QUESTION 105**

Which two optimizations are different between Autonomous Data Warehouse and Autonomous Transaction Processing? (Choose two.)

- A. Memory Usage
- B. Data Organization
- C. Backup Retention
- D. Undo Management

**Answer:** AB

**NEW QUESTION 108**

When integrating object storage with Autonomous Database, how effectively does Oracle use the files in the object storage?

- A. Prune columns in parquet files
- B. Scan partition tables
- C. Scan hybrid partition tables
- D. Prune columns in CSV files

**Answer:** B

**NEW QUESTION 113**

Which two actions can you perform with Autonomous Data Guard enabled on Autonomous Database on Shared Infrastructure? (Choose two.)

- A. View Apply Lag
- B. Reinstatement
- C. Switchover
- D. Failover
- E. Change Protection Mode

**Answer:** CD

**NEW QUESTION 116**

Which statement is FALSE about Oracle Autonomous JSON Database?

- A. It supports NoSQL-style, document-centric applications.
- B. There is a 20 GB limit on JSON collection.
- C. JSON data is stored natively in the database.
- D. You can promote Autonomous JSON Database to Autonomous Transaction Processing.

**Answer:** B

**NEW QUESTION 117**

Which two objects are imported when using Data Pump to migrate your Oracle database to Autonomous Database? (Choose two.)

- A. Tablespaces
- B. Data
- C. Schemas
- D. Report

**Answer:** BC

**NEW QUESTION 121**

Your customer wants to permanently disable scheduled maintenance on Autonomous Dedicated Infrastructure to keep their current database version. How can they achieve this?

- A. Change the Automatic Maintenance Schedule to 'No Preference'
- B. Change the Automatic Maintenance Schedule to 'None'
- C. You cannot permanently disable scheduled Automatic Maintenance
- D. Change the Automatic Maintenance Schedule to 'Specify a Schedule' but do not select any month, week, or day

**Answer:** C

**NEW QUESTION 123**

Which two objects are imported when using Data Pump to migrate your Oracle Database to Autonomous Database? (Choose two.)

- A. Data
- B. Schemas
- C. Tablespaces
- D. Reports

**Answer:** AB

#### NEW QUESTION 124

What is the difference between Autonomous Data Warehouse (ADW) and Autonomous Transaction Processing (ATP) databases?

- A. Only ATP manages optimizer statistics.
- B. Only ADW supports autoscaling
- C. Only ADW uses columnar compression by default.
- D. Only ATP supports automatic backups.

**Answer: C**

#### NEW QUESTION 129

Which statement is FALSE about setting up compartment quotas?

- A. Compartment quotas use policies that allow allocation of resources with a high level of flexibility.
- B. Quotas set on a parent compartment override quotas set on child compartments.
- C. You cannot manage quotas in a compartment unless you belong to a group that has the correct permissions.
- D. Compartment quotas cannot be set on the root compartment.

**Answer: D**

#### NEW QUESTION 134

Which two statements are true regarding active transactions when scaling OCPUs in an Autonomous Database? (Choose two.)

- A. Active transactions are terminated and rolled back
- B. Scaling can happen while there are active transactions in the database
- C. Active transactions continue running unaffected
- D. Active transactions are paused

**Answer: BC**

#### NEW QUESTION 136

Which three options are supported when migrating to Autonomous Database (ADB)? (Choose three.)

- A. GoldenGate on-premise installation
- B. RMAN Cross-Platform backup and restore
- C. Data Guard Physical Standby
- D. GoldenGate Cloud Service
- E. Data Pump export/import
- F. PDB unplug/plug operation

**Answer: ADE**

#### NEW QUESTION 141

Which two statements are true about using an Oracle Autonomous Database with private endpoints? (Choose two.)

- A. A Network Security Group is required within your Virtual Cloud Network before you can provision a shared Autonomous Database to use private endpoints.
- B. An Autonomous Database with private endpoints can be accessed from the public internet by adding your IP address to an Access Control List (ACL).
- C. Private endpoints can be configured when you clone a shared Autonomous Database that was initially created with public endpoints.
- D. You can configure private endpoints for an Always Free Autonomous Database

**Answer: AC**

#### NEW QUESTION 145

Which three advanced options can you enable or disable while creating a business model? (Choose three.)

- A. Autonomous Aggregate Cache
- B. Analytic View Transparency View
- C. Analytic View Base Table Query Transformation
- D. Display private tables
- E. Business Object Security Feature

**Answer: ABC**

#### NEW QUESTION 148

Which statement is false about Autonomous Database Oracle Client Credentials (Wallets)?

- A. The Wallet for the Autonomous Database is the same as the TDE wallet
- B. You must have an Oracle Client Credential wallet in order to connect to the Autonomous Database
- C. In addition to the Oracle Client Credential Wallet, a user must have a username and password in order to connect to the Autonomous Database
- D. The Oracle Client Credential file is downloaded as a ZIP file

**Answer: A**

#### NEW QUESTION 150

A customer wants to increase the throughput of their inserts. They have discovered that the bottleneck is in the storage I/Os of their environment. What should they

do to remove this bottleneck?

- A. Remove any non-JSON data from the database.
- B. Ask Support to migrate their setup to a node without noisy neighbors.
- C. Increase the number of OCPUs allocated to the database.
- D. Run the DBMS\_CLOUD.INCREASE\_THROUGHPUT procedure.

**Answer: C**

#### **NEW QUESTION 154**

Oracle Autonomous Database on Dedicated Infrastructure is composed of which Oracle Cloud resources?

- A. Autonomous Exadata Infrastructure, Autonomous Backup, Autonomous Container Database, Autonomous Database
- B. Fleet Administrator, Database Administrator, Database User, Autonomous Exadata Infrastructure
- C. Oracle Machine Learning Zeppelin Notebook, Autonomous Exadata Infrastructure, Fleet Administrator, Database Administrator
- D. Virtual Cloud Network, Compartments, Policies, Autonomous Exadata Infrastructure

**Answer: A**

#### **NEW QUESTION 155**

What happens with the standby database when disabling Autonomous Data Guard?

- A. The standby database is terminated.
- B. The standby database is started read-write
- C. The standby database is started read-only
- D. The standby database is transformed into a refreshable clone

**Answer: A**

#### **NEW QUESTION 156**

Your customer has upgraded their on-premises 11.2 Database to 12.2. During this migration, the database was migrated to a pluggable database (PDB) and is now in production. How should the customer unplug their database to migrate to an Autonomous Database?

- A. Unplug into an XML file so that the database and XML files can be uploaded to Object Storage.
- B. PDBs cannot be migrated to an Autonomous Database using plug, unplug, or clone.
- C. Create a database link from the source database to the Autonomous Database environment and clone the PDB.
- D. Unplug into a PDB archive, which can be uploaded to Object Storage.

**Answer: B**

#### **NEW QUESTION 161**

Which file is NOT a component of the client credentials wallet used to connect to an Oracle Autonomous Database?

- A. protocol.ora
- B. ewallet.p12
- C. sqlnet.ora
- D. keystore.jks
- E. cwallet.sso

**Answer: A**

#### **NEW QUESTION 164**

Which two statements are true about accessing the Autonomous Database Tools?

- A. Database Actions is accessible from a server running on the same virtual cloud network (VCN) when the Autonomous Database is configured with Private Endpoint networking.
- B. Oracle APEX can be accessed only from the Developer menu in the Service Console.
- C. Oracle Machine Learning is available only with Autonomous Data Warehouse (ADW) Database.
- D. Access to Database Actions is available for all users of Autonomous Database.

**Answer: B**

#### **NEW QUESTION 166**

Where can a user's public SSH key be added on the Oracle Cloud Infrastructure Console in order to execute API calls?

- A. On the Autonomous Database Console
- B. SSH keys are not required in Oracle Cloud Infrastructure
- C. SSH keys cannot be added from console
- D. They have to be added using REST APIs only
- E. Navigate to Identity, select Users panel on the console and select "Add Public Key"

**Answer: D**

#### **NEW QUESTION 171**

Which two infrastructure types support deployment of Oracle Autonomous Database? (Choose two.)

- A. Virtual Machines on Oracle Cloud Infrastructure
- B. Dedicated Exadata Infrastructure
- C. Oracle Bare Metal Servers
- D. Shared Exadata Infrastructure

**Answer:** BD

**NEW QUESTION 173**

What are two advantages of using Data Pump to migrate your Oracle databases to Autonomous Database? (Choose two.)

- A. Data Pump is faster to migrate database than using RMAN
- B. Data Pump creates the tablespaces used by your Autonomous Database
- C. Data Pump can exclude migration of objects like indexes and materialized views that are not needed by Autonomous Database
- D. Data Pump is platform-independent - it can migrate Oracle databases running on any platform

**Answer:** CD

**NEW QUESTION 177**

What are three characteristics of Data Lake data captured in Object Storage? (Choose three.)

- A. High concurrency
- B. High transaction performance
- C. Schema on read
- D. Multiple subject areas
- E. Mixed data types

**Answer:** CDE

**NEW QUESTION 179**

Which two statements are true when running DBMS\_CLOUD.COPY\_DATA? (Choose two.)

- A. The source file will be automatically removed after the DBMS\_CLOUD.COPY\_DATA procedure finishes successfully.
- B. The source files can reside in Oracle Object Storage, Amazon S3 Object Storage, or Azure Blob Storage.
- C. The target table will be created in Autonomous Database if it does not already exist.
- D. The source file can be in either Oracle Standard Storage or Oracle Archive Storage bucket in the Object Store.
- E. A valid credential must be created prior to running the DBMS\_CLOUD.COPY\_DATA procedure.

**Answer:** BE

**NEW QUESTION 183**

Which two cloud services allow you to import Data Pump files to an Autonomous Database on Dedicated Infrastructure? (Choose two.)

- A. Amazon S3
- B. Azure Blob Storage
- C. Oracle Cloud Infrastructure Object Storage Classic
- D. Google Cloud Storage
- E. Oracle Cloud Infrastructure Object Storage

**Answer:** CE

**NEW QUESTION 187**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **1z0-931-25 Practice Exam Features:**

- \* 1z0-931-25 Questions and Answers Updated Frequently
- \* 1z0-931-25 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-931-25 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 1z0-931-25 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1z0-931-25 Practice Test Here](#)**