

Exam Questions FCSS_SASE_AD-25

FCSS - FortiSASE 25 Administrator

https://www.2passeasy.com/dumps/FCSS_SASE_AD-25/



NEW QUESTION 1

Which two deployment methods are used to connect a FortiExtender as a FortiSASE LAN extension? (Choose two.)

- A. Connect FortiExtender to FortiSASE using FortiZTP
- B. Enable Control and Provisioning Wireless Access Points (CAPWAP) access on the FortiSASE portal.
- C. Enter the FortiSASE domain name in the FortiExtender GUI as a static discovery server
- D. Configure an IPsec tunnel on FortiSASE to connect to FortiExtender.

Answer: AC

NEW QUESTION 2

Refer to the exhibit.

Security Logs

The screenshot displays a 'Log Details' window with the following information:

- Destination:**
 - Destination IP: 151.101.40.81
 - Destination Port: 443
 - Destination Country/Region: United States
 - Traffic Type: Internet Access
 - Destination UUID: 4a501662-f85f-51ed-5194-7e45b3d369cd
 - Hostname: www.bbc.com
 - URL: https://www.bbc.com/
- Application Control:**
- Action:**
 - Action: Blocked
 - Threat: 16,777,216
 - Policy ID: 8
 - Policy UUID: 7d56f000-b41e-51ee-f96b-d0b4d9fb3c2b
 - Policy Type: policy
- Security:**
- Web Filter:**
 - Profile Group: SIA (Internet Access)
 - Request Type: direct
 - Direction: incoming
 - Banned Word: fight
 - Message: URL was blocked because it contained banned word(s).


To allow access, which web filter configuration must you change on FortiSASE?

- A. FortiGuard category-based filter
- B. content filter
- C. URL Filter
- D. inline cloud access security broker (CASB) headers

Answer: B

NEW QUESTION 3

Refer to the exhibits.



Antivirus is installed on a Windows 10 endpoint, but the windows application firewall is stopping it from running. What will the endpoint security posture check be?

- A. FortiClient will block the endpoint from getting access to the network.
- B. FortiClient telemetry will be disconnected because of failed compliance.
- C. FortiClient will tag the endpoint as FortiSASE-Non-Compliant.
- D. FortiClient will prompt the user to enable antivirus.

Answer: C

NEW QUESTION 4

Which of the following describes the FortiSASE inline-CASB component?

- A. It provides visibility for unmanaged locations and devices.
- B. It is placed directly in the traffic path between the endpoint and cloud applications.
- C. It uses API to connect to the cloud applications.
- D. It detects data at rest.

Answer: B

NEW QUESTION 5

A FortiSASE administrator is configuring a Secure Private Access (SPA) solution to share endpoint information with a corporate FortiGate. Which three configuration actions will achieve this solution? (Choose three.)

- A. Add the FortiGate IP address in the secure private access configuration on FortiSASE.
- B. Use the FortiClient EMS cloud connector on the corporate FortiGate to connect to FortiSASE
- C. Register FortiGate and FortiSASE under the same FortiCloud account.
- D. Authorize the corporate FortiGate on FortiSASE as a ZTNA access proxy.
- E. Apply the FortiSASE zero trust network access (ZTNA) license on the corporate FortiGate.

Answer: BCD

NEW QUESTION 6

Which statement best describes the Digital Experience Monitor (DEM) feature on FortiSASE?

- A. It provides end-to-end network visibility from all the FortiSASE security PoPs to a specific SaaS application.
- B. It can be used to request a detailed analysis of the endpoint from the FortiGuard team.
- C. It requires a separate DEM agent to be downloaded from the FortiSASE portal and installed on the endpoint.
- D. It can help IT and security teams ensure consistent security monitoring for remote users.

Answer: A

NEW QUESTION 7

When accessing the FortiSASE portal for the first time, an administrator must select data center locations for which three FortiSASE components? (Choose three.)

- A. Endpoint management
- B. Points of presence
- C. SD-WAN hub
- D. Logging
- E. Authentication

Answer: ABD

NEW QUESTION 8

When you configure FortiSASE Secure Private Access (SPA) with SD-WAN integration, you must establish a routing adjacency between FortiSASE and the FortiGate SD-WAN hub. Which routing protocol must you use?

- A. BGP
- B. IS-IS
- C. OSPF
- D. EIGRP

Answer: A

NEW QUESTION 9

Which two settings are automatically pushed from FortiSASE to FortiClient in a FortiSASE deployment with default settings? (Choose two.)

- A. ZTNA tags
- B. Real-time protection
- C. SSL VPN profile
- D. FortiSASE CA certificate

Answer: BC

NEW QUESTION 10

Refer to the exhibits.

Web Filtering logs

	User	Destination P...	Traffic Type	Security Events	Security Action	Log Details
<input checked="" type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	<div style="border: 1px solid #ccc; padding: 5px;"> <p>Details Security</p> <hr/> <p>Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/122.0.0.0 Safari/537.36</p> <p>Category: 50</p> <p>Category Description: Information and Computer Security</p> <p>Direction: outgoing</p> <p>Event Type: ftgd_allow</p> <p>Hostname: www.eicar.org</p> <p>Message: URL belongs to an allowed category in policy</p> <p>Profile Group: SIA (Internet Access)</p> <p>Referrer URI: https://www.eicar.org/download-anti-malware-testfile/</p> <p>Request Type: referral</p> <p>Sub Type: webfilter</p> <p>Type: utm</p> <p>Timezone: -0800</p> <p>URL: https://www.eicar.org/download/eicar_com-zip/?vpdmdl=8847&refresh=65df3477aha001709126775</p> </div>
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	
<input type="checkbox"/>	user2@fortinettraining.lab	443	Internet Access	Web Filter	Allowed	

Security Profile Group

Rename
Delete

AntiVirus
ⓘ

Threats	Count	Inspected Protocols
		HTTP ✔
		SMTP ✔
		POP3 ✔
		IMAP ✔
		FTP ✔
		CIFS ✔

View All
View Logs
Customize

Web Filter With Inline-CASB
ⓘ

Threats	Count	Filters
www.eicar.org	80	✔ Allow 0
5f3c395.com19.de	22	✘ Block 0
www.eicar.com	19	⊖ Exempt 0
encrypted-tbn0.gstatic.com	9	👁 Monitor 93
ocsp.digicert.com	9	⚠ Warning 0
		✘ Disable 0
		🔒 Inline-CASB Headers 1

View All
View Logs
Customize

Intrusion Prevention
ⓘ

Threats	Count	Intrusion Prevention
<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> <p>Recommended</p> <p>✘ Scanning traffic for all known threats and applying the recommended settings. Disabled</p> </div>		

View All
View Logs
Customize

SSL Inspection
ⓘ

Threats	Count	SSL Inspection
ssl-anomaly	734	<p>Deep Inspection</p> <p>👁 SSL connections are decrypted to allow for inspection of the contents.</p> <p>4 Exempt Hosts 1</p> <p>📁 Exempt URL Categories 2</p>

View All
View Logs
Customize

Secure Internet Access policy

The screenshot shows the configuration for a Secure Internet Access policy named "Web Traffic". The configuration includes the following settings:

- Name:** Web Traffic
- Source Scope:** VPN Users
- Source:** All Traffic
- User:** All VPN Users
- Destination:** All Internet Traffic
- Service:** ALL
- Profile Group:** SIA
- Force Certificate Inspection:** Enabled (toggle switch)
- Action:** Accept
- Status:** Enable
- Logging Options:**
 - Log Allowed Traffic: Enabled (toggle switch)
 - Security Events: Selected
 - All Sessions: Selected

A FortiSASE administrator has configured an antivirus profile in the security profile group and applied it to the internet access policy. Remote users are still able to download the eicar.com-zip file from <https://eicar.org>. Traffic logs show traffic is allowed by the policy.

Which configuration on FortiSASE is allowing users to perform the download?

- A. Web filter is allowing the traffic.
- B. IPS is disabled in the security profile group.
- C. The HTTPS protocol is not enabled in the antivirus profile.
- D. Force certificate inspection is enabled in the policy.

Answer: D

NEW QUESTION 10

Your organization is currently using FortiSASE for its cybersecurity. They have recently hired a contractor who will work from the HQ office and who needs temporary internet access in order to set up a web-based point of sale (POS) system.

What is the recommended way to provide internet access to the contractor?

- A. Use FortiClient on the endpoint to manage internet access.
- B. Use a proxy auto-configuration (PAC) file and provide secure web gateway (SWG) service as an explicit web proxy.
- C. Use zero trust network access (ZTNA) and tag the client as an unmanaged endpoint.
- D. Configure a VPN policy on FortiSASE to provide access to the internet.

Answer: B

NEW QUESTION 14

A customer wants to upgrade their legacy on-premises proxy to a cloud-based proxy for a hybrid network. Which two FortiSASE features would help the customer achieve this outcome? (Choose two.)

- A. Digital experience monitoring (DEM)
- B. Zero trust network access (ZTNA)
- C. Inline-CASB
- D. Secure web gateway (SWG)

Answer: CD

NEW QUESTION 17

An organization wants to block all video and audio application traffic but grant access to videos from CNN. Which application override action must you configure in the Application Control with Inline-CASB?

- A. Allow
- B. Pass
- C. Permit
- D. Exempt

Answer: A

NEW QUESTION 20

You are designing a new network for Company X and one of the new cybersecurity policy requirements is that all remote user endpoints must always be connected and protected. Which FortiSASE component facilitates this always-on security measure?

- A. site-based deployment
- B. thin-branch SASE extension
- C. unified FortiClient
- D. inline-CASB

Answer: C

NEW QUESTION 23

An organization must block user attempts to log in to non-company resources while using Microsoft Office 365 to prevent users from accessing unapproved cloud resources.

Which FortiSASE feature can you implement to achieve this requirement?

- A. Web Filter with Inline-CASB
- B. SSL deep inspection
- C. Data loss prevention (DLP)
- D. Application Control with Inline-CASB

Answer: A

NEW QUESTION 25

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual FCSS_SASE_AD-25 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the FCSS_SASE_AD-25 Product From:

https://www.2passeasy.com/dumps/FCSS_SASE_AD-25/

Money Back Guarantee

FCSS_SASE_AD-25 Practice Exam Features:

- * FCSS_SASE_AD-25 Questions and Answers Updated Frequently
- * FCSS_SASE_AD-25 Practice Questions Verified by Expert Senior Certified Staff
- * FCSS_SASE_AD-25 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * FCSS_SASE_AD-25 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year