

# Salesforce

## Exam Questions Platform-Developer-I

Platform Developer I



#### NEW QUESTION 1

Which scenario is valid for execution by unit tests?

- A. Load data from a remote site with a callout.
- B. Set the created date of a record using a system method.
- C. Execute anonymous Apex as a different user.
- D. Generate a Visualforce PDF with `gecontentAsPDF()`.

**Answer: B**

#### NEW QUESTION 2

A custom Visualforce controller calls the `ApexPages.addMessage()` method, but no messages are rendering on the page. Which component should be added to the Visualforce page to display the message?

- A. `<apex: pageMessages />`
- B. `<apex: pageMessage severity="info"/>`
- C. `<Apex: facet name=" message"/>`
- D. `<Apex: message for=" info"/>`

**Answer: B**

#### NEW QUESTION 3

A developer has a single custom controller class that works with a Visualforce Wizard to support creating and editing multiple subjects. The wizard accepts data from user inputs across multiple Visualforce pages and from a parameter on the initial URL.

Which three statements are useful inside the unit test to effectively test the custom controller? Choose 3 answers

- A. `insert pageRef.`
- B. `Test.setCurrentPage(pageRef);`
- C. `public ExtendedController(ApexPages StandardController ctrl) { }`
- D. `ApexPages.CurrentPage().getParameters().put('input', 'TestValue');`
- E. `String nextPage - controller.save().getUrl();`

**Answer: BDE**

#### NEW QUESTION 4

The following automations already exist on the Account object;

- A workflow rule that updates a field when a certain criteria is met
- A custom validation on a field
- A Flow that updates related contact records

A developer created a trigger on the Account object.

What should the developer consider while testing the trigger code?

- A. The flow may be launched multiple times.
- B. Workflow rules will fire only after the trigger has committed all DML operations to the database.
- C. A workflow rule field update will cause the custom validation to run again.
- D. The trigger may fire multiple times during a transaction.

**Answer: D**

#### NEW QUESTION 5

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

**Answer: B**

#### Explanation:


[https://developer.salesforce.com/docs/atlas.en-us.sfdx\\_dev.meta/sfdx\\_dev/sfdx\\_dev\\_scratch\\_orgs.htm](https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_scratch_orgs.htm)

When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing.

Reference: [https://developer.salesforce.com/docs/atlas.en-us.sfdx\\_dev.meta/sfdx\\_dev/sfdx\\_dev\\_intro.htm](https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_intro.htm)

#### NEW QUESTION 6

A developer created these three Rollup Summary fields in the custom object, Project\_ct,



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered Flow
- B. Formula field
- C. Apex Trigger
- D. Process Builder

**Answer: B**

#### NEW QUESTION 7

What are three capabilities of the <ltng : require> tag when loading JavaScript resources in Aura components? Choose 3 answers

- A. Loading files from Documents
- B. One-time loading for duplicate scripts
- C. Specifying loading order
- D. Loading scripts In parallel
- E. Loading externally hosted scripts

**Answer: BCD**

#### NEW QUESTION 8

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

**Answer: AB**

#### NEW QUESTION 9

Which aspect of Apex programming is limited due to multitenancy?

- A. The number of active Apex classes
- B. The number of methods in an Apex Class
- C. The number of records processed in a loop
- D. The number of records returned from database queries

**Answer: D**

#### NEW QUESTION 10

Universal Containers has a support process that allows users to request support from its engineering team using a custom object, Engineering\_Support\_\_c. Users should be able to associate multiple engineering\_Support\_\_c records to a single Opportunity record. Additionally, aggregate Information about the Engineering\_support\_\_c records should be shown on the Opportunity record. What should a developer Implement to support these requirements?

- A. Master-detail field from Engineering\_Support\_\_c to Opportunity.
- B. Master-detail field from Opportunity to Engineering\_Support\_\_c
- C. Lookup field from Engineering\_support\_\_c to Opportunity
- D. Lookup field from Opportunity to Engineering\_Support\_\_c

**Answer: A**

#### NEW QUESTION 10

Which two statements are true about using the @testSetup annotation in an Apex test class? Choose 2 answers

- A. Records created in the test setup method cannot be updated in individual test methods.
- B. Qo The @testSetup annotation is not supported when the GisTest(SeeAllData=True) annotation is used.
- C. Test data is inserted once for all test methods in a class.
- D. A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

**Answer: BD**

#### NEW QUESTION 13

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. ermit()
- B. fireEvent()
- C. fire()
- D. registerEvent()

**Answer: C**

#### NEW QUESTION 14

A developer wants to mark each Account in a List<Account> as either or Inactive based on the LastModified field value being more than 90 days. Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. A Switch statement, with a for loop inside
- C. An If/else statement, with a for loop inside
- D. A for loop, with an if/else statement inside

**Answer:** D

#### NEW QUESTION 17

Universal Containers decides to use exclusively declarative development to build out a new Salesforce application. Which three options should be used to build out the database layer for the application? Choose 3 answers

- A. Roll-Up Summaries
- B. Triggers
- C. Relationships
- D. Process Builder
- E. Custom Objects and Fields

**Answer:** ACD

#### NEW QUESTION 22

An org has an existing Flow that creates an Opportunity with an Update Records element. A developer update the Flow to also create a Contact and store the created Contact's ID on the Opportunity.

Which update should the developer make in the Flow?

- A. Add a new Get Records element.
- B. Add a new Update Records element.
- C. Add a new Quick Action element(of type Create).
- D. Add a new Create Records element.

**Answer:** D

#### NEW QUESTION 23

A developer is migrating a Visualforce page into a Lightning web component.

The Visualforce page shows information about a single record. The developer decides to use Lightning Data Service to access record data.

Which security consideration should the developer be aware of?

- A. Lightning Data Service handles sharing rules and field-level security.
- B. Lightning Data Service ignores field-level security.
- C. The with sharing keyword must be used to enforce sharing rules.
- D. The isAccessible ( ) method must be used for field-level access checks

**Answer:** A

#### NEW QUESTION 27

What are two use cases for executing Anonymous Apex code? Choose 2 answers

- A. To delete 15,000 inactive Accounts In a single transaction after a deployment
- B. To schedule an Apex class to run periodically
- C. To run a batch Apex class to update all Contacts
- D. To add unit test code coverage to an org

**Answer:** BC

#### NEW QUESTION 29

Assuming that naze is 8 String obtained by an <apex:inputText> tag on 8 Visualforce page, which two SOQL queries performed are safe from SOQL injection?

Choose 2 answers

- A)  

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name + '\''';  
List<Account> results = Database.query(query);
```
- B)  

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + name.noQuotes() + '\''';  
List<Account> results = Database.query(query);
```
- C)  

```
String query = 'SELECT Id FROM Account WHERE Name LIKE \'' + String.escapeSingleQuotes(name) + '\''';  
List<Account> results = Database.query(query);
```
- D)  

```
String query = '\'' + name + '\'';  
List<Account> results = (SELECT Id FROM Account WHERE Name LIKE :query);
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: CD

### NEW QUESTION 30

The Account object in an organization has a master detail relationship to a child object called Branch. The following automations exist:

- Rollup summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

What two things should the developer consider while testing the trigger code? Choose 2 answers

- A. Rollup summary fields can cause the parent record to go through Save.
- B. The trigger may fire multiple times during a transaction.
- C. Duplicate rules are executed once all DML operations commit to the database.
- D. The validation rules will cause the trigger to fire again.

Answer: AB

### NEW QUESTION 33

What should be used to create scratch orgs?

- A. Developer Console
- B. Salesforce CLI
- C. Workbench
- D. Sandbox refresh

Answer: B

### NEW QUESTION 37

Which two are best practices when it comes to component and application event handling? (Choose two.)

- A. Reuse the event logic in a component bundle, by putting the logic in the helper.
- B. Use component events to communicate actions that should be handled at the application level.
- C. Handle low-level events in the event handler and re-fire them as higher-level events.
- D. Try to use application events as opposed to component events.

Answer: AC

### NEW QUESTION 38

What should a developer use to script the deployment and unit test execution as part of continuous integration?

- A. Developer Console
- B. Execute Anonymous
- C. Salesforce CLI
- D. VS Code

Answer: C

### NEW QUESTION 43

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the sandbox.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

Answer: B

### NEW QUESTION 45

Which action causes a before trigger to fire by default for Accounts?

- A. Renaming or replacing picklist
- B. Importing data using the Data Loader and the Bulk API
- C. Converting Leads to Contact accounts
- D. Updating addresses using the Mass Address update tool

Answer: B

### NEW QUESTION 49

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Changing a user's default division when the transfer division option is checked

D. Cascading delete operations

**Answer:** A

**NEW QUESTION 50**

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing an Agile process with default steps
- B. By providing code review standards and processes
- C. By providing device-awareness for mobile and desktops
- D. By providing change history and version control

**Answer:** C

**NEW QUESTION 54**

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. public interface Sortable { void sort(); } public interface Drawable { void draw(); } Which is the correct implementation?

- A. Public class DrawList implements Sortable, Implements Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- B. Public class DrawList extends Sortable, Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- C. Public class DrawList implements Sortable, Drawable { public void sort() { /\*implementation\*/}public void draw() { /\*implementation\*/}}
- D. Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /\*implementation\*/ }public void draw() { /\* implementation \*/}}

**Answer:** C

**NEW QUESTION 57**

Refer to the following Apex code:

```
Integer x = 0;
do {
    x = 1;
    x++;
} while (x < 1);
System.debug(x);
```

What is the value of x when it is written to the debug log?

- A. 1
- B. 2
- C. 3

**Answer:** C

**NEW QUESTION 62**

A custom picklist field, Food\_Preference\_\_c, exist on a custom object. The picklist contains the following options: 'Vegan','Kosher','No Preference'. The developer must ensure a value is populated every time a record is created or updated. What is the most efficient way to ensure a value is selected every time a record is saved?

- A. Set "Use the first value in the list as the default value" as True.
- B. Set a validation rule to enforce a value is selected.
- C. Mark the field as Required on the field definition.
- D. Mark the field as Required on the object's page layout.

**Answer:** C

**NEW QUESTION 67**

A custom object Trainer\_c has a lookup field to another custom object Gym c. Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_C WHERE Name = 'Viridian City Gym'
- B. SELECT Id, (SELECT Id FROM Trainer\_c) FROM Gym\_c WHERE Name = 'Viridian City Gym'
- C. SELECT ID FROM Trainer\_c WHERE Gym r.Name = 'Viridian City Gym'
- D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_C WHERE Name = 'Viridian City Gym'

**Answer:** A

**NEW QUESTION 69**

A developer creates a new Apex trigger with a helper class, and writes a test class that only exercises 95% coverage of new Apex helper class. Change Set deployment to production fails with the test coverage warning: "Test coverage of selected Apex Trigger is 0%, at least 1% test coverage is required" What should the developer do to successfully deploy the new Apex trigger and helper class?

- A. Create a test class and methods to cover the Apex trigger
- B. Run the tests using the 'Run All Tests' method.

- C. Remove the failing test methods from the test class.
- D. Increase the test class coverage on the helper class

**Answer: C**

**NEW QUESTION 72**

Refer to the following code snippet for an environment that has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 250]){
    if(thisAccount.Industry == 'Technology'){
        thisAccount.Is_Tech__c = true;
    }
    update thisAccount;
}
```

which three statements are accurate about debug logs? Choose 3 answers

- A. Debug log levels are cumulative, where FINE log level includes all events logged at the DEBUG, INFO, WARN, and ERROR levels.
- B. The maximum size of a debug log is 5 MB.
- C. Only the 20 most recent debug logs for a user are kept.
- D. Debug logs can be set for specific users, classes, and triggers.
- E. System debug logs are retained for 24 hours.

**Answer: CDE**

**NEW QUESTION 76**

Universal Containers wants to back up all of the data and attachments in its Salesforce org once month. Which approach should a developer use to meet this requirement?

- A. Use the Data Loader command line.
- B. Create a Schedulable Apex class.
- C. Schedule a report.
- D. Define a Data Export scheduled job.

**Answer: D**

**Explanation:**

Scheduling a Data Export job is the best way to back up all the data and attachments in a Salesforce org once a month. The Data Export job can be scheduled to run at a certain frequency so that the data can be backed up on a regular basis. This makes it easy to restore the data in case of any emergency.

**NEW QUESTION 81**

A development team wants to use a deployment script to automatically deploy to a sandbox during their development cycles. Which two tools can they use to run a script that deploys to a sandbox?

Choose 2 answers

- A. Ant Migration Tool
- B. SFDX CLI
- C. Change Sets
- D. Developer Console

**Answer: AB**

**NEW QUESTION 84**

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService{ public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppId : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppId]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less than 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

**Answer: D**

**NEW QUESTION 89**

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

**Answer:** ABE

**NEW QUESTION 90**

Given the following code snippet, that is part of a custom controller for a Visualforce page:

```
public void updateContact(Contact thisContact){
    thisContact.Is_Active__c = false;
    try{
        update thisContact;
    }catch(Exception e){
        String errorMessage = 'An error occurred while updating the Contact. ' + e.getMessage();
        ApexPages.addMessage(new ApexPages.Message(ApexPages.severity.FATAL,errorMessage));
    }
}
```

In which two ways can the try/catch be enclosed to enforce object and field-level permissions and prevent the DML statement from being executed if the current logged-in user does not have the appropriate level of access? Choose 2 answers

- A. Use if (Schema, objectType, Contact, isUpdatable ( ) )
- B. Use if (Schema , objectType
- C. Contac
- D. Field, Is\_Active\_\_
- E. is Updateable ( ) )
- F. Use if (Schema.sObjectType.Contact.isAccessible ( ) )
- G. Use if (thisContact.Owner == UserInfo.getUserId ( ) )

**Answer:** AB

**NEW QUESTION 91**

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. @AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /\* implementation \*/ }
- B. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /\*implementation\*/ }
- C. @AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /\*implementation\*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /\*implementation\*/ }

**Answer:** A

**NEW QUESTION 92**

A developer is creating a page that allows users to create multiple Opportunities. The developer is asked to verify the current user's default Opportunity record type, and set certain default values based on the record type before inserting the record. How can the developer find the current user's default record type? ns

- A. Query the Profile where the ID equals userInfo.getProfileID() and then use the profile.Opportunity.getDefaultRecordType() | metho
- B. ] |
- C. Use Opportunit
- D. SObjectType.getDescribe().getRecordTypeInfo() to get a list of record types, and iterate through them until [ JisDefaultRecordTypeMapping() is tru
- E. Pencil & Paper |
- F. Use the Schema.userInfo.Opportunity.getDefaultRecordType() metho
- G. <Create the opportunity and check the opportunity.recordType before inserting, which will have the record ID of the current Dal user's default record type.

**Answer:** B

**NEW QUESTION 97**

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

**Answer:** D

**NEW QUESTION 99**

A developer wants to invoke on outbound message when a record meets a specific criteria. Which three features satisfy this use case? Choose 3 answer

- A. Approval Process has the capacity to check the record criteria and send an outbound message without Apex Code
- B. Process builder can be used to check the record criteria and send an outbound message with Apex Code.
- C. workflows can be used to check the record criteria and send an outbound message.
- D. Process builder can be used to check the record criteria and send an outbound message without Apex Code.
- E. Visual Workflow can be used to check the record criteria and send an outbound message without Apex Code.

**Answer:** ABC

#### NEW QUESTION 101

In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. On the Paused Row Interviews related List for a given record
- B. In the Paused Interviews section of the Apex Flex Queue
- C. In the system debug log by Altering on Paused Row Interview
- D. On the Paused Row Interviews component on the Home page

**Answer: B**

#### NEW QUESTION 104

A developer wrote an Apex method to update a list of Contacts and wants to make it available for use by Lightning web components. Which annotation should the developer add to the Apex method to achieve this?

A)

```
@AuraEnabled(cacheable=true)
```

B)

```
@AuraEnabled
```

C)

```
@RemoteAction
```

D)

```
@RemoteAction(cacheable=true)
```

- A. Option
- B. Option
- C. Option
- D. Option

**Answer: B**

#### NEW QUESTION 108

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

**Answer: C**

#### NEW QUESTION 109

A developer is implementing an Apex class for a financial system. Within the class, the variables 'creditAmount' and 'debtAmount' should not be able to change once a value is assigned. In which two ways can the developer declare the variables to ensure their value can only be assigned one time? Choose 2 answers

- A. Use the static keyword and assign its value in the class constructor.
- B. Use the final keyword and assign its value in the class constructor.
- C. Use the static keyword and assign its value in a static initializer.
- D. Use the final keyword and assign its value when declaring the variable.

**Answer: BD**

#### NEW QUESTION 113

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Prebuilt component that can be reused.
- C. Templates to create custom components.
- D. Support for Classic and Lightning UIs.

**Answer: B**

#### NEW QUESTION 118

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

**Answer: AB**

#### NEW QUESTION 121

Universal Containers (UC) processes orders in Salesforce in a custom object, Order\_c. They also allow sales reps to upload CSV files with orders at a time. A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system. 'After the status for an Order\_c is first set to "Placed', the order information must be sent to a REST endpoint in the ERP system that can process one order at a time. What should the developer implement to accomplish this?

- A. Callout from an @future method called from a trigger
- B. Callout from a Synchronous class called from a scheduled job
- C. Flow with 2 callouts from an invocable method
- D. Callout from a Queueable class called from a trigger

**Answer: A**

#### NEW QUESTION 122

When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a postalCodeToTimezone\_c custom object. What should be built to implement this feature?

- A. Account custom trigger
- B. Account approval process
- C. Account assignment rule
- D. Account workflow rule

**Answer: A**

#### NEW QUESTION 125

A Salesforce Administrator is creating a record-triggered flow. When certain criteria are met, the flow must call an Apex method to execute complex validation involving several types of objects. When creating the Apex method, which annotation should a developer use to ensure the method can be used within the flow?

- A. @future
- B. @RemoteAction
- C. @InvocableMethod
- D. @AuraEnabled

**Answer: C**

#### NEW QUESTION 130

A developer created a new trigger that inserts a Task when a new Lead is created. After deploying to production, an outside integration that reads task records is periodically reporting errors. Which change should the developer make to ensure the integration is not affected with minimal impact to business logic?

- A. Deactivate the trigger before the integration runs.
- B. Use a try-catch block after the insert statement.
- C. Remove the Apex class from the integration user's profile.
- D. Use the Database method with all or None set to false

**Answer: C**

#### NEW QUESTION 135

Which Apex class contains methods to return the amount of resources that have been used for a particular governor, such as the number of DML statements?

- A. Exception
- B. Messaging
- C. OrgLimits
- D. Limits

**Answer: D**

#### NEW QUESTION 140

A developer is integrating with a legacy on-premise SQL database. What should the developer use to ensure the data being integrated is matched to the right records in Salesforce?

- A. Lookup field
- B. External ID field
- C. Formula field
- D. External Object

**Answer: B**

#### NEW QUESTION 144

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use the Flow properties page.
- B. Use the code Coverage Setup page
- C. Use the Apex testresult class
- D. Use SOQL and the Tooling API

**Answer:** D

**NEW QUESTION 145**

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL? Choose 2 answers

- A. SOSL is able to return more records.
- B. SOQL is faster for text searches.
- C. SOSL is faster for text searches.
- D. SOQL is able to return more records.

**Answer:** CD

**NEW QUESTION 148**

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

**Answer:** B

**NEW QUESTION 149**

A company has a custom object, Sales, }\_Help\_Request\_\_c, that has a Lookup relationship to Opportunity. The Sales Help Request\_\_c has a number field, Number\_of\_Hours\_\_c, that represents the amount of time spent on the Sales\_Help Request\_\_C.

A developer is tasked with creating a field, total\_Hour2\_\_c, on Opportunity that should be the sum of all of the Number\_of\_Hours\_c values for the Sales\_Help\_Request\_\_c records related to that Opportunity.

What should the developer use to implement this?

- A. A roll-up summary field on the sales Help\_Request\_\_c object
- B. A trigger on the Opportunity object
- C. A roll-up summary field on the Opportunity object
- D. A record-triggered flow on the Sales Help Request\_\_c object

**Answer:** B

**NEW QUESTION 151**

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

**Answer:** AB

**NEW QUESTION 155**

A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user click a button called.. component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. Fire a notification.
- B. Update a property on the parent.
- C. Call a method in the Apex controller.
- D. Create a custom event.

**Answer:** D

**NEW QUESTION 158**

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 1
- B. 3
- C. 4
- D. 2

**Answer:** D

**NEW QUESTION 161**

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) { /\*implementation\*/ } } Which is the correct implementation?

- A. Public class CreditcardPayment extends Payment {public override void makePayment(Decimal amount) { /\*implementation\*/ } }
- B. Public class CreditCardPayment implements Payment {public virtual void makePayment(Decimal amount) { /\*implementation\*/ } }
- C. Public class CreditCardPayment extends Payment {public virtual void makePayment(Decimal amount) { /\*implementation\*/ } }
- D. Public class CreditCardPayment implements Payment {public override void makePayment(Decimal amount) { /\*Implementation\*/ } }

**Answer: A**

**NEW QUESTION 164**

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

```
public class SilverLaptop{
    //code implementation
}
```

How can a developer use the Laptop Interface within the Silvertaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop
- B. public calss SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

**Answer: B**

**NEW QUESTION 166**

A develop completed modification to a customized feature that is comprised of two elements: Apex trigger Trigger handler Apex class What are two factors that the developer must take into account to properly deploy the modification to the production environment?

- A. Apex classes must have at least 75% code coverage org-wide.
- B. At least one line of code must be executed for the Apex trigger.
- C. All methods in the test classes must use @isTest.
- D. Test methods must be declared with the testMethod keyword.

**Answer: AB**

**NEW QUESTION 171**

A developer has the following requirements:

- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. Line Item has a re-parentable master-detail field to Order.
- B. Order has a re-parentable master-detail field to Line Item.
- C. Line Item has a re-parentable lookup field to Order.
- D. Order has a re-parentable lookup field to Line Item.

**Answer: A**

**NEW QUESTION 175**

A software company uses the following objects and relationships:

- Case: to handle customer support issues
- Defect\_c: a custom object to represent known issues with the company's software
- case\_Defect c: a junction object between Case and Defector to represent that a defect Is a customer issue

What should be done to share a specific Case-Defect\_c record with a user?

- A. Share the Case\_Defect\_c record.
- B. Share the parent Case record.
- C. Share the parent Defect\_c record.
- D. Share the parent Case and Defect\_c records.

**Answer: D**

**NEW QUESTION 177**

Refer to the following code snippet for an environment has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 150]){
    if(thisAccount.Industry == 'Technology'){
        thisAccount.Is_Tech__c = true;
    }
    update thisAccount;
}
```

When the code execution, which two events occur as a result of the Apex transaction? When the code executes, which two events occur as a result of the Apex

transaction? Choose 2 answers

- A. If executed in an asynchronous context, the apex transaction is likely to fall by exceeding the DMLgovernor limit
- B. The Apex transaction succeeds regardless of any uncaught exception and all processed accounts are updated.
- C. The Apex transaction fails with the following messag
- D. "SObject row was retrieved via SOQL without querying the requested field Account.Is.Tech\_\_c".
- E. If executed In a synchronous context, the apex transaction is likely to fall by exceeding the DHL governor limit.

**Answer:** A

#### **NEW QUESTION 182**

What should a developer do to check the code coverage of a class after running all tests?

- A. View the code coverage percentage or the class using the Overall code Coverage panel in the Developer Console Test tab.
- B. View the Code Coverage column in the list on the Apex Classes page.
- C. Select and run the class on the Apex est Execution page in the Developer Console.
- D. View the Class test Percentage tab on the Apex Class list view in Salesforce Setup.

**Answer:** D

#### **NEW QUESTION 187**

Universal Containers has a Visualforce page that displays a table of every Container\_c. being ..... Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

**Answer:** D

#### **NEW QUESTION 188**

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. `public interface PaymentProcessor { void pay(Decimal amount); }` Which is the correct implementation to use the PaymentProcessor interface class?

- A. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {} }`
- B. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount); }`
- C. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount); }`
- D. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {} }`

**Answer:** B

#### **NEW QUESTION 190**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **Platform-Developer-I Practice Exam Features:**

- \* Platform-Developer-I Questions and Answers Updated Frequently
- \* Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- \* Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The Platform-Developer-I Practice Test Here](#)**