

NCLEX

Exam Questions NCLEX-PN

National Council Licensure Examination(NCLEX-PN)



NEW QUESTION 1

- (Topic 1)

A batterer is usually someone who:

- A. grew up in a loving, secure home.
- B. was an only child.
- C. was physically or psychologically abused.
- D. admits he has a problem with anger.

Answer: C

Explanation:

Many batterers report having been abused as children. Psychosocial Integrity

NEW QUESTION

period when permanent cessation of menses has occurred. Postmenopause refers to the period after the changes accompanying menopause are complete. Health Promotion and Maintenance

NEW QUESTION 6

- (Topic 1)

Which of the following nursing diagnoses might be appropriate as Parkinson's disease progresses and complications develop?

- A. Impaired Physical Mobility
- B. Dysreflexia
- C. Hypothermia
- D. Impaired Dentition

Answer: A

problems. Choice 1 is incorrect because it is a nursing intervention, not a goal statement.

Choice 3 is incorrect

because it is a therapeutic treatment. Choice 4 is incorrect because weight gain is an appropriate goal only if the client is underweight. Basic Care and Comfort

NEW QUESTION 10

- (Topic 1)

Which is the proper hand position for performing chest vibration?

- A. cup the hands
- B. use the side of the hands
- C. flatten the hands
- D. spread the fingers of both hands

Answer: D

Explanation:

Batterers cannot be predicted by demographic features related to age, ethnicity, race, religious denomination, education, socioeconomic status, or class. Ninety-five percent of domestic abuse cases involve male perpetrators and female victims. Psychosocial Integrity

NEW QUESTION 24

- (Topic 1)

Assessment of a client with a cast should include:

- A. capillary refill, warm toes, no discomfort.
- B. posterior tibial pulses, warm toes.
- C. moist

D. that behavioral therapy is ineffective.

Answer: B

Explanation:

Kegel exercises, tightening and releasing the pelvic floor muscles, might improve stress incontinence. Choice 1 is not an appropriate treatment for stress incontinence. Several effective surgical treatments exist. Lifestyle and dietary modifications can also be helpful. Physiological Adaptation

NEW QUESTION 38

- (Topic 1)

Which of the following statements, if made by the parents of a newborn, does not indicate a need for further teaching about cord care?

- B. liver
- C. kidneys
- D. adrenal glands

Answer: B

Explanation:

Acetaminophen is extensively metabolized in the liver. Choices 1, 3, and 4 are incorrect because prolonged use of acetaminophen might result in an increased risk of renal dysfunction, but a single overdose does not precipitate life-threatening problems in the respiratory system, renal system, or adrenal glands. Pharmacological Therapies

NEW QUESTION 52

- (Topic 1)

- (Topic 1)

A client is taking hydrocodone (Vicodin) for chronic back pain. The client has required an increase in the dose and asks whether this means he is addicted to Vicodin. The nurse should base her reply on the knowledge that:

- A. the client's body has developed tolerance, requiring more drug to produce the same effect.
- B. the client is preoccupied with getting the drug and is experiencing loss of control, indicating drug dependence.
- C. addiction is the term used to describe physical dependence with withdrawal symptoms and tolerance.
- D. the client has a dual diagnosis of substance abuse and chronic back pain.

Answer: A

Explanation:

Answer: A

Explanation:

A contusion is a soft-tissue injury caused by blunt force. It is an injury that does not break the skin, is caused by a blow and is characterized by swelling, discoloration, and pain. The immediate application of cold might limit the development of a contusion. A strain is a muscle pull from overuse, overstretching, or excessive stress.

A sprain is caused by a wrenching or twisting motion. A dislocation is a condition in which the articular surfaces of the bones forming a joint are no longer in anatomic contact. Physiological Adaptation

NEW QUESTION 78

- (Topic 1)

NEW QUESTION 96

- (Topic 1)

The nurse is assessing the dental status of an 18-month-old child. How many teeth should the nurse expect to examine?

- A. 6
- B. 8
- C. 12
- D. 16

Answer: C

Explanation:

In general, children begin dentition around 6 months of age. During the first 2 years of life, a quick guide to the number of teeth a child should have is as follows: Subtract

indicated.Reduction of Risk Potential

NEW QUESTION 106

- (Topic 1)

A 20-year-old obese female client is preparing to have gastric bypass surgery for weight loss. She says to the nurse, ??I need this surgery because nothing else I have done has helped me to lose weight.?? Which response by the nurse is most appropriate?

- A. ??If you eat less, you can save some money.??
- B. ??Exercise is a healthier way to lose weight.??
- C. ??You should try the Atkins diet first.??
- D. ??I respect your decision to choose surgery.??

Answer:

Explanation:

Nurses need to inform clients that there is a difference in perceptions and pay attention to the content of hallucinations. The other options are not therapeutic. Psychosocial Integrity

NEW QUESTION 121

- (Topic 2)

Using clichés in therapeutic communication leads the client toward:

- A. viewing the nurse as human.
- B. accepting himself as human.
- C. self-disclosing.
- D. feeling discounted.

Answer: D

Answer: C

Explanation:

Tattooing puts a client at risk for blood-borne hepatitis B or C if strict sterile procedures are not followed. Tuberculosis is an airborne pathogen, while herpes and syphilis are spread directly (such as through sexual contact). Safety and Infection Control

NEW QUESTION 138

- (Topic 2)

Health promotion activities are designed to help clients:

- A. reduce the risk of illness.
- B. maintain maximal function.
- C. promote healthy habits related to health care.

Explanation:

The scenario describes classic impetigo for which the physician is likely to order antibiotic therapy.
Chickenpox is highly contagious but presents with a history of high fever followed by a vesicular rash.Safety and Infection Control

NEW QUESTION 151

- (Topic 2)

Which of the following ethnic groups is at highest risk in the United States for pesticide- related injuries?

- A. Native American
- B. Asian-Pacific
- C. Norwegian
- D. Hispanic

- B. there is an emotional upset.
- C. a large meal is eaten.
- D. active exercise is performed.

Answer: D

Explanation:

Active exercise increases insulin sensitivity, thus lowering blood glucose levels. Additional carbohydrates might be needed to balance the usual insulin dose. All of the other choices increase blood glucose levels. BasicCare and Comfort

NEW QUESTION 534

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

NCLEX-PN Practice Exam Features:

- * NCLEX-PN Questions and Answers Updated Frequently
- * NCLEX-PN Practice Questions Verified by Expert Senior Certified Staff
- * NCLEX-PN Most Realistic